

INDEX TO VOLUMES 33, 34 and 35

(1949, 1950 and 1951)

NOTE: The volume year is given in *italic type*.

SYMPOSIA

1949

<i>January</i> (Chicago)	DISEASES OF THE SKIN
<i>March</i> (Nationwide)	TREATMENT OF LONG-TERM ILLNESS
<i>May</i> (New York)	CARDIOVASCULAR DISEASE, ESPECIALLY HYPERTENSION
<i>July</i> (Mayo Clinic)	GASTROINTESTINAL CONDITIONS
<i>September</i> (Massachusetts General Hospital)	RECENT ADVANCES IN MEDICINE
<i>November</i> (Philadelphia)	1. MEDICAL EMERGENCIES 2. NUTRITIONAL DISEASES

1950

<i>January</i> (Chicago)	PEDIATRICS
<i>March</i> (Nationwide)	MEDICAL THERAPEUTICS
<i>May</i> (New York)	CARDIOVASCULAR DISEASES
<i>July</i> (Mayo Clinic)	PSYCHIATRY AND THE GENERAL PRACTITIONER
<i>September</i> (Boston)	SPECIFIC METHODS OF TREATMENT
<i>November</i> (Philadelphia) (Georgetown University)	THE INFECTIOUS DISEASES CURRENT CONCEPTS OF PATHOGENESIS AND TREATMENT

1951

<i>January</i> (Chicago)	CLINICAL ADVANCES IN MEDICINE
<i>March</i> (Nationwide)	DISEASES OF THE SKIN
<i>May</i> (New York)	OBSTETRICS AND GYNECOLOGY
<i>July</i> (Mayo Clinic)	DISEASES OF THE KIDNEY
<i>September</i> (Boston)	SPECIFIC METHODS OF TREATMENT
<i>November</i> (Philadelphia)	DIAGNOSIS IN GENERAL MEDICINE

ABORTION, habitual, 1949: July, 1115
treatment, 1949: July, 1118
infertility and its relation to, 1949:
July, 1111-1120
therapeutic, in heart disease in pregnancy, 1950: May, 801
in tuberculosis, 1951: May, 653
in urological complications of pregnancy, 1951: May, 730
Abscess of brain, penicillin in, 1950: March, 323
of common bile duct, 1951: Nov., 1686
of kidney, cortical, 1949: Sept., 1465
of liver, amebic, 1950: Nov. 1672
of lung, 1949: March, 395

Abcess of lung, anatomic and pathologic features, 1951: Nov., 1696
antibiotic aerosols in, 1949: March, 404
postpneumonic, 1950: Nov., 1664
treatment, 1949: March, 400
of nasopharyngeal bursa, 1950: Nov., 1633
perinephritic, 1949: Sept., 1465
peritonsillar, 1950: Nov., 1631
retropharyngeal, 1950: Nov., 1634
Ac-globulin deficiency, 1951: Sept., 1419
Acarophobia, 1949: Jan., 18
Acetarsone in pemphigus, 1949: Jan., 175

- Acetyl strophanthidin in congestive heart failure, 1950: May, 670
- Acetylcholine in paroxysmal tachycardia in infancy, 1950: Jan., 219
- Acid phosphatase. See *Phosphatase*.
- Acid-ash diet in nephrotic edema, 1950: Jan., 87
- Acid-base balance, 1950: Jan., 57, March, 402
- disturbances, 1951: July, 1123
- in renal disease, 1951: Nov., 1718
- Acidity, gastric, determination without intubation by use of quininium exchange indicator compound, 1951: March, 593-602
- Acidosis, diabetic, in children, parenteral fluid therapy in, 1950: Jan., 59
- treatment, 1949: March, 491
- respiratory, in children, parenteral fluid therapy, 1950: Jan., 65
- treatment, 1950: March, 407
- Aene, pustular, cystic, antibiotics in, 1951: March, 351
- vulgaris, hormones and, 1951: March, 373-390
- treatment, 1950: Sept., 1476
- Acrocyanosis, 1951: March, 365
- Acromioclavicular joint, injuries, 1950: Sept., 1332
- Atherosclerosis, 1949: Jan., 57
- ACTH, administration, 1951: Sept., 1242
- dosage, criteria of, 1951: Sept., 1246
- in allergy, 1951: Sept., 1556
- in bronchial asthma, 1951: Sept., 1239
- in burns, 1951: Sept., 1241
- in collagen diseases, 1951: Sept., 1236, 1237, 1280
- in dermatomyositis, 1951: Sept., 1239
- in eye diseases, 1951: Sept., 1237, 1238
- in hemolytic anemia, 1951: March, 580
- acquired, 1951: Sept., 1432
- in hypersensitivities, 1951: Sept., 1237, 1238
- in infections, severe, 1951: Sept., 1520
- in inflammatory conditions, acute, 1951: Sept., 1420
- in leukemia, 1951: Jan., 102, Sept., 1397
- in liver disease, 1951: Sept., 1453
- in lupus erythematosus, 1951: March, 396, 408, Sept., 1238
- in multiple myeloma, 1951: Jan., 219
- in nephrotic syndrome, 1951: Sept., 1241
- in pemphigus, 1951: Sept., 1242
- in periarteritis nodosa, 1951: Sept., 1238, 1239, 1434
- in psoriasis, 1951: Sept., 1240
- in regional enteritis, chronic, 1951: Sept., 1255-1265
- in relief of pain, 1950: March, 374
- in rheumatic disorders, 1949: Nov., 1620; 1950: March, 374, Sept., 1424
- ACTH, in rheumatic fever, acute, 1951: Sept., 1236
- in rheumatoid arthritis, 1951: Sept., 1239
- summary of experiences at a large clinic, 1951: Jan., 3-22
- in sarcoidosis, 1951: Sept., 1241
- in typhoid fever, 1951: Sept., 1517
- in ulcerative colitis, 1951: Sept., 1240
- indications for use, 1951: Sept., 1235
- mode of action, 1951: Sept., 1231
- nature of, 1951: Sept., 1230
- reactions, untoward, 1950: Sept., 1428
- side effects, undesirable, prevention of, 1951: Sept., 1247
- therapy, present status, 1951: Sept., 1229-1253
- toxicity, 1951: Jan., 14
- Actinomycosis, 1949: Jan., 244
- antibiotics in, choice of, 1950: March, 313
- of face, antibiotics in, 1951: March, 352
- of lungs, 1949: Nov., 1490; 1951: Sept., 1323
- penicillin in, 1950: March, 324
- Adams-Stokes syndrome, treatment, 1949: Nov., 1520
- Addison's disease, 1951: Sept., 1287
- diffuse scleroderma and, differentiation, 1949: Jan., 65
- treatment, 1951: Sept., 1289
- Adenohypophysis, disorders of, 1951: Nov., 1727
- Adenomas, basophilic, diagnosis, 1951: Nov., 1730
- chromophobe, diagnosis, 1951: Nov., 1728
- eosinophilic, diagnosis, 1951: Nov., 1730
- of adrenal, benign, 1949: Nov., 1748
- parathyroid, multiple, associated with islet-cell tumors of pancreas, report of 2 cases, with necropsy findings, 1949: July, 1141-1156
- Adoptive placements, intelligence tests in, 1950: July, 1073
- Adrenal adenoma, benign, 1949: Nov., 1748
- androgenic hyperplasia, cortisone in, 1951: Sept., 1236
- cortex, corticoids of, 1951: Nov., 1588
- tumors, nonsecreting, 1951: Sept., 1298
- cortical hyperplasia with adrenogenital syndrome, 1951: March, 502
- insufficiency, cortisone in, 1951: Sept., 1236
- crisis, acute, treatment, 1951: Sept., 1289
- disorders, 1951: Nov., 1739
- diagnosis, pathology and treatment, 1951: Sept., 1283-1303
- insufficiency, acute, 1951: Sept., 1286
- chronic, 1951: Sept., 1287
- medulla, disorders, 1951: Sept., 1299

- Adrenal-sympathetic syndrome in pheochromocytoma, 1950: May, 761
- Adrenalin. See *Epinephrine*.
- Adrenergic blockade, clinical application, 1950: March, 379-394
- Adrenocortical hyperplasia, diagnosis, 1951: Nov., 1740
- insufficiency, diagnosis, 1951: Nov., 1739
- in children, parenteral fluid therapy, 1950: Jan., 65
- Adrenocorticotrophic hormone. See *ACTH*.
- Adrenogenital syndrome, 1951: March, 502, Sept., 1294
- treatment, 1951: Sept., 1296
- Adrenolytic drugs, 1949: Nov., 1745
- Age, increased, of population, medicine and, 1949: March, 295-308
- pertinent characteristics of, 1949: March, 303
- sedimentation rate and, relationship, 1951: July, 1209-1211
- Aged, care of, growing problems, 1951: Jan., 289-293
- Agensis, ovarian, 1951: March, 514
- Aging and aged, nutritional aspects, 1949: Nov., 1681-1684
- psychosomatic problems, 1950: July, 1091-1105
- Agglutination test in viral diseases, 1950: Nov., 1612
- Albumin, serum, in liver disease, 1951: Sept., 1452
- Alcoholic deterioration, 1951: Nov., 1789
- Alcoholism, chronic, prefrontal lobotomy for, 1950: July, 1047
- morphine in, dangers, 1950: Nov., 1773
- Alkalosis, respiratory, in children, parenteral fluid therapy, 1950: Jan., 65
- treatment, 1950: March, 408
- Allergic diseases, antihistaminic drugs in, 1950: March, 351-368
- headaches, treatment, 1951: Sept., 1559
- reactions, criteria for defining, 1949: Jan., 179
- shock from pollen injections, prevention, 1949: March, 412
- states, diagnosis in, 1951: Nov., 1593-1606. See also *Diagnosis*.
- diagnostic procedures, 1951: Nov., 1599
- Allergy, ACTH and cortisone in, 1951: Sept., 1556
- dermatologic, 1949: Jan., 177-204
- treatment, 1951: Sept., 1557
- gastrointestinal, treatment, 1951: Sept., 1559
- in infancy and childhood, 1950: Jan., 3-11
- management, drugs used in, evaluation of, 1951: Sept., 1543-1560
- Allergy, role in neurodermatitis, 1950: July, 1610
- Aluminum chloride in dermatologic therapy, 1949: Jan., 278
- Alzheimer's disease, 1950: July, 1099
- Amaurotic idiocy, infantile, heredity and, 1951: March, 523
- Ambulation, early, for postoperative patients, 1951: March, 554
- Amebiasis, 1950: Nov., 1670
- diagnosis, 1949: May, 900
- concentration technic, 1949: May, 901
- Amebic dysentery, 1950: Nov., 1670, 1672
- Amenorrhea, endocrine therapy, 1950: Sept., 1538
- A-methopterin in leukemia, 1950: Jan., 210, 211, March, 451; 1951: Sept., 1396
- pharmacology, 1950: March, 442
- Amidopyrine in measles, 1949: Jan., 142
- Amino acids, 1949: Nov., 1714, 1728
- Amino-an-fol, 1949: Nov., 1722
- in leukemia, 1950: Jan., 211
- pharmacology, 1950: March, 442
- Aminophylline in acute heart failure, 1949: Nov., 1527
- in allergy in infants, 1950: Jan., 9
- in asthma, 1949: March, 418
- in primary atypical pneumonia, 1950: Nov., 1646
- in status asthmaticus, 1949: Nov., 1598
- to potentiate mercurials, 1950: May, 623
- Aminopterin, 1949: Nov., 1722
- hypoproteinememia induced by, 1949: Nov., 1703
- in leukemia, 1950: Jan., 209, 210, 211, March, 451; 1951: Sept., 1396
- pharmacology, 1950: March, 442
- Ammonia-urea compounds in dentifrices and mouthwashes, 1950: Jan., 28
- Ammonium chloride in congestive heart disease, 1951: Sept., 1343
- in nephrotic edema, 1950: Jan., 87
- Amnesia, production, in obstetrics, 1950: Sept., 1522; 1951: May, 808
- Amphetamine in hypertension, 1949: Sept., 1271
- in obesity in childhood, 1950: Jan., 232
- Amyloid disease of heart, 1950: July, 1137-1144
- tumors of larynx and trachea, 1950: July, 1145-1150
- Amyloidosis, classification and general aspects, 1950: July, 1107-1111
- complicating myeloma, 1950: July, 1151-1164
- diagnosis, laboratory and biopsy, 1950: July, 1171-1176

- Amyloidosis, in multiple myeloma, 1951: Jan., 214
 of kidney, 1951: July, 963, 978
 primary, rupture of spleen in, 1951: Nov., 1841-1847
 systemic, 1950: July, 1119-1135
 with symptoms and signs of liver disease, diagnosis by biopsy, 1950: July, 1113-1118
 secondary, liver involvement in, 1950: July, 1165-1169
- Amyotonia congenita, 1950: Jan., 147
- Amyotrophies, nuclear, 1950: Jan., 147
- Analeptics in respiratory failure, 1950: Sept., 1359
- Analgesia in dysmenorrhea, 1951: May, 862
 in inoperable cancer, 1951: Sept., 1377
 in lymphomas, 1951: Jan., 108
 in obstetrics, 1950: Sept., 1521-1535; 1951: May, 805-818
- Analgesics, synthetic, newer, 1950: March, 369-378
- Anaphylactic type of sensitivity, 1949: Jan., 186
- Androgen therapy. See *Testosterone*.
- Anemias, causes and treatment, 1949: March, 541-560
 due to acute blood loss, 1950: Sept., 1292
 due to deficiency of essential maturation materials, 1949: March, 547
 due to excessive peripheral demand, 1949: March, 551
 due to toxic agents, 1949: March, 545
 electrocardiogram in, 1950: May, 871
 hemolytic, 1949: March, 552
 acquired, ACTH and cortisone in, 1951: Sept., 1432
 diagnosis, 1951: Sept., 1425
 etiology, 1951: Sept., 1423
 nitrogen mustard in, 1951: Sept., 1430
 periarteritis nodosa and, 1951: Sept., 1434
 splenectomy for, 1951: Sept., 1426
 transfusions in, 1951: Sept., 1427
 treatment, 1951: Sept., 1423-1440
 congenital, 1951: March, 571-585
 and acquired, newer concepts, 1951: March, 571-585
 splenectomy for, relapses after, 1949: March, 557
 hypochronic, 1949: March, 551; 1950: Sept., 1300
 in multiple myeloma, 1951: Jan., 199
 iron deficiency, 1949: March, 551; 1950: Sept., 1303
 treatment, 1950: Nov., 1779-1789
 macrocytic, 1949: March, 548
 related to pernicious anemia, 1950: Sept., 1299
 vitamin B₁₂ in, 1950: July, 1197-1204
- Anemias, Mediterranean, 1949: March, 543
 megaloblastic, of infants, vitamin B₁₂ in, 1950: July, 1201
 of pregnancy, vitamin B₁₂ in, 1950: July, 1202
 myelophthisic, 1949: March, 543
 of azotemia, 1951: July, 1081
 of central bone marrow origin, 1949: March, 543
 pernicious, 1949: March, 548; 1950: Sept., 1295
 carcinoma of stomach, prevention, 1949: Sept., 1397
 combined system disease, treatment, 1949: Sept., 1392
 folic acid in, 1949: March, 549, 550, Sept., 1394; 1950: Sept., 1299
 hydrochloric acid in, 1949: Sept., 1392
 iron in, 1949: Sept., 1391
 liver therapy, 1949: Sept., 1386; 1950: Sept., 1298
 reactions to, 1949: Sept., 1389
 therapeutic test, 1950: Sept., 1297
 transfusions in, 1949: Sept., 1386
 treatment, 1949: Sept., 1385-1400; 1950: Sept., 1298
 vitamin B₁₂ in, 1949: March, 551, Sept., 1394; 1950: July, 1197-1204
 sickle cell, 1949: March, 543
 treatment, 1949: March 541-560; 1950: Sept., 1291-1304
- Anesthesia, caudal, in obstetrics, 1951: May, 811
 for cesarean section, 1951: May, 813
 for elderly patients, 1949: March, 584
 for major urologic operations, 1949: March, 476
 in obstetrics, 1950: Sept., 1521-1535; 1951: May, 805-818
 intravenous, 1951: May, 813
 local, in bursitis, 1949: Nov., 1622
 rectal, in obstetrics, 1950: Sept., 1528
 spinal, in obstetrics, 1950: Sept., 1527; 1951: May, 810
 surgical, newer drugs in, 1950: March, 589-597
- Anesthetic agents in dermatologic therapy, 1949: Jan., 271
- Aneurysm, cardiac, pulsation of, 1950: May, 724
 intracranial, congenital, ruptured, headache due to, 1951: Sept., 1485
 headache due to, 1949: July, 989
 intrathoracic, and tumor, differentiation, angiocardiology in, 1950: May, 746, 747
- Angina pectoris, 1950: May, 687
 mercurial diuretic (with theophylline) in, 1951: Jan., 63-71
 neuralgic features, 1949: May, 635-649
 occurrence, in hypertension, 1949: May, 653, 654
 tetraethylammonium in, 1949: May, 827

- Angina pectoris, treatment, 1949: May, 644
 Vincent's, 1950: Nov., 1626
- Angio-elephantiasis, 1951: March, 307
- Angiocardiography, advances in, 1950: May, 745-756
- Angioma, 1951: March, 306
 cavernous, 1951: March, 307
 senile, 1949: Jan., 127; 1951: March, 309
 serpiginosum, 1951: March, 457
 simplex, 1949: Jan., 222
- Angioneurotic edema, antihistaminic drugs in, 1950: March, 358
 treatment, 1950: Sept., 1478
- Anhidrotic agents in dermatology, 1949: Jan., 278
- Anhydroxyprogesterone in dysmenorrhea, 1950: Sept., 1544
 in functional uterine bleeding, 1950: Sept., 1547, 1560
- Animal protein factor, 1949: Nov., 1723
- Anions, undetermined, serum concentration, 1951: Nov., 1826
- Ankle, sprains, in athletics, treatment, 1950: Sept., 1259
 strapping, protective, in athletics, 1950: Sept., 1266
- Anomalies of kidney, congenital, 1951: July, 987-1004
- Anorexia nervosa, 1950: Sept., 1492
- Anoxemia, fetal, as cause of death, 1951: May, 739
 test in heart disease, 1950: May, 713-717
- Anoxia, myocardial, in causation of angina, 1949: May, 636
- Antacids in peptic ulcer, 1950: Sept., 1453
- Anthrax, antibiotics in, 1950: March, 313; 1951: March, 352
 skin lesions, 1949: Jan., 243
- Antibiotics. See also *Penicillin*, *Streptomycin*, etc.
 bacterial resistance, 1950: March, 313
 choice, in infections, 1950: March, 313; 1951: Sept., 1508
 clinical use, 1950: March, 307-318
 combinations, synergistic actions and potential applications, 1951: March, 535-544
 use of, 1950: March, 315
 dosage, 1950: March, 316
 in children, 1951: Sept., 1511
 in dermatology, 1949: Jan., 273; 1951: March, 341-354
 in liver disease, 1951: Sept., 1453
 in lymphomas, 1951: Jan., 108
 in Rocky Mountain spotted fever, 1951: May, 921
 in ulcerative colitis, 1951: Jan., 251, 259
 laboratory control, 1950: Nov., 1600
 newer, in pediatrics, 1951: Sept., 1504-1522
 ointment bases, 1951: March, 346
- Antibiotics, pharmacology and toxicology, 1950: March, 303
 sensitivity of microorganisms to, method of determining, 1951: Jan., 24
 topical use, 1951: March, 343
- Anticoagulants, administration, 1949: March, 342
 in cerebral thrombosis, 1950: May, 909-924
 in chronic cardiovascular diseases, 1949: March, 335-345
 in prevention of intravascular thrombosis, 1949: Nov., 1507
 in treatment of thrombosis and embolism, 1949: Nov., 1509
- Anticonvulsant drugs, 1950: March, 341-350
- Antihistaminic drugs, 1950: March, 351-368
 clinical uses, 1950: March, 357
 commercially available, 1951: Sept., 1548
 in allergy, evaluation, 1951: Sept., 1546
 in infants, 1950: Jan., 9
 in asthma, 1949: March, 419
 in common cold, 1950: Nov., 1641
 in contact dermatitis, 1949: Jan., 185
 in dermatology, 1951: March, 333-340
 pharmacology, 1950: March, 354
 side effects, 1950: March, 362; 1951: March, 335
 toxicity, 1950: March, 364
- Antimicrobial agents, cost, 1951: Jan., 35
- Antimony in multiple myeloma, 1951: Jan., 218
- Antiphlogistic agents in dermatology, 1949: Jan., 271
- Antipruritics in dermatologic therapy, 1949: Jan., 271
 in eczema, 1949: Jan., 209
- Antipyretics in lymphomas, 1951: Jan., 108
- Antiseborrheic agents in dermatology, 1949: Jan., 276
- Antiseptic agents in dermatology, 1949: Jan., 273
- Antiseptics, urinary. See under *Urinary tract infections*.
- Antispasmodics in dysmenorrhea, 1951: May, 862
- Antistine, dosages, 1950: March, 353, 357
- Antithyroid drugs, 1951: Sept., 1309
- Antivitamins, 1949: Nov., 1715, 1721
- Anuria, acute, treatment, 1950: March, 509-523
 conservative management, 1949: July, 1007
 in heart and kidney disease, water balance and, 1950: March, 571-587
- Anus, pruritus, 1949: Jan., 16

- Anxiety as reaction to disease, 1949:
 March, 440
 neurosis, 1949: Sept., 1343-1364;
 1951: Nov., 1795
 recognition and management, 1949:
 March, 441, 442
 separation, in children, 1950: July,
 1084
 state, 1950: Sept., 1491
- Aorta, coarctation, angiocardiology
 in, 1950: May, 750
 electrocardiogram in, 1949: July,
 1159
 hypertension in, 1949: Nov., 1748
 with hypotension in left arm, phys-
 iologic observations, 1950: July,
 1177-1185
- Aortic regurgitation, pulsation in,
 1950: May, 725
- Aortitis, syphilitic, angiocardiology
 in, 1950: May, 752
- Apex beat in heart disease, 1950: May,
 722
- Apnea neonatorum, 1950: Sept., 1532
- Apomorphine in auricular paroxysmal
 tachycardia, 1950: May, 737
 in obstetrics, 1950: Sept., 1524
- Apophysitis of os calcis, 1950: Jan., 183
- Apoplexy, questionable use of term,
 1950: July, 1058
- Appetite, central role, in obesity, 1951:
 Sept., 1355
 emotions and, 1951: March, 485
 versus hunger, 1951: March, 484
- Arrhythmias, cardiac, dibenamine in,
 1950: March, 391
 insurance aspect, 1950: May, 808
 pulsation of neck veins in, 1950:
 May, 727
 congenital, electrocardiogram in,
 1949: July, 1168
- Arsenic in chronic discoid lupus ery-
 thematosus, 1951: March, 394
 in leukemia, 1949: March, 537; 1951:
 Jan., 99
- Arsenical keratoses, 1949: Jan., 110
- Arsenicals in urinary infections, 1949:
 Sept., 1479; 1950: March, 533
- Arsphenamine, dermatitis exfoliativa
 due to, 1949: Jan., 136
- Artane in parkinsonism, 1949: July,
 1135
- Arterial disease, hypertension with,
 1949: March, 313
 occlusive, chronic, anticoagulants
 in, 1949: March, 335
 oxygen saturation, relationship to
 cyanosis, 1951: July, 1185-1202
 varices, differential diagnosis and
 treatment, 1950: May, 897-908
- Arteries, diseases, skin changes due to,
 1951: March, 357
 peripheral, examination, methods,
 1950: May, 887-896
- Arteriography, 1950: May, 894
- Arterioles, diseases, skin manifesta-
 tions, 1951: March, 364
- Arteriosclerosis, cerebral, misdiag-
 nosed, 1949: July, 927
 coronary, 1949: May, 652
 cholesterol levels in, 1950: May,
 678
 insurance aspect, 1950: May, 812
 diabetes and, 1949: May, 784, 795-804
 diet in, 1949: Nov., 1684
 metabolic aspects, 1949: May, 783
 obliterans, anticoagulants in, 1949:
 March, 335
 physical medicine in, 1949: March,
 348
 skin changes in, 1951: March, 358
 pathogenesis, cholesterol in, 1950:
 May, 673-683
 prevention and treatment, 1949:
 May, 773-781
 choline in, 1950: May, 677
 pulmonary, anatomic and pathologic
 features, 1951: Nov., 1696
 symptoms and physical signs, 1951:
 Nov., 1698
- Arteriovenous fistula, hypertension in,
 1949: Nov., 1751
- Arteritis, cranial (temporal), headache
 due to, 1949: July, 996; 1951: Sept.,
 1487
- Arthritides, classification, 1951: Nov.,
 1750
 diagnosis in, 1951: Nov., 1749-1763
 infectious, diagnosis, 1951: Nov.,
 1760
- Arthritis, diagnostic work-up, 1951:
 Nov., 1751
 differential diagnosis, 1951: Nov.,
 1756
 gouty, diagnosis, 1951: Nov., 1761
 hypertrophic, 1950: Sept., 1435-1446
 physical medicine in, 1949: Sept.,
 1313-1319
 of cervical spine, 1950: Sept., 1324
 psoriatic, cortisone in, 1951: Jan., 9
 diagnosis, 1951: Nov., 1758
 postpartum plasma in, 1949: May,
 907-911
- rheumatoid, ACTH in, 1950: March,
 374
 ACTH and cortisone in, 1951: Sept.,
 1239
 summary of experiences at a
 large clinic, 1951: Jan., 3-22
- amyloidosis secondary to, 1950:
 July, 1167
 atypical, diagnosis, 1951: Nov.,
 1758
 cortisone in, 1950: March, 373,
 Nov., 1703
 diagnosis, 1951: Nov., 1756
 gold therapy, 1949: Sept., 1382;
 1950: Nov., 1700
 infection and, 1950: Nov., 1693-1704
 juvenile, diagnosis, 1951: Nov.,
 1758
 physical therapy, 1949: Sept., 1378
 steroids in, therapeutic effective-
 ness, 1951: Jan., 16

- Arthritis, rheumatoid, treatment, 1949: Sept., 1375-1384; 1950: Nov., 1700
orthopedic, 1949: Sept., 1379
roentgen, 1949: Sept., 1383
vaccines in, 1950: Nov., 1701
senescent, physical medicine in, 1949: Sept., 1313-1319
subdeltoid, chronic adhesive, 1950: Sept., 1331
- Arthrogryposis multiplex congenita, 1950: Jan., 153
- Artificial respiration, methods, 1950: Sept., 1348
- Artisone in rheumatoid arthritis, effects, 1951: Jan., 18
- Ascites, recurrent, in pulmonary stenosis without septal defect, 1950: July, 1187-1195
- Ascorbic acid, interrelationships, 1949: Nov., 1712
- Aspiration biopsy of sternal marrow, 1950: Sept., 1388
bronchoscopic, in asthma, 1949: March, 418
of trachea in pulmonary atelectasis, 1949: Nov., 1614
- Aspirin in rheumatic fever, 1950: Sept., 1421
- Asthenia, neurocirculatory, 1949: Sept., 1343-1364
- Asthma, bronchial, ACTH and cortisone in, 1951: Sept., 1239
aminophylline in, 1949: March, 418
antihistaminic drugs in, 1949: March, 419; 1950: March, 360
bronchoscopic aspiration in, 1949: March, 418
complications and their treatment, 1949: March, 423
dibenzamine in, 1950: March, 390
drugs used in, evaluation, 1951: Sept., 1552
epinephrine in, 1949: March, 418
hyposensitization, short interval, 1949: March, 415
intractable, severe, management, 1949: Nov., 1597-1603
ipecaac in, 1949: March, 417
morphine in, dangers, 1950: Nov., 1767
pathogenesis, 1950: Nov., 1829-1838
penicillin in, 1949: March, 417
rehabilitation in, 1949: March, 420
sedatives in, 1949: March, 419
treatment, new trends, 1949: March, 411-425
- Atelectasis, pulmonary, 1949: Nov., 1613
- Atherosclerosis, coronary, obesity and, 1951: Sept., 1353
metabolic aspects, 1949: May, 783-794
prevention and treatment, 1949: May, 773-781
- Athlete's foot, treatment, 1950: Sept., 1481
- Athyreosis, 1950: Jan., 241-244
- Atresia of esophagus, congenital, 1950: Jan., 247-256
tricuspid, congenital, anatomical classification, 1949: July, 1177-1196
- Atrial function, disturbances, unipolar precordial electrocardiogram in, 1950: May, 840
septal defects, electrocardiogram in, 1949: July, 1159
- Atrophy, muscular, arthritic, diagnosis, 1951: Nov., 1773
- Atropine in parkinsonism, 1949: July, 1136
in ventricular paroxysmal tachycardia, 1950: May, 741
- Attitude, relation to cardiovascular patterns, 1950: May, 824
- Aureomycin, combination with other antibiotics, results, 1951: March, 535-544
dosages, 1950: March, 317
in children, 1951: Sept., 1511
general characteristics, 1951: March, 342
in amebiasis, 1950: Nov., 1672
in dermatology, 1951: March, 341-354
in influenza, 1950: Nov., 1645
in meningitis in children, 1950: Nov., 1686
in pharyngitis, 1950: Nov., 1633
in primary atypical pneumonia, 1950: Nov., 1647
in psittacosis, 1950: Nov., 1651
in Q fever, 1950: Nov., 1651
in Rocky Mountain spotted fever, 1951: May, 922
in septic sore throat, 1950: Nov., 1624
in subacute bacterial endocarditis, 1950: May, 781
in ulcerative colitis, 1951: Jan., 260, 262, 263
in urinary infections, 1949: Sept., 1477; 1950: March, 532
pharmacology and toxicology, 1950: March, 309
topical use, 1951: March, 346
toxicity, 1950: March, 312
- Auricular fibrillation, anticoagulants in, 1949: March, 341
digitalis in, 1950: May, 653
paroxysmal, 1950: May, 741, 742
treatment, 1949: Nov., 1530
flutter, diagnosis, 1949: Sept., 1258
digitalis in, 1950: May, 653
management, 1949: Sept., 1255-1267
paroxysmal, 1949: Nov., 1529; 1950: May, 743, 744
premature contractions, digitalis in, 1950: May, 653
tachycardia, paroxysmal, 1950: May, 735
- Azotemia, anemia of, 1951: July, 1081
in chronic nephritis, 1950: Jan., 83
in renal disease, 1951: Nov., 1717
prerenal, pathogenesis, 1950: May, 642

- BACITRACIN, dosage, 1950: March, 316
 general characteristics, 1951: March, 341
 in amebiasis, 1950: Nov., 1672
 in dermatology, 1951: March, 341-354
 pharmacology and toxicology, 1950: March, 308
 topical use, 1951: March, 345
 toxicity, 1950: March, 311
- Back pain, low, treatment, 1949: Nov., 1625
- Bacteremia, penicillin in, 1950: March, 321
 streptomycin in, 1950: March, 328
- Bacteria in urine, 1951: Nov., 1711
- Bacteriologic specimens, selection for diagnosis, 1950: Nov., 1594-1597
- Bacteriologist, role in diagnosis and treatment of acute infectious diseases, 1950: Nov., 1589-1604
- Bacteriology, diagnostic, 1950: Nov., 1590
 in liver disease, 1951: Nov., 1676
- Bakers' dermatitis, 1949: Jan., 246
- BAL in acute mercury bichloride poisoning, 1950: March, 469-484
- Balanitis xerotica obliterans, 1951: March, 416, 417
- Banti's disease, 1950: Sept., 1271
 splenectomy for, effect on subsequent pregnancies, 1950: July, 1223
- Barach equalizing pressure chamber, 1950: Sept., 1357
- Barbiturates, addiction to, manifestations and treatment, 1950: March, 425-438
 in menopause, 1951: May, 888
 in obstetrics, 1950: Sept., 1523; 1951: May, 809
 intravenous, 1951: May, 813
 in surgical anesthesia, 1950: March, 592
- Basal body temperatures in study of sterility, 1951: May, 829
 cell epithelioma, 1949: Jan., 111
 hyperplasia of cervix, 1951: May, 853
 metabolic rate in arthritis, 1951: Nov., 1755
 in hyperthyroidism, 1951: Sept., 1306
 metabolism test, clinical application, 1950: Nov., 1839-1851
- Base coats, nail changes following use, 1949: Jan., 95-107
- Basilar artery, stenosis of, 1951: Sept., 1466
 impression of skull, 1950: Jan., 155
- Basophilism, pituitary, 1951: Sept., 1290
- Bath(s), carbon dioxide, in peripheral vascular disease, 1949: March, 352
 in dermatologic therapy, 1949: Jan., 271
 tub, continuous, in psychoses, 1949: July, 1124
- Beard, folliculitis, antibiotics in, 1951: March, 349
 pyogenic, treatment, 1950: Sept., 1476
- Bed rest, effects, management, 1951: March, 545-562
 wetting, causes and treatment, 1950: July, 1085
- Behavior disorders, intelligence tests in, 1950: July, 1073
 disturbances in children, psychotherapy in, 1951: Sept., 1504
- Behcet's disease, 1951: March, 324
- Bellabulgara in parkinsonism, 1949: July, 1137
- Belladonna in parkinsonism, 1949: July, 1136
- Benadryl, dosages, 1950: March, 352, 357
 in parkinsonism, 1949: July, 1138
 structural formula, 1951: March, 334
- Bence-Jones protein in multiple myeloma, 1951: Jan., 210, Nov., 1834
 proteinuria in cancer, 1950: Sept., 1395
- Benemid with penicillin, 1950: Nov., 1659; 1951: Jan., 32
- Benzodioxane as adrenergic blocking agent, 1950: March, 381
 test in paroxysmal hypertension, 1951: Sept., 1300
 in pheochromocytoma, 1950: May, 1762
- Benzol in leukemia, 1949: March, 537
- Benzyl benzoate in dermatologic therapy, 1949: Jan., 274
- Beriberi, cardiovascular manifestations, 1949: Nov., 1643-1655
- Besnier's lupus pernio, 1949: Jan., 31, 37
 prurigo, 1949: Jan., 186
- Beta-haloalkylamines as adrenergic blocking agents, 1950: March, 380
- Bile ducts, carcinoma of, 1951: Nov., 1687
 common, injury to, 1951: Nov., 1686
 congenital obstruction, 1951: Nov., 1686
 examination in diagnosis of liver disease, 1951: Nov., 1676
- Biliary disease, cardiac disease and, 1951: Nov., 1687
 diabetes mellitus and, 1951: Nov., 1688
 pancreatitis and, 1951: Nov., 1689
 pregnancy and, 1951: Nov., 1689
 renal disease and, 1951: Nov., 1690
 obstruction or fistula, hypoprotrombinemia of, 1949: Nov., 1695, 1706
 system, diseases of, 1951: Nov., 1679-1693
- Bilirubin metabolism in estimate of liver function, 1950: Sept., 1463
- Biopsy, coning, in cancer of cervix, 1951: May, 858

- Biopsy, endometrial, 1951: May, 828
in diagnosis of amyloidosis, 1950:
July, 1173
of cancer, 1950: Sept., 1387
of liver. See *Liver biopsy*.
punch, in cancer of cervix, 1951:
May, 857
rotary, in dermatologic diagnosis,
1951: Nov., 1635
- Birth trauma as cause of death, 1951:
May, 739
- Bismuth in chronic discoid lupus ery-
thematosus, 1951: March, 395
- Bladder, carcinoma, 1949: March, 482
decompression, in prostatism, 1949:
March, 474
during pregnancy, 1951: May, 721
postpartum, 1951: May, 722, 724
rupture, during delivery, 1951: May,
723
- Blastomas with eosinophilia, 1951:
March, 465
- Bleeding patient, treatment of, 1951:
Jan., 267-278
- Blood chemistry in diagnosis of liver
disease, 1951: Nov., 1676
coagulation, physiology of, 1951:
Sept., 1403
conservation, in severe hemorrhage,
1949: Nov., 1556
count in arthritis, 1951: Nov., 1754
dyscrasias, cutaneous lesions in,
1949: Jan., 281
findings in multiple myeloma, 1951:
Jan., 199
peripheral, in diagnosis of liver
disease, 1951: Nov., 1674
pressure, basic, determination, 1949:
May, 688
control, role of carotid sinus in,
1949: May, 619-633
sedimentation rate, relationship to
age, 1951: July, 1209-1211
stream infections, penicillin in, 1950:
March, 321
transfusions. See *Transfusions*.
urea nitrogen, 1951: Nov., 1712
in gastrointestinal hemorrhage,
1949: Nov., 1569
uric acid in arthritis, 1951: Nov., 1755
vessels, peripheral, examination,
methods, 1950: May, 887-896
volume, measurement of, 1951: Nov.,
1586
- Body compartments, biochemical
structure, deviations in dis-
ease, 1950: March, 398
normal, 1950: March, 396
fluids, functional divisions, 1951:
Nov., 1808
- Boeck's sarcoid, 1949: Jan., 32, 35, 36,
257, 258
- Boils, treatment, 1950: March, 324,
Sept., 1476
- Bone marrow, anemias originating in,
1950: March, 543
- Bone marrow, aspiration technic, 1950:
Nov., 1817-1827
examination, diagnostic import-
ance, in acute hematogenous
tuberculosis, 1950: Nov., 1817-
1827
in diagnosis of liver disease, 1951:
Nov., 1675
studies in multiple myeloma, 1951:
Jan., 202
necrosis, avascular, in children, 1950:
Jan., 165-186
Paget's disease, familial incidence,
1951: July, 1203-1208
sarcoidosis of, 1949: Jan., 42
Bowen's disease, 1949: Jan., 125-134
precancerous dermatosis, 1949: Jan.,
125-134
- Bragg-Paul pulsator, 1950: Sept., 1357
- Brain abscess, penicillin in, 1950:
March, 323
damage, early, in essential hyper-
tension, psychiatric manifestations,
1951: Jan., 133-142
metabolic disease, cerebral, 1950:
Nov., 1801-1815
organic injury, psychologic testing
in, 1950: July, 1074
- Branham's sign, 1949: Nov., 1752
- Bread, salt-free, recipe, 1950: March,
567
- Breast, carcinoma, endocrine therapy,
1951: Jan., 51-61
estrogens in, 1951: Jan., 56
complications, 1951: Jan., 57
hormone therapy, 1950: March,
447, 448, Sept., 1409
testosterone in, 1951: Jan., 52
complications, 1951: Jan., 53
- Breathing, pressure, positive, effects
on circulation, 1950: Sept.,
1344
intermittent, 1951: Nov., 1703
face mask or endotracheal
tube to provide, 1950: Sept.,
1352
- Bright's disease, hemorrhagic, 1950:
Jan., 95-105. See also *Nephritis*.
- Brine flotation technic for amebae,
1949: May, 901
- Bromides in epilepsy, 1950: March, 348
- Bromsulphalein excretion in liver in-
jury, 1951: Nov., 1660
test, evaluation, 1950: Sept., 1465
in gastrointestinal hemorrhage,
1949: Nov., 1568
- Bronchiectasis, anatomic and patho-
logic features, 1951: Nov., 1696
antibiotics in, 1951: Sept., 1519
diagnosis, 1949: July, 1054
penicillin in, 1949: March, 404
suppurative, 1949: March, 393
treatment, 1949: March, 400
- Bronchiolitis, antibiotics in, 1951:
Sept., 1519

- Bronchiolitis fibrosa obliterans, anatomic and pathologic features, 1951: Nov., 1696
symptoms and physical signs, 1951: Nov., 1698
- Bronchography, value, 1949: July, 1054
- Bronchopulmonary suppurations, non-tuberculous, management, 1949: March, 391-410
- Bronchoscopy, value, 1949: July, 1054
- Brucella dermatitis, 1949: Jan., 243
- Brucellosis, antibiotics in, choice of, 1950: March, 313
- streptomycin in, 1950: March, 329
and sulfadiazine in, 1949: July, 1079-1088
- Buerger's disease. See *Thromboangiitis obliterans*.
- exercises, 1949: March, 353
- Bullous diseases, 1949: Jan., 165
- Bürger-Grütz xanthomatosis, 1951: March, 451
- Burns, ACTH and cortisone in, 1951: Sept., 1240
severe, in children, parenteral fluid therapy, 1950: Jan., 65
- Bursitis, subacromial, 1949: Nov., 1621
subdeltoid, 1949: Nov., 1621; 1950: Sept., 1330, 1331
- Butcher's pemphigus, 1949: Jan., 243
- CATERGONE in migraine, 1949: Nov., 1586, 1588
- Caffeine sodium in respiratory failure, 1950: Sept., 1359
- Calciferol in sarcoidosis, 1949: Jan., 50
- Calcinosis in diffuse scleroderma, 1949: Jan., 61
universalis and calcinosis circumscripta, 1951: Sept., 1279
- Calcium gluconate in auricular paroxysmal tachycardia, 1950: May, 739
metabolism in renal disease, 1951: Nov., 1719
- pantothenate in chronic discoid lupus erythematosus, 1951: March, 395
- Calvé's disease, 1950: Jan., 170
- Cancer. See *Carcinoma*.
- Capillaries, diseases, skin changes in, 1951: March, 367
inspection, 1950: May, 888
- Capillary fragility in hypertension, 1949: May, 675-686
nevus, 1949: Jan., 220, 222
- Carbamylcholine in auricular paroxysmal tachycardia, 1950: May, 738
- Carbarsone in amebic dysentery, 1950: Nov., 1672
- Carbohydrate metabolism, vascular degeneration and, 1949: May, 785
- Carbon dioxide baths in peripheral vascular disease, 1949: March, 353
serum concentration, 1951: Nov., 1825
relation to volume of body water, 1951: Nov., 1817
- Carbon dioxide therapy in psychoses, 1950: Sept., 1500
- Carbuncles, penicillin in, 1950: March, 324
- Carcinoma, basal cell, of cervix, 1951: May, 852
biopsy in, 1950: Sept., 1387
clinical manifestations, early, 1950: Sept., 1381
cytologic study of body secretions, 1950: Sept., 1395-1404
diagnosis, early, 1950: Sept., 1381-1408
hormonal treatment, 1950: Sept., 1409-1417; 1951: Sept., 1367
inoperable, treatment, 1951: Sept., 1361-1380
intraepithelial, of cervix, 1951: May, 848
laboratory aids in, 1950: Sept., 1395
nitrogen mustards in, 1951: Sept., 1375
of bile ducts, 1951: Nov., 1687
of bladder, 1949: March, 482
of breast, endocrine therapy, 1951: Jan., 51-61
estrogens in, 1951: Jan., 56
complications, 1951: Jan., 57
hormone therapy, 1950: March, 447, 448, Sept., 1409
testosterone in, 1951: Jan., 52
complications, 1951: Jan., 53
of cervix, early stages, clinical recognition, 1951: May, 847-859
intraepithelial, 1951: May, 848
of gallbladder, 1951: Nov., 1686
of glans penis, 1951: March, 413, 414
of lung, nitrogen mustards in, 1949: Sept., 1309; 1950: March, 450
of pancreas, 1951: Nov., 1687
of prostate gland, 1949: March, 479
estrogen therapy, 1950: March, 445, 446, Sept., 1411
orchiectomy in, 1950: Sept., 1411
of skin, 1949: Jan., 109-117
treatment, 1949: Jan., 119-123
of stomach in pernicious anemia, prevention, 1949: Sept., 1397
perforated, pain in, 1949: July, 965-972
of thyroid, radioiodine in, 1950: March, 450; 1951: Jan., 43
physical examination in, 1950: Sept., 1386
radiation therapy, 1951: Sept., 1366
roentgen diagnosis, 1950: Sept., 1390
squamous cell, 1949: Jan., 115
study, methods, 1951: Nov., 1829
tests, 1951: Nov., 1590, 1835
- Cardiorenal disease, treatment, salt depletion syndrome as complication, 1951: July, 1139-1156
- Cardiorespiratory arrest, 1950: Sept., 1343
- Cardiospasm, dibenamine in, 1950: March, 390

- Cardiovascular conditions, acute, treatment, 1949: Nov., 1519-1535
diseases, studies, recent trends, 1950: May, 609-614
symposium on, 1949: May, 607; 1950: May, 609
manifestations of allergic disorders, 1951: Nov., 1598
of heart disease, 1949: Nov., 1643-1655
symptoms and disease, relationship of life stress to, 1950: May, 817-831
syphilis, late, treatment, 1950: March, 499
treatment, 1951: Jan., 147
- Caries, dental, 1949: Nov., 1713
control and prevention, 1950: Jan., 13-32
- Caronamide with penicillin, 1951: Jan., 32
- Carotid occlusion, chronic, syndrome of, 1951: Sept., 1459
sinus pressure in auricular flutter, 1949: Sept., 1258
in auricular paroxysmal tachycardia, 1950: May, 736
role in blood pressure control, 1949: May, 611-617
syncope, treatment, 1949: Nov., 1520
- Castration in cancer of breast, 1950: Sept., 1409
in cancer of prostate gland, 1950: Sept., 1411
male, effect on sexual behavior, 1951: Jan., 280
- Casts in rheumatoid arthritis, 1949: Sept., 1380
- Catheterization of bladder in prostatism, 1949: March, 474
- Ceepryn in intermittent positive pressure breathing, 1951: Nov., 1704
- Cellulitis and lymphangitis, recurrent, of extremities, 1949: July, 1089-1098
indurated, chronic, 1951: March, 363
penicillin in, 1950: March, 324
- Cephalgia, histaminic, 1949: July, 977, 1002, Sept., 1447
- Cephalin-cholesterol flocculation test of liver injury, 1951: Nov., 1656
- Cephalopelvic disproportion, quantitative estimation, 1951: May, 783
by precision stereoscopic technique, 1951: May, 784
- Cerebral. See also *Brain*.
damage, early, in essential hypertension, psychiatric manifestations, 1951: Jan., 133-142
macular degeneration, 1950: Jan., 162
metabolic disease, pathologic physiology, 1950: Nov., 1801-1815
thrombosis, anticoagulants in, 1949: March, 339; 1950: May, 909-924
differentiation from hemorrhage and embolus, 1950: May, 910
- Cerebral vascular accidents, priscoline in, 1950: March, 385
- Cerebrospinal fluid examination in diagnosis of liver disease, 1951: Nov., 1676
in infants and children, 1950: Jan., 107-118
methods of obtaining, 1950: Jan., 115
- Cerebrovascular symptoms, recurrent, treatment, and question of "vasospasm," 1951: Sept., 1457-1474
- Cervical rib, 1950: Sept., 1326
scrapping in cancer diagnosis, 1951: May, 857
smear in cancer diagnosis, 1950: Sept., 1396
spine, lesions, 1950: Sept., 1323
traction, method, 1950: Sept., 1325
- Cervix uteri, carcinoma, early stages, clinical recognition, 1951: May, 841-859
- Cesarean section, anesthesia for, 1951: May, 813
- Chancroid, aureomycin in, 1951: March, 351
of penis, 1951: March, 412, 413
- Character neurosis, 1951: Nov., 1795
- Charts, scatter, use of, 1951: Nov., 1585
- Chemical equivalence, basic concepts, 1951: Nov., 1808
- Chemotherapy in leukemia and malignant lymphomas, 1951: Sept., 1389
neoplastic diseases, 1950: March, 439-458
in ulcerative colitis, 1951: Jan., 251, 257-266
- Chest disease, angiocardigraphy in, 1950: May, 746
pain in heart diseases, 1951: Nov., 1721
- Chickenpox, diagnosis, 1950: Sept., 1310
treatment, 1950: Jan., 144, Sept., 1318
- Chigger infestation, 1950: Jan., 267
- Childbirth. See *Labor*.
- Children, behavior disturbances, psychotherapy in, 1951: Sept., 1504
cerebrospinal fluid in, 1950: Jan., 107-118
diagnostic problems in, 1950: July, 1079-1089
diseases of, symposium on, 1950: Jan., 1
medical care, psychotherapy in, 1951: Sept., 1495-1506
nephritis in, types and treatment, 1951: July, 1069-1080
parenteral fluid therapy in, 1950: Jan., 53-70
- Chloramphenicol. See *Chloromycetin*.
- Chloride balance, renal aspects in patients with water-electrolyte problems, 1951: July, 1129-1143

- Chloride balance, technic, clinical use of, 1951: July, 1113-1127
 excretion, urinary, test, 1949: Sept., 1273
 replacement, 1950: March, 406
 serum concentration, 1951: Nov., 1825
 relation to volume of body water, 1951: Nov., 1817
- Chloroform anesthesia in obstetrics, 1950: Sept., 1529; 1951: May, 842
- Chloromycetin, combination with other antibiotics, results, 1951: March, 535-544
 dosages, 1950: March, 318
 in children, 1951: Sept., 1512
 general characteristics, 1951: March, 342
 in dermatology, 1951: March, 341-354
 in meningitis in children, 1950: Nov., 1686; 1951: Sept., 1514
 in pneumonia, 1950: Nov., 1661
 in primary atypical pneumonia, 1950: Nov., 1647
 in Rocky Mountain spotted fever, 1951: May, 923
 in subacute bacterial endocarditis, 1950: May, 781
 in typhoid fever, 1950: Nov., 1675; 1951: Sept., 1517
 in ulcerative colitis, 1951: Jan., 260
 in urinary infections, 1949: Sept., 1478; 1950: March, 533
 pharmacology and toxicology, 1950: March, 311
 toxicity, 1950: March, 313
- Chlorothen, dosages, 1950: March, 352, 357
- Chlor-trimeton, dosages, 1950: March, 353, 357
- Cholangiohepatitis, 1951: Nov., 1683
- Cholecystitis, acute, 1951: Nov., 1681
 chronic, with cholelithiasis, 1951: Nov., 1680
- Choledocholithiasis, 1951: Nov., 1683
- Cholelithiasis with chronic cholecystitis, 1951: Nov., 1680
- Cholera, 1950: Nov., 1675
 antibiotics in, choice of, 1950: March, 313
 immunization, 1950: Nov., 1730
- Cholesterol, blood, in hypothyroidism, 1950: Jan., 236
 dietary, effect on blood levels, 1950: May, 679
 esters in liver injury, 1951: Nov., 1668
 in pathogenesis of arteriosclerosis, 1950: May, 673-683
 restriction in atherosclerosis, 1949: May, 775
 in obesity with heart disease, 1951: Sept., 1357
 serum, in hyperthyroidism, 1951: Sept., 1306
 total and esterified, in liver injury, 1951: Nov., 1659
- Cholesterosis, extracellular, 1951: March, 452
- Choline in prevention of arteriosclerosis, 1950: May, 677
- Chorea, diagnosis and treatment, 1950: July, 1079
- Huntington's, hereditary aspects, 1951: March, 522
- Choriomeningitis, lymphocytic, 1950: Nov., 1686
 diagnosis, 1950: Sept., 1316
 management, 1950: Sept., 1321
- Chorionepithelioma, hormone assay, 1951: Nov., 1833
- Chronic disease, adjustment to, 1949: March, 439
 anxiety as reaction, 1949: March, 440, 442
 characteristics of, 1949: March, 300
 dietary needs in, 1949: March, 561-572
 in the constitutionally inadequate, 1949: March, 427-434
 mastery of, 1949: March, 435-446
 patient as surgical risk, 1949: March, 573-585
 planning for, 1949: March, 587-597
 prevalence, 1949: March, 435
 social and cultural aspects, 1949: March, 437
 treatment, symposium on, 1949: March, 293
- Chrysarobin in dermatology, 1949: Jan., 276
- Cigarette smoking in heart disease, 1950: May, 697-703
- Circulation time measurements, 1950: May, 892
- Circulatory considerations in respiratory failure, 1950: Sept., 1343
 failure, renal insufficiency due to, 1950: May, 641-648
- Cirrhosis, biliary, xanthomatous, 1951: March, 442
 cardiac, 1950: May, 626
 Laennec's, diet in, low sodium and high protein, 1951: Jan., 73-91
 of liver, diet in, 1949: March, 570, Nov., 1661
- Cisternal puncture in infants and children, 1950: Jan., 117
- Climacteric. See also *Menopause*.
 male, concept of, 1951: Jan., 279-288
- Clostridial infections, antibiotics in, choice of, 1950: March, 313
- Coagulation, physiology of, 1951: Sept., 1405
- Coal tar in eczematous dermatoses, 1949: Jan., 209
- Coarctation of aorta. See *Aorta*
- Coccal infections, electrocardiogram in, 1950: May, 871
- Coccidioidomycosis of lungs, 1951: Sept., 1328

- Codeine in hypertrophic arthritis, 1950: Sept., 1438
- Cold agglutination test, 1950: Nov., 1612
- common, 1950: Nov., 1637
- antihistaminic drugs in, 1950: March, 362, Nov., 1641
- diagnosis, 1950: Sept., 1311
- prevention and treatment, 1950: Nov., 1640
- sores, 1951: March, 563
- Coli-aerogenes infections, antibiotics in, choice of, 1950: March, 314
- Colitis, ulcerative, chronic, 1951: Jan., 243-255
- ACTH and cortisone in, 1951: Sept., 1240
- carcinomatous degeneration, 1951: Jan., 247
- chemotherapy in, 1951: Jan., 257-266
- kidney in, 1951: July, 982
- treatment, 1951: Jan., 249
- malignant degeneration in, report of 7 cases, 1949: Sept., 1421-1437
- salicylazosulfapyridine in, 1949: July, 935-942
- Collagen diseases, ACTH and cortisone in, 1951: Sept., 1236, 1237, 1280
- diffuse, diagnosis, 1951: Nov., 1759
- pathology and clinical course, 1951: Sept., 1267-1281
- Collapse procedures in tuberculosis, changing picture, 1950: Sept., 1367
- Collodion in dermatologic therapy, 1949: Jan., 270
- Colon, obstruction, 1949: Sept., 1461
- Colonic mucus, cytology of, in cancer diagnosis, 1950: Sept., 1403
- Colorado tick fever, 1951: March, 587-592
- diagnosis, 1950: Sept., 1314
- management, 1950: Sept., 1320
- Coma, diabetic, 1949: Nov., 1537-1553
- diagnosis, 1951: Nov., 1614
- treatment, 1949: March, 493, Nov., 1550
- Compensation neurosis, headache due to, 1951: Sept., 1491
- Complement fixation test in Rocky Mountain spotted fever, 1951: May, 915
- in viral diseases, 1950: Nov., 1610
- Compound E. See *Cortisone*.
- Compression, arterial, to control hemorrhage, 1949: Nov., 1558
- dressings in severe hemorrhage, 1949: Nov., 1557
- Compulsive reactions, 1950: July, 1027
- Confusion reactions, 1950: July, 1020
- Congenital malformations, 1951: March, 527
- tricuspid atresia, classification, 1949: July, 1177-1196
- Congo red test for amyloidosis, 1950: July, 1165-1171
- Coning biopsy in cancer of cervix, 1951: May, 858
- Conjunctivitis, vernal, ACTH and cortisone in, 1951: Sept., 1238
- Constipation, 1949: July, 957-963
- management, 1949: July, 959
- Constitutionally inadequate, chronic illness and, 1949: March, 427-434
- Contact dermatitis. See *Dermatitis*.
- Contagious diseases. See *Infectious diseases, acute*.
- Conteben in tuberculosis, 1951: Jan., 165
- Contusions, muscle, in athletics, treatment, 1950: Sept., 1264
- Conversion hysteria, 1950: Sept., 1489
- Convulsions, cerebrospinal fluid in, 1950: Jan., 109
- of epilepsy, treatment, 1950: March, 341-350, Sept., 1507-1520
- Convulsive therapy in psychoses, 1950: Sept., 1504
- Coombs antiglobulin test, 1951: March, 575
- Cor pulmonale, morphine in, dangers, 1950: Nov., 1768
- Cornea, erosion, unilateral, nocturnal, recurrent, 1949: July, 998
- Coronary arteries, anomalies, electrocardiogram in, 1949: July, 1167
- diabetic complications involving, 1951: Nov., 1616
- arteriosclerosis, 1949: May, 652
- cholesterol levels in, 1950: May, 678
- insurance aspect, 1950: May, 812
- artery disease, anoxemia test in, 1950: May, 713-717
- diet in, 1949: Nov., 1631
- exercise test, electrocardiogram in, 1950: May, 877
- terminology and diagnosis, 1950: May, 685-696
- two-step exercise test in, 1950: May, 705-713
- atherosclerosis, obesity and, 1951: Sept., 1353
- blood flow, reflex disturbances, electrocardiogram in, 1950: May, 876
- failure, 1950: May, 688
- insufficiency, 1950: May, 686
- Corticoids of adrenal cortex, 1951: Nov., 1588
- Corticotropin. See *ACTH*.
- Cortisone, administration, 1951: Sept., 1242
- dosage, criteria of, 1951: Sept., 1246
- in Addison's disease, 1951: Sept., 1289
- in adrenal cortical insufficiency, 1951: Sept., 1236
- in adrenogenital syndrome, 1951: Sept., 1296
- in allergy, 1951: Sept., 1556
- in bronchial asthma, 1951: Sept., 1239
- in burns, 1951: Sept., 1241

- Cortisone, in collagen diseases, 1951: Sept., 1236, 1237, 1280
 in dermatomyositis, 1951: Sept., 1239
 in eye diseases, 1951: Sept., 1238
 in hemolytic anemia, acquired, 1951: Sept., 1432
 in hypersensitivities, 1951: Sept., 1238
 in inflammatory conditions, acute, 1951: Sept., 1240
 in leukemia, 1951: Jan., 102, Sept., 1397
 in liver disease, 1951: Sept., 1453
 in lupus erythematosus, 1951: March, 396, 408, Sept., 1238
 in multiple myeloma, 1951: Jan., 102, 219
 in nephrotic syndrome, 1951: Sept., 1241
 in pemphigus, 1951: Sept., 1242
 in periarteritis nodosa, 1951: Sept., 1238, 1239
 in psoriasis, 1951: Sept., 1240
 in psoriatic arthritis, 1951: Jan., 9
 in relief of pain, 1950: March, 372
 in rheumatic disorders, 1949: Nov., 1620; 1950: March, 373, Sept., 1424
 in rheumatoid arthritis, 1950: Nov., 1703; 1951: Sept., 1239
 summary of experiences at a large clinic, 1951: Jan., 3-22
 in rheumatoid spondylitis, 1951: Jan., 9
 in sarcoidosis, 1951: Sept., 1241
 in Still's disease, 1951: Jan., 9
 in ulcerative colitis, 1951: Sept., 1240
 in Waterhouse-Friderichsen disease, 1951: Sept., 1286
 indications for use, 1951: Sept., 1235
 mode of action, 1951: Sept., 1231
 nature of, 1951: Sept., 1230
 side effects, undesirable, prevention of, 1951: Sept., 1247
 therapy, present status, 1951: Sept., 1229-1253
 toxicity, 1951: Jan., 9
 Cough, 1951: Nov., 1699
 habit, 1949: July, 1055
 in thoracic disease, diagnostic significance, 1949: July, 1054
 Coxa plana, 1950: Jan., 173
 Coxsackie virus, diagnosis, 1950: Sept., 1314
 Craniopharyngiomas, diagnosis, 1951: Nov., 1729
 Creatine excretion in hypothyroidism, 1950: Jan., 236
 Creptitation in arthritis, 1951: Nov., 1754
 Cretinism, 1950: Jan., 238-241
 Cross-eyes, treatment, problems in, 1950: Jan., 283-302
 Curare in poliomyelitis, 1950: March, 556
 in surgical anesthesia, 1950: March, 591
 Cushing's disease, 1951: Sept., 1290
 syndrome, 1951: Sept., 1290
 as response to excess of ACTH or cortisone, 1951: Sept., 1234, 1235
 hypertension in, 1949: Nov., 1746
 Cyanosis, arterial oxygen saturation, relationship, 1951: July, 1185-1202
 Cyclopropane anesthesia, 1950: March, 594
 in obstetrics, 1950: Sept., 1530; 1951: May, 812
 Cyst, bronchogenic, diagnosis, angiocardigraphy in, 1950: May, 747, 748
 Cystitis, 1949: Sept., 1465
 postpartum, 1951: May, 721
 Cystoscopy in prostatism, 1949: March, 475
 Cytologic methods in cancer diagnosis, 1950: Sept., 1395
 DARIER-ROUSSY sarcoid, 1949: Jan., 31, 32, 36, 37
 DDT in pediculosis, 1950: Sept., 1478
 Decamethonium bromide in obstetrics, 1950: Sept., 1531
 with electroschock therapy, 1950: Sept., 1506
 Decapryn, dosages, 1950: March, 352, 357
 structural formula, 1951: March, 334
 Deformity in arthritis, 1951: Nov., 1754
 Dehydration, 1951: May, 896
 acute anuria due to, 1950: March, 511
 as surgical risk, 1949: March, 578
 causes, 1951: July, 1120
 in infantile diarrhea, 1949: May, 851-870
 routine treatment, 1949: May, 867
 rationale for, 1949: May, 860
 treatment, 1950: March, 405
 water-chloride balance studies in, 1951: July, 1135
 Delirious reactions, 1950: July, 1021
 Delirium tremens, 1951: Nov., 1789
 Delusions of parasitosis, 1949: Jan., 18
 Dementia, arteriosclerotic, 1950: July, 1099
 praecox, psychoneurosis and, differentiation, 1950: July, 963, 964
 senile, 1950: July, 1099
 Demerol in obstetrics, 1950: Sept., 1524; 1951: May, 809
 in relief of pain, 1950: March, 371
 Dengue, 1950: Sept., 1315, 1320
 Dental caries, 1949: Nov., 1713
 control and prevention, 1950: Jan., 13-32
 Dentifrices, ammonia-urea compounds in, 1950: Jan., 28
 fluoride, 1950: Jan., 27
 penicillin, 1950: Jan., 30
 Deodorants, antiperspirant, dermatitis due to, 1949: Jan., 184
 Depression as mood response in illness, 1950: July, 1026

- Depression, electroshock therapy, report of 200 cases, 1949: March, 515-526
- psychotic and neurotic, differentiation, 1950: July, 962
- reactive, 1951: Nov., 1795
- Dermatitis, allergic, extrinsic, 1950: Sept., 1474
- intrinsic, 1950: Sept., 1482
- treatment, 1951: Sept., 1557
- atopic, 1949: Jan., 8, 186; 1950: Sept., 1482
- antihistaminics in, 1951: March, 337, 338
- chronic, ACTH and cortisone in, 1951: Sept., 1242
- Kaposi's varicelliform eruption complicating, 1949: Jan., 214
- of cubitals, forearms, dorsa of hands and wrist, 1949: Jan., 217
- treatment, 1949: Jan., 190, 205-218
- with seborrheic features, 1949: Jan., 215
- atrophicans maculosa lipoides diabetica, 1951: March, 452
- bakers', 1949: Jan., 246
- brucella, 1949: Jan., 243
- contact, 1949: Jan., 181
- antihistaminic drugs in, 1950: March, 360; 1951: March, 339
- desensitization in, 1949: Jan., 185
- due to foods, 1949: Jan., 239-247
- treatment, 1949: Jan., 185; 1950: Sept., 1474; 1951: Sept., 1559
- cosmetic, 1949: Jan., 183
- eczematous, treatment, 1950: Sept., 1482
- exfoliative, 1949: Jan., 135-144
- ACTH and cortisone in, 1951: Sept., 1238
- functional, 1949: Jan., 3-19
- herpetiformis, 1949: Jan., 170
- aureomycin in, 1951: March, 351
- in fishermen and fish handlers, 1949: Jan., 245
- medicamentosa, 1949: Jan., 136, 198
- occupational, 1949: Jan., 183
- pigmented purpuric lichenoid, 1951: March, 457
- plant, 1949: Jan., 184
- pyogenic, treatment, 1950: Sept., 1475
- schistosome, 1950: Jan., 266
- seborrheic, antibiotics in, 1951: March, 349
- exfoliative dermatitis and, 1949: Jan., 136, 142
- stasis, 1951: March, 362, 363
- venenata, 1949: Jan., 181
- treatment, 1949: Jan., 184; 1950: Sept., 1474
- Dermatologic diagnosis, 1951: Nov., 1621-1636. See also *Diagnosis*.
- therapy, pharmacodynamics of vehicles and drugs used in, 1949: Jan., 263-279
- Dermatology, antibiotics in, 1951: March, 341-354
- antihistaminics in, 1951: March, 333-340
- symposium on, 1949: Jan., 1; 1951: March, 299
- Dermatomyositis, 1949: Jan., 21-29; 1951: Sept., 1278
- ACTH and cortisone in, 1951: Sept., 1239
- Dermatopathology as window to internal disease, 1949: Jan., 281-287
- Dermatophytids, 1949: Jan., 197
- Dermatophytosis of feet, treatment, 1950: Sept., 1481
- trichophyton in diagnosis and treatment, 1949: Jan., 197
- Dermatoses, common, dermatitis exfoliativa in, 1949: Jan., 136
- precancerous, 1949: Jan., 109
- Bowen's, 1949: Jan., 125-134
- treatment, 1950: Sept., 1473-1486
- Desensitization in contact dermatitis, 1949: Jan., 185
- Desoxycorticosterone in Addison's disease, 1951: Sept., 1289
- in Waterhouse-Friedrichsen disease, 1951: Sept., 1286
- Dextrocardia, isolated, electrocardiogram in, 1949: July, 1164
- Diabetes mellitus, arteriosclerosis and, 1949: May, 784, 795-804
- biliary disease and, 1951: Nov., 1688
- chronic complications, diagnosis, 1951: Nov., 1614
- diagnosis, 1951: Nov., 1607
- laboratory studies in, 1951: Nov., 1608
- early, vascular degeneration in, 1949: May, 784
- treatment and, 1949: May, 791
- in childhood, prognosis, 1949: March, 495
- late, vascular degeneration in, treatment and, 1949: May, 791
- management, 1951: Sept., 1523-1531
- during acute complications and surgery, 1949: Sept., 1413-1419
- nature of, 1949: March, 485
- pregnancy and, 1951: May, 659-665
- surgery in, preparation for, 1949: March, 580
- treatment, by clinical approach, 1950: March, 485-494
- optimism in, 1949: March, 485-496
- vascular sclerosis in, 1950: March, 491
- pancreatic, frequency in chronic pancreatitis, 1949: May, 883-897
- Diabetic acidosis in children, parenteral fluid therapy in, 1950: Jan., 59
- treatment, 1949: March, 491

- Diabetic coma, 1949: Nov., 1537-1553
 diagnosis, 1951: Nov., 1614
 treatment, 1949: March, 493, Nov., 1550
- Diagnosis, dermatologic, 1951: Nov., 1621-1636
 steps in, 1951: Nov., 1626
 in allergic states, 1951: Nov., 1593-1606
 completeness, 1951: Nov., 1604
 revision, 1951: Nov., 1604
 in arthritides, 1951: Nov., 1749-1763
 in endocrine disorders, 1951: Nov., 1727-1748
 in general medicine, symposium on, 1951: Nov., 1577
 in heart diseases, 1951: Nov., 1721-1725
 in medical out-patient clinic, 1951: Nov., 1799-1805
 laboratory aids in, 1951: Nov., 1579-1592
 of chronic pulmonary diseases, 1951: Nov., 1695-1706
 of diabetes mellitus, diabetic coma, and chronic complications, 1951: Nov., 1607-1619
 of diseases of mouth, 1951: Nov., 1637-1647
 of liver disease, 1951: Nov., 1649-1678
 of malignancy, biochemical methods, 1951: Nov., 1829-1840
 of spinal cord disease, 1951: Nov., 1765-1779
 psychiatric, 1951: Nov., 1781-1797.
 See also *Psychiatric diagnosis*.
 renal, principles of, 1951: Nov., 1707-1720
 tentative, in medical out-patient clinic, 1951: Nov., 1803
- Diagnostic problems in children, 1950: July, 1079-1089
 procedures for general survey, 1951: Nov., 1581
 in allergic states, 1951: Nov., 1599
 tests on sick patients, 1951: Nov., 1582
- Dialysis, peritoneal, in acute renal failure, 1950: March, 516
 in congestive heart failure, 1950: May, 624
- Diarrhea, acute, with acidosis and postacidotic tetany in children, parenteral fluid therapy in, 1950: Jan., 57
 epidemic, 1950: Nov., 1675
 infantile, dehydration in, 1949: May, 851-870
- Diatrin, 1950: March, 352, 357
- Dibenamine as adrenergic blocking agent, 1950: March, 380
 in arterial embolism, 1950: March, 385
 in asthma, 1950: March, 390
 in Buerger's disease, 1950: March, 386
- Dibenamine in cardiac arrhythmias, 1950: March, 391
 in cardiospasm, 1950: March, 390
 in frostbite, 1950: March, 386
 in glaucoma, 1950: March, 389
 in hypertension, 1950: March, 387
 in pheochromocytoma, diagnostic, 1950: March, 386, May, 765
 in psychoses, 1950: March, 392
 in Raynaud's disease, 1950: March, 385
 in shock, 1950: March, 391
- Dichloro-aminopterin in leukemia, 1951: Sept., 1396
- Dicumarol, administration, 1949: March, 343
 hemorrhage in, control, 1949: Nov., 1514
 laboratory control, 1949: Nov., 1513
 and heparin, combined use, 1949: March, 344
 hypothermia due to, 1949: Nov., 1700, 1706; 1951: Sept., 1419
 in cerebral thrombosis, 1950: May, 909-924
 in chronic cardiovascular diseases, 1949: March, 335-345
 in prevention of intravascular thrombosis, 1949: Nov., 1507
 in treatment of thrombosis and embolism, 1949: Nov., 1509, 1511
 poisoning, hypoprothrombinemia of, treatment, 1950: March, 462
 therapy with, dangers, 1950: Nov., 1791
- Diet, acid-ash, in nephrotic edema, 1950: Jan., 87
 in arteriosclerosis, 1949: Nov., 1684
 in cardiovascular renal disease, importance, 1951: July, 1101-1111
 in cirrhosis of liver, 1949: March, 570
 in congestive heart failure, 1949: Nov., 1631-1641; 1951: Sept., 1347
 in constipation, 1949: July, 960
 in coronary artery disease, 1949: Nov., 1631
 in diabetes mellitus, 1951: Sept., 1525
 in epilepsy, 1950: Sept., 1518
 in gastrointestinal hemorrhage, 1949: Nov., 1576
 in glomerulonephritis, 1950: Jan., 102
 in heart disease, 1949: March, 564, Nov., 1631-1641
 in heart disease, importance, 1951: July, 1102
 in heart failure, 1949: March, 365; 1950: March, 566
 in hypertension, 1949: March, 566, May, 662, 691, Sept., 1271, Nov., 1639; 1950: Nov., 1742; 1951: July, 1107
 in hypertrophic arthritis, 1950: Sept., 1438
 in kidney disease, 1949: March, 565
 in liver disease, 1951: Sept., 1442

- Diet in long-term illness, 1949: March, 561-572
in lymphomas, 1951: Jan., 106
in malignant hypertension, 1951: Jan., 125
in nephritis, 1949: March, 565
in nephrosclerosis, 1949: March, 566
in obesity in childhood, 1950: Jan., 230
with heart disease, 1951: Sept., 1356
in peptic ulcer, 1950: Sept., 1452
in psychosomatic disorders, 1949: March, 571
in renal failure, 1949: July, 1016; 1950: March, 511
in Rocky Mountain spotted fever, 1951: May, 917
in senility, 1949: March, 563, Nov., 1682
in tuberculosis, 1949: March, 563
in ulcerative colitis, 1951: Jan., 252
in viral hepatitis, 1949: March, 455
Karell, 1949: March, 365, 366, 564, Nov., 1636
low cholesterol, in atherosclerosis, 1949: May, 775
low sodium and high protein, in Laennec's cirrhosis, 1951: Jan., 73-91
in heart failure, 1949: March, 328, 329, 366, Nov., 1638; 1950: March, 566
in hypertensive vascular disease, 1949: May, 713-725, Sept., 1274
in liver disease, 1951: Sept., 1448
reduction, in hypertension, 1949: March, 569
rice, in hypertension, 1949: March, 323, 325, 568, May, 662, Sept., 1271, Nov., 1639; 1950: Nov., 1742; 1951: July, 1107
salt-poor, for toxemia of pregnancy, 1951: May, 687
Schemm, 1949: Nov., 1636
sodium-free, foods to avoid, 1949: March, 567
tube, in liver disease, 1951: Sept., 1447
Dietary factors in liver injury, 1949: Nov., 1657-1669
needs in long-term illness, 1949: March, 561-572
Diethylstilbestrol in dysmenorrhea, 1950: Sept., 1543; 1951: May, 863
in menopause, 1950: Sept., 1549; 1951: May, 889, 890
in mumps orchitis, 1950: Jan., 135
Digitalis, action of, 1950: May, 649
ambulatory use, 1950: May, 657
contraindications, 1950: May, 659
in auricular fibrillation, 1949: Nov., 1531; 1950: May, 653
in auricular flutter, 1949: Nov., 1529; 1950: May, 653
in auricular paroxysmal tachycardia, 1950: May, 738
Digitalis in heart block, 1950: May, 653
in heart failure, 1949: March, 367, Nov., 1526; 1950: March, 565, May, 651, 663-671; 1951: Sept., 1334
in paroxysmal auricular fibrillation, prophylactic, 1950: May, 743
in paroxysmal auricular flutter, 1950: May, 744
in paroxysmal tachycardias, 1950: May, 653
in infancy and childhood, 1950: Jan., 219, 222
in premature contractions, 1950: May, 653
in surgery and obstetrics, 1950: May, 660
preparations and dosages, 1950: May, 653
toxicity, 1950: May, 626, 658
use of, directions for, 1950: May, 649-662
whole leaf, 1950: May, 655
Digitoxin, 1950: May, 656
in congestive heart failure, 1950: May, 668; 1951: Sept., 1336
Digoxin, 1950: May, 657
in auricular flutter, 1949: Sept., 1261
in heart failure, 1951: Sept., 1336
congestive, 1950: May, 669
Dihydroergocornine in hypertension, 1950: March, 388
Dihydroergotamine in migraine, 1949: Nov., 1587, 1588
Dihydrostreptomycin, current uses, 1950: March, 326-330
dosage and administration, 1950: March, 317, 327
in brucellosis, 1949: July, 1087
in influenza meningitis, 1950: Jan., 137
in subacute bacterial endocarditis, 1950: May, 781
in tuberculosis, 1951: Jan., 159
in tuberculous meningitis, 1950: Jan., 138
pharmacology and toxicology, 1950: March, 309
topical use, 1951: March, 346
toxicity, 1950: March, 312
Dihydrotachysterol in sarcoidosis, 1949: Jan., 50
Dilantin sodium in epilepsy, 1950: March, 346, Sept., 1513, 1516
Diodoquin in amebic dysentery, 1950: Nov., 1672
Diphenylhydantoin sodium. See Dilantin sodium
Diphtheria, 1950: Nov., 1628
antibiotics in, choice of, 1950: March, 314
antitoxin therapy, 1950: Nov., 1630
immunization, 1950: Jan., 133, Nov., 1719
paralysis of, 1950: Nov., 1629
penicillin in, 1950: March, 324, Nov., 1631
treatment, 1950: Jan., 134

- Diplegia, atonic, 1950: Jan., 155
 Discogenetic diseases of cervical spine, 1949: Nov., 1623
 Disease, hereditary aspects, 1951: March, 519-533
 internal, cutaneous signs, 1951: Nov., 1630
 Diseases associated with liver disease, 1951: Nov., 1650
 of biliary system, 1951: Nov., 1679-1693
 Dislocation of acromioclavicular joint, 1950: Sept., 1332
 Diuresis in heart failure, 1949: March, 369
 Diuretics, acidifying, in congestive heart disease, 1951: Sept., 1343
 in acute renal failure, 1949: July, 1015
 in liver disease, 1951: Sept., 1452
 mercurial, in angina pectoris, 1951: Jan., 63-71
 in heart failure, 1950: March, 568, May, 621, 629
 congestive, 1951: Sept., 1338
 oral and rectal, products and description, 1950: May, 631
 osmotic, in congestive heart failure, 1951: Sept., 1344
 xanthine, in congestive heart failure, 1951: Sept., 1343
 Dolantin in relief of pain, 1950: March, 371
 Dolophine in relief of pain, 1950: March, 369
 Drainage headache, 1949: Sept., 1449, Nov., 1594
 Draper-Whitehead method of artificial respiration, 1950: Sept., 1357
 Drug addiction, manifestations and treatment, 1950: March, 425-438
 eruptions, 1949: Jan., 198
 bullous, 1949: Jan., 173, 174
 drugs causing, 1949: Jan., 200
 treatment, 1949: Jan., 201
 Drugs, dermatitis exfoliativa due to, 1949: Jan., 136
 effect on electrocardiogram, 1950: May, 873
 in dermatologic therapy, pharmacodynamics of, 1949: Jan., 263-279
 use of, psychologic aspects, 1950: July, 973-979
 Ducci and Watson bilirubin test, evaluation, 1950: Sept., 1463
 Ductus arteriosus, patent, electrocardiogram in, 1949: July, 1159
 Dumping syndrome, 1949: Sept., 1321-1341
 Duodenal drainage, cytology of material from, in cancer diagnosis, 1950: Sept., 1399
 ulcer, medical management in light of current etiologic concepts, 1950: Sept., 1447-1457
 Duomycin in urinary tract infections, 1949: July, 1077, 1078
 Dusting powders in dermatologic therapy, 1949: Jan., 266
 Dwarfism, pituitary, 1951: Nov., 1731
 renal, 1951: July, 1077
 Dye method for estimating plasma volume, 1949: Nov., 1569
 Dysentery, amebic, 1950: Nov., 1670
 treatment, 1950: Nov., 1672
 bacillary, 1950: Nov., 1667
 antibiotics in, choice of, 1950: March, 313
 sulfonamides in, 1950: March, 333
 treatment, 1950: Nov., 1670
 Dyshidrosis, 1949: Jan., 10
 Dysmenorrhea, endocrine therapy, 1950: Sept., 1542
 primary, 1951: May, 862
 refractory, 1951: May, 863
 secondary, 1951: May, 861
 treatment, 1951: May, 861-870
 Dyspnea, diagnostic significance, 1949: July, 1056
 orthostatic, 1951: Nov., 1723
 paroxysmal, treatment, 1949: Nov., 1521
 ECLAMPSIA, 1951: May, 681
 hypertension in, 1949: May, 671
 kidney function in, 1951: May, 699-714, July, 964
 treatment, 1949: May, 839; 1951: May, 693
 Ectasias, senile, 1949: Jan., 227
 Ecthyma, antibiotics in, 1951: March, 348
 Ectodermosis erosiva pluriorificialis, 1951: March, 323
 Eczema, 1950: Sept., 1482
 adult, treatment, 1950: Sept., 1484
 atopic, generalized, antihistaminics in, 1951: March, 338
 Kaposi's varicelliform eruption complicating, 1949: Jan., 214
 localized, antihistaminics in, 1951: March, 337
 management, 1949: Jan., 205-218
 exudative, 1949: Jan., 212
 flexural, 1949: Jan., 186
 infantile, 1949: Jan., 187
 treatment, 1949: Jan., 205-218; 1950: Sept., 1483
 nummular, 1949: Jan., 10
 of hands, treatment, 1950: Sept., 1484
 stasis, 1951: March, 362, 363
 vesicular and encrusted, 1949: Jan., 211
 Eczematous sensitization, 1949: Jan., 181
 Edema, angioneurotic, treatment, 1950: Sept., 1478
 in chronic nephritis and nephrosis, 1950: Jan., 76
 treatment, 1950: Jan., 85
 in congestive heart failure, pathogenesis and treatment, 1950: May, 615-628

- Edema, in heart and kidney disease, water balance and, 1950: March, 571-587
in renal diagnosis, 1951: Nov., 1714
pulmonary, 1949: Nov., 1615
in renal disease, 1951: July, 1089
Effort syndrome, 1949: Sept., 1343-1364
Electric coma therapy in psychoses, 1950: Sept., 1503
Electrocardiogram, extremity leads, unipolar, use, recent advances, 1950: May, 857-867
in auricular flutter, 1949: Sept., 1259
in congenital heart disease, 1949: July, 1157-1175
in coronary artery disease, 1950: May, 693
anoxemia test, 1950: May, 713-717
exercise test, 1950: May, 705, 877
in emotional disturbances, 1950: May, 821
in hypertension, 1949: May, 656
in pre-excitation syndrome, 1950: May, 884
in venous thrombosis and pulmonary embolism, 1949: Nov., 1505; 1950: May, 874
precordial, unipolar, interpretation of, 1950: May, 833-855
QRS diphasic high potential, 1949: July, 1171
Electrocardiography, practical, advances in, 1950: May, 869-886
technics, 1950: May, 833
theory of, 1950: May, 833
Electroencephalogram in epilepsy, 1950: Sept., 1511
Electrolyte balance in pregnancy, 1951: May, 893-906
disturbances, classification, 1951: July, 1113-1127
prevention, 1951: July, 1139
Electrolytes, body, alterations in disease, 1950: March, 398-402
measurements, 1951: May, 904
serum concentration, abnormalities and interpretation, 1951: Nov., 1813, 1815
clinical interpretation, 1951: Nov., 1807-1828
Electrophoresis, 1951: Nov., 1589
in peripheral vascular disease, 1949: March, 351
Electroshock therapy in depression, report of 200 cases, 1949: March, 515-526
in mental disorders of aged, 1950: July, 1104
in psychoses, 1950: Sept., 1504, 1505
methods to prevent seizures, 1950: Sept., 1505
Electrostimulation, nonconvulsive, in psychoses, 1950: Sept., 1504
Elephantiasis due to recurrent lymphangitis and cellulitis, 1949: July, 1089
nostras streptogenes, 1949: July, 1089, 1093
Embolism, arterial, dibenamine in, 1950: March, 385
cerebral, differentiation from hemorrhage and thrombosis, 1950: May, 910
pulmonary, 1949: Nov., 1503, 1617
electrocardiogram in, 1950: May, 874
emergency treatment, 1949: Nov., 1531
prevention, 1949: Nov., 1506
septic, pathogenesis, 1950: Nov., 1751-1760
Emergencies, medical, acute, symposium on, 1949: Nov., 1499
Emerson hip-lift method of artificial respiration, 1950: Sept., 1349, 1351
Emetine in amebic dysentery, 1950: Nov., 1672
Emotional conflicts, role in neurodermatitis, 1950: July, 1010
disturbances, functional cardiovascular changes during, 1950: May, 818
prevalence in armed forces of World War II, 1950: July, 939
in civilian practice, 1950: July, 941
Emphysema, bullous, diagnosis, angiocardiology in, 1950: May, 749
mediastinal, 1949: Nov., 1617
pulmonary, anatomic and pathologic features, 1951: Nov., 1695
symptoms and physical signs, 1951: Nov., 1697
Empyema, postpneumonic, treatment, 1950: Nov., 1663
Encephalitis, cerebrospinal fluid in, 1950: Jan., 112
due to herpes simplex virus, 1951: March, 566
equine, diagnosis, 1950: Sept., 1317
management, 1950: Sept., 1321
infectious, in children, 1950: Nov., 1689-1692
nonsuppurative, 1950: Jan., 162
parkinsonism following, 1949: July, 1131
St. Louis, diagnosis, 1950: Sept., 1316
management, 1950: Sept., 1321
Encephalopathy, hypertensive, 1951: Sept., 1469
in acute glomerulonephritis, 1950: Jan., 98
treatment, 1950: Jan., 103
Endamoeba histolytica, concentration technic, 1949: May, 901
Endocarditis, bacterial, subacute, diagnosis and treatment, revised criteria for, 1950: May, 769-783
in pregnancy, 1951: May, 673

- Endocarditis, bacterial, subacute, kidney in, 1951: July, 983
penicillin in, 1950: March, 321; 1951: Jan., 30
- Endocrine disease, electrocardiogram in, 1950: May, 873
disorders, diagnosis in, 1951: Nov., 1727-1748
cortisone in, 1951: Sept., 1236, 1237
factors in acne, 1951: March, 373-390
function, clinical tests, 1949: Sept., 1401-1412
therapy in amenorrhea, 1950: Sept., 1538
in carcinoma, 1950: Sept., 1409-1417
of breast, 1950: March, 446; 1951: Jan., 51-61
of prostate, 1950: March, 445
in chronic discoid lupus erythematosus, 1951: March, 396
in dysmenorrhea, 1950: Sept., 1542
in functional uterine bleeding, 1950: Sept., 1544, 1556
in infertility in women, 1951: May, 836
in inoperable carcinoma, 1951: Sept., 1367
in menopause, 1950: Sept., 1547; 1951: May, 889
in menstrual disorders, 1950: Sept., 1537-1550
- Endometrium, anatomy and physiology, 1951: May, 871
biopsy of, 1951: May, 828
- Enteric infections, acute, 1950: Nov., 1667-1678
- Enteritis, regional, 1951: Jan., 227-241
analysis of forty cases, 1951: Jan., 227
chronic, ACTH in, 1951: Sept., 1255-1265
results of medical management, 1951: Jan., 237
of surgical treatment, 1951: Jan., 232
- Enterococcal infections, antibiotics in, choice of, 1950: March, 314
- Enuresis, causes and treatment, 1950: July, 1085
- Enzyme activity, intracellular, of brain, 1950: Nov., 1803
- Eosinophil reduction test, 1951: Nov., 1590
- Eosinophils, response to ACTH and cortisone, 1951: Sept., 1233, 1246
- Ephedrine in allergy in infants, 1950: Jan., 9
in respiratory failure, 1950: Sept., 1359
- Epidural anesthesia in obstetrics, 1951: May, 811
- Epilepsy, diagnosis, 1950: Sept., 1510
drug therapy, 1950: March, 341-350
questionable use of term, 1950: July, 1055
- Epilepsy seizures, treatment, 1950: Sept., 1507-1520
types, 1950: Sept., 1508, 1510
- Epinephrine in allergy in infants, 1950: Jan., 9
in asthma, 1949: March, 418
in blood in pheochromocytoma, 1950: May, 763
in status asthmaticus, 1949: Nov., 1597
reaction in pheochromocytoma, 1950: May, 765
- Epithelial cells in urine, 1951: Nov., 1711
- Epithelioma, basal cell, 1949: Jan., 111
squamous cell, basal, 1949: Jan., 112
treatment, 1949: Jan., 120
- Ergometry in peripheral vascular disease, 1949: March, 348
- Ergot alkaloids as adrenergic blocking agents, 1950: March, 382
in hypertension, 1950: March, 389
- Erysipelas, treatment, 1950: Jan., 135
- Erysipeloid, 1949: Jan., 244
- Erythema multiforme, 1949: Jan., 172; 1951: March, 320, Nov., 1631
aureomycin in, 1951: March, 351
exudativum, 1951: March, 315-331
nodosum, 1951: Nov., 1631
tuberculosis, 1949: Jan., 257
palmare hereditarium, 1951: March, 304
- Erythroblastosis fetalis, 1950: Jan., 187-200; 1951: May, 749-770
- ACTH and cortisone in, 1951: Sept., 1238
exchange transfusions in, 1951: May, 765
premature induction of labor in, 1951: May, 762
- Erythrocyte maturation factor, 1949: March, 548
volume in gastrointestinal hemorrhage, 1949: Nov., 1569
- Erythrocytes, sedimentation rate in arthritis, 1951: Nov., 1754
in urine, 1951: Nov., 1710
- Erythromelalgia, 1951: March, 366
- Erythrophagocytosis, normal, 1949: March, 543
- Erythroplasia of Queyrat, 1951: March, 413, 414
- Erythropoiesis, normal, 1949: March, 541
- Esophagus, atresia of, congenital, 1950: Jan., 247-256
involvement in scleroderma, 1949: Jan., 61, 62
- Estradiol in functional uterine bleeding, 1950: Sept., 1556, 1560
in menopause, 1950: Sept., 1549
- Estrogen determination in urine, 1951: Nov., 1587
therapy in acne, 1951: March, 386, 387

- Estrogen therapy in amenorrhea, combined with progesterone, 1950: Sept., 1540
 in carcinoma of breast, 1950: March, 448, Sept., 1411; 1951: Jan., 56
 complications, 1951: Jan., 57
 of prostate, 1950: March, 445, Sept., 1411
 in dysmenorrhea, 1950: Sept., 1542
 in functional menstrual disorders, 1950: Sept., 1546, 1556
 in hypertrophic arthritis, 1950: Sept., 1438
 in infertility in women, 1951: May, 837
 in menopause, 1950: March, 550, Sept., 1548; 1951: May, 888, 890
 preovulatory, in dysmenorrhea, 1951: May, 863
 Ether anesthesia in obstetrics, 1950: Sept., 1529; 1951: May, 813
 Ethinyl estradiol in menopause, 1950: Sept., 1549
 in oligomenorrhea, 1950: Sept., 1541
 Ethyl carbamate. See *Urethane*.
 chloride spray in relief of pain, 1950: March, 374
 Ethylstibamine in multiple myeloma, 1951: Jan., 218
 Eunuchoidism, 1951: March, 507
 Euphoria, 1950: July, 1624
 Eve tilting board for artificial respiration, 1950: Sept., 1351
 Exchange transfusion in erythroblastosis fetalis, 1951: May, 765
 Excoriations, neurotic, 1949: Jan., 18
 Exercises, Buerger's, 1949: March, 353
 effect, in congestive heart failure, 1950: May, 619
 in hypertrophic arthritis of hip, 1950: Sept., 1443
 of knee, 1950: Sept., 1444
 of spine, 1950: Sept., 1441
 in rheumatoid arthritis, 1949: Sept., 1379
 progressive resistance, in arthritis of knee, 1949: Sept., 1316
 test in auricular flutter, 1949: Sept., 1259
 in coronary artery disease, electrocardiogram in, 1950: May, 705-713, 877
 therapeutic, in degenerative joint disease, 1949: Sept., 1314
 Exophthalmos, radioiodine therapy and, 1951: Sept., 1317
 Expectoration in thoracic disease, diagnostic significance, 1949: July, 1054
 Exsanguinotransfusion in acute renal failure, 1950: March, 518
 Extremities, lymphangitis and cellulitis of, recurrent, 1949: July, 1089-1098
 Extremity, lower, pigmentary purpuric diseases of, 1951: March, 457-462
 upper, pain in, 1950: Sept., 1323-1334
 Eyelids, heliotrope, of dermatomyositis, 1949: Jan., 23
 Eyes, crossed, treatment, problems in, 1950: Jan., 283-302
 diabetic complications involving, 1951: Nov., 1615
 diseases of, ACTH and cortisone in, 1951: Sept., 1237, 1238
 fundus, changes in hypertension, 1949: May, 665-773
 lesions, in erythema multiforme, 1951: March, 320
 movements, development, 1950: Jan., 286
 sarcoidosis of, 1949: Jan., 37
 FALLOPIAN tubes, diagnostic tests, in infertility, 1951: May, 827
 Fallot's tetralogy, angiocardiology in, 1950: May, 750
 Fat metabolism, vascular degeneration and, 1949: May, 786
 Fauces, infections, acute, 1950: Nov., 1621-1635
 Feeces urobilinogen in liver injury, 1951: Nov., 1655
 Feeding, infant, in premature cases, 1950: Jan., 46
 self-demand, 1950: Jan., 33-40
 Felty's syndrome, diagnosis, 1951: Nov., 1759
 Femoral vein ligation in prevention of thrombosis and embolism, 1949: Nov., 1507
 in treatment of thrombosis and embolism, 1949: Nov., 1509
 Fertility in women, effect of splenectomy on, 1950: July, 1226
 Fetus, deaths, prevention, 1951: May, 739-747
 Fever blisters, 1951: March, 563
 therapy in syphilis, 1950: March, 499
 Fibrinogen, absence of, bleeding due to, 1951: Jan., 274
 Fibrinogenopenias, 1951: Sept., 1420
 Fibrinolysis, blood alterations in, 1951: Jan., 274
 Fibroids of uterus, harmlessness, 1949: March, 432
 Fibrosis, endocardial, generalized, electrocardiogram in, 1949: July, 1162
 pulmonary, anatomic and pathologic features, 1951: Nov., 1695
 chronic progressive, 1951: Jan., 169-173
 symptoms and physical signs, 1951: Nov., 1697
 Fibrositis, diagnosis, 1951: Nov., 1762
 of lower back, 1949: Nov., 1626
 Filariasis, diagnosis, 1949: May, 903

- Fingernails, changes following use of "base coats," 1949: Jan., 95-107
- Fingers, arthritis, hypertrophic, 1950: Sept., 1439
- lesions in scleroderma, 1949: Jan., 57, 58, 60
- Fish handlers, dermatitis in, 1949: Jan., 245
- Fistula, arteriovenous, hypertension in, 1949: Nov., 1751
- biliary, hypoprothrombinemia of, 1949: Nov., 1695, 1706
- of common bile duct, 1951: Nov., 1686
- tracheo-esophageal, 1950: Jan., 247-256
- vesicovaginal pregnancy and, 1951: May, 723
- Fits. See *Convulsions*.
- Fixation, development, 1950: Jan., 283
- Flame photometry, 1951: Nov., 1589
- Flocculation tests, evaluation, 1950: Sept., 1467
- Fluids, administration, in acute renal failure, 1949: July, 1017
- parenteral, 1950: March, 395-412
- in children, 1950: Jan., 53-70
- in pregnancy, 1951: May, 893-906
- body, alterations in disease, 1950: March, 398
- Fluorides in caries prevention, 1950: Jan., 23
- Focal infection, rheumatoid arthritis and, 1950: Nov., 1696
- theory of, pro and con, 1950: Nov., 1705-1717
- Foci of infection, elimination, in viral hepatitis, 1949: March, 456
- Folic acid, antagonists, in leukemia, 1950: Jan., 209, March, 451; 1951: Sept., 1395
- pharmacology, 1950: March, 442
- in macrocytic anemias, 1950: Sept., 1299
- in pernicious anemia, 1949: March, 549, 550, Sept., 1394; 1950: Sept., 1299
- Folliculitis, pyogenic, of beard, treatment, 1950: Sept., 1476
- Follow-up visits in medical out-patient clinic, 1951: Nov., 1805
- Food, addiction to, 1951: March, 491
- poisoning, 1950: Nov., 1673
- skin diseases due to, 1949: Jan., 239-247
- Foot and mouth disease, 1949: Jan., 244
- avascular necrosis of, 1950: Jan., 183
- dermatophytosis, treatment, 1950: Sept., 1481
- Formaldehyde in dermatologic therapy, 1949: Jan., 278
- Fournau compounds as adrenergic blocking agents, 1950: March, 381
- in pheochromocytoma, diagnostic, 1950: March, 386
- Fowler's solution in leukemia, 1951: Sept., 1389
- Freiberg's disease, 1950: Jan., 185
- Friedländer's bacillus infections, antibiotics in, choice of, 1950: March, 314
- Frostbite, dibenamine in, 1950: March, 386
- Functional diseases of skin, 1949: Jan., 3
- problems, psychologic testing in, 1950: July, 1075
- tests of liver, pitfalls in, 1950: Sept., 1459-1472
- uterine bleeding, endocrine therapy, 1950: Sept., 1544, 1556
- management, 1950: Sept., 1551-1565; 1951: May, 871-877
- Fundus changes in hypertension, 1949: May, 665-673
- Fungi, demonstration of, 1951: Nov., 1633
- Fungus infections of lungs, 1951: Sept., 1323-1331
- superficial, treatment, 1950: Sept., 1480
- Furunculosis, penicillin in, 1950: March, 324
- treatment, 1950: Sept., 1477
- GAFFKYA tetragena infection, antibiotics in, choice of, 1950: March, 314
- Gallbladder, carcinoma of, 1951: Nov., 1686
- noncalculous, 1951: Nov., 1681
- perforation, 1951: Nov., 1683
- Gamasoidosis, 1949: Jan., 244
- Ganglioma, 1951: Sept., 1302
- Gangrene in occlusive disease of arteries, 1951: March, 359
- Gas gangrene, penicillin in, 1950: March, 324
- Gastrectomy, subtotal, for peptic ulcer, dumping syndrome after, 1949: Sept., 1321-1341
- Gastric. See also *Stomach*.
- acidity, determination without intubation by use of quininium exchange indicator compound, 1951: March, 593-602
- Gastritis, chronic, as source of gross hemorrhage, 1949: Sept., 1365-1374
- Gastrointestinal allergy, antihistaminic drugs in, 1950: March, 359
- treatment, 1951: Sept., 1559
- diseases, symposium on, 1949: July, 923
- hemorrhage, laboratory examination, 1949: Nov., 1567
- massive, management, 1949: Nov., 1565-1579
- morphine in, dangers, 1950: Nov., 1770
- tract manifestations of allergic disorders, 1951: Nov., 1596
- scleroderma of, 1951: Sept., 1271

- Gaucher's disease, 1951: March, 451
splenectomy for, effect on subsequent pregnancies, 1950: July, 1223
- Gelatin in dermatologic therapy, 1949: Jan., 270
- Genetics, principles, applications in medicine, 1951: March, 519-533
- Genital lesions due to herpes simplex virus, 1951: March, 565
in erythema multiforme, 1951: March, 321
- Genitourinary infections, penicillin in, 1950: March, 324
- Geriatrics, psychosomatic aspects, 1950: July, 1091-1105
surgery in, 1949: March, 583
- German measles, diagnosis, 1950: Sept., 1310
treatment, 1950: Jan., 141, Sept., 1318
- Gingival biopsy in diagnosis of amyloidosis, 1950: July, 1174
- Gingivitis, 1951: Nov., 1638
- Gingivostomatitis, Vincent's, diagnosis, 1951: Nov., 1638
- Gitalin in congestive heart failure, 1950: May, 669
- Glans penis, atrophic lesions, 1951: March, 411-418
- Glaucoma, dibenamine in, 1950: March, 339
- Globin insulin in diabetes, 1951: Sept., 1528
- Glomerulonephritis, 1951: July, 960
acute, 1950: Jan., 95-105; 1951: July, 1157-1160
cardiac manifestations, 1951: July, 1083, 1084
chronic, in children, 1951: July, 1072
report of case followed from onset to termination for period of nine years, 1951: July, 1167-1183
hypertension in, 1949: May, 669
in pregnancy, 1951: May, 684, 696, July, 1051-1068
retinal manifestations, 1951: July, 1028
- Glomerulosclerosis, capillary, 1951: July, 982
retinal manifestations, 1951: July, 1034
- Glomerulotubular imbalance in congestive heart failure, 1950: May, 617
- Glossitis, rhomboid, median, diagnosis, 1951: Nov., 1639
- Glossodynia, diagnosis, 1951: Nov., 1640
- Glossopyrosis, diagnosis, 1951: Nov., 1640
- Glucose tolerance test, intravenous, in diagnosis of diabetes, 1951: Nov., 1614
standard, in diagnosis of diabetes, 1951: Nov., 1610
- Glycogen storage disease, electrocardiogram in, 1949: July, 1167
- Glycosides, cardiac, in auricular flutter, 1949: Sept., 1261
in congestive heart failure, 1950: May, 620, 663-671
- Glycosuria in diagnosis of diabetes, 1951: Nov., 1603
- Goiter, adenomatous, treatment, 1950: March, 536
exophthalmic, treatment, 1950: March, 537
toxic, treatment with radioiodine, 1949: Sept., 1211-1223
- Gold salts in rheumatoid arthritis, 1949: Sept., 1382; 1950: Nov., 1700
- Gonadotropins, determination in urine, 1951: Nov., 1587
- Gonads, disorders of, 1951: Nov., 1742
- Gonorrhea, penicillin in, 1949: Sept., 1476; 1950: March, 324; 1951: Jan., 30
- Gout nephritis, 1951: July, 982
- Granuloma, eosinophilic, 1951: March, 450, 463-479
faciale, 1951: March, 472
inguinale, antibiotics in, 1951: March, 350
- Graves' disease. See *Goiter, exophthalmic*.
- Growth, sex hormones and, 1951: March, 501-518
- Guaiaec test for cancer, 1950: Sept., 1395
- Gynecology, psychosomatic aspects, 1950: July, 995-1008
symposium on, 1951: May, 629
- Gynecomastia, diagnosis, 1951: Nov., 1744
- HAIR dyes, dermatitis due to, 1949: Jan., 183
- Hallucinoses, alcoholic, acute, 1951: Nov., 1789
- Halter, Sayre, in discogenetic disease of cervical spine, 1949: Nov., 1625
- Hamstring muscles, tears, in athletes, 1950: Sept., 1265
- Hand-Schüller-Christian disease, 1951: March, 449
- Hands, eczema, treatment, 1950: Sept., 1484
- Haptene in erythroblastosis fetalis, 1950: Jan., 198
- Hay fever, antihistaminic drugs in, 1950: March, 359
drugs used in, evaluation, 1951: Sept., 1547
- Head, drop in poliomyelitis, 1950: Jan., 122, 124
injuries, morphine in, dangers, 1950: Nov., 1769
tilting, ocular, 1950: Jan., 292
- Headache, 1949: July, 973-1005, Sept., 1439-1454, Nov., 1581-1596; 1951: Sept., 1485-1493

- Headache, allergic, treatment, 1951: Sept., 1559
 clinical varieties and therapeutic suggestions, 1949: July, 973-1005
 diagnosis, 1949: July, 978, Sept., 1439
 drug addiction and psychoneurosis as background, 1949: July, 983
 drugs in, physiologic action, 1949: July, 977
 due to cerebrovascular accidents, 1949: Nov., 1590
 due to compensation neurosis, 1951: Sept., 1491
 due to cranial (temporal) arteritis, 1951: Sept., 1487
 due to psychological stress, 1951: Sept., 1491
 due to ruptured congenital intracranial aneurysm, 1951: Sept., 1485
 due to subdural hematoma, 1951: Sept., 1487
 extracranial, 1949: Sept., 1450
 histamine, 1949: July, 977, Sept., 1447, Nov., 1589
 hypertensive, 1949: July, 985, Nov., 1592
 tetraethylammonium in, 1949: May, 826
 in sunstroke, 1949: Nov., 1593
 intracranial, 1949: Sept., 1449
 aneurysm as cause, 1949: July, 989
 mechanism and severity, 1949: Sept., 1441, 1442
 menopausal, 1949: Nov., 1594
 migrainous, 1949: Sept., 1444, Nov., 1583; 1951: Sept., 1489
 antihistaminic drugs in, 1950: March, 361
 mixed type, 1949: July, 999
 nerve-irritation, 1949: Sept., 1450, 1451
 nervous tension in, 1949: July, 974
 nocturnal, associated with chronic lymphatic leukemia, 1949: July, 992
 of acute infections, 1949: Nov., 1590
 of sinus thrombosis, 1949: Nov., 1591
 post-traumatic, 1949: July, 988, Sept., 1450, 1451, Nov., 1593
 provocative tests, 1949: July, 976
 psychogenic, 1949: July, 987, Sept., 1448
 sick, paroxysmal, 1951: Sept., 1489
 spinal puncture, 1949: Sept., 1449, Nov., 1594
 subarachnoid hemorrhage as cause, 1949: July, 990
 summer, 1949: July, 993
 temporal arteritis and, 1949: July, 996
 tension, 1949: July, 980, 981, Sept., 1447
 toxic, 1949: Sept., 1452
 traction, 1949: Sept., 1449
 traumatic, 1949: July, 988, Sept., 1450, 1451, Nov., 1593
- Headache, treatment, 1949: July, 979, Sept., 1439; 1951: Sept., 1485-1493
 vascular, 1949: Sept., 1444
 vasodilator, 1949: Sept., 1447
 generalized, 1949: July, 986
 winter, 1949: July, 995
 with hypertension, 1951: Sept., 1490
 Health, concept of, 1949: March, 436
 Heart, amyloid disease, 1950: July, 1137-1144
 block, bundle branch, unipolar precordial electrocardiogram in, 1950: May, 852
 congenital, electrocardiogram in, 1949: July, 1168
 digitalis in, 1950: May, 653
 disease, acquired, angiocardiology in, 1950: May, 752
 anoxemia test, 1950: May, 713-717
 arteriosclerotic, in pregnancy, 1951: May, 674
 beriberi, 1949: Nov., 1643-1655
 biliary disease and, 1951: Nov., 1687
 chronic, anticoagulants in, 1949: March, 339
 diet in, 1949: March, 564
 complicating scleroderma, 1951: Sept., 1274
 congenital, angiocardiology in, 1950: May, 749
 electrocardiogram in, 1949: July, 1157-1175
 in pregnancy, 1951: May, 674
 diagnosis in, 1951: Nov., 1721-1725
 without laboratory aid, 1950: May, 721-733
 diet in, 1949: Nov., 1631-1641
 importance, 1951: July, 1102
 electrocardiogram in, normal, 1950: May, 881
 exercise test, electrocardiogram in, 1950: May, 705-713, 877
 hypertensive, 1949: May, 651-664, Nov., 1639
 in pregnancy, 1951: May, 674
 in pregnancy, management, 1951: May, 667-676
 insurance aspect, 1950: May, 805-815
 obesity and, 1951: Sept., 1351-1359
 pregnancy and, 1949: Nov., 1735-1742; 1950: May, 795-804
 psychosomatic aspects, 1950: May, 817-831
 pulsation and percussion signs in, 1950: May, 721-733
 rheumatic, in pregnancy, management, 1951: May, 671
 penicillin in, prophylactic, 1951: Jan., 30
 salt restriction in, salt depletion syndrome as complication, 1951: July, 1139-1156
 smoking in, 1950: May, 697-703

- Heart, disease, symposium on, 1950: May, 609
syphilitic, in pregnancy, 1951: May, 674
two-step exercise test, 1950: May, 705-713
valvular, angiocardigraphy in, 1950: May, 753
water balance in, as related to edema and oliguria, 1950: March, 571-587
enlargement, insurance aspect, 1950: May, 811
failure, acute, treatment, 1949: Nov., 1523
causes, 1949: March, 362
chronic, renal insufficiency complicating, 1950: May, 646
congestive, cardiac glycosides in, 1950: May, 663-671
cation exchange resins in, 1951: Sept., 1344
diet in, 1949: March, 365, Nov., 1631-1641; 1950: March, 566, 567; 1951: Sept., 1347
digitalis in, 1949: March, 367; 1950: March, 565, May, 651, 663-671; 1951: Sept., 1334
diuresis in, 1949: March, 369; 1950: March, 568, May, 629-640; 1951: Sept., 1338-1344
in pregnancy, 1951: May, 672
nature of, 1949: March, 359, Nov., 1632
oxygen therapy, 1951: Sept., 1345
pathogenesis, 1950: May, 615
physical activity in, 1951: Sept., 1346
physical measures, 1951: Sept., 1348
rest and restriction of activity, 1949: March, 363
salt and water retention in, pathogenesis and treatment, 1950: May, 615-628
thromboembolic complications, 1951: Sept., 1346
treatment, 1949: March, 359-373; 1950: March, 563-570, May, 620; 1951: Sept., 1333-1350
in acute glomerulonephritis; 1950: Jan., 98
treatment, 1950: Jan., 104
in hypertension, 1949: May, 651-664
in renal disease, 1951: July, 1083-1093
involvement in scleroderma, 1949: Jan., 61
murmurs, insurance aspect, 1950: May, 808
percussion of, 1950: May, 729-732
roentgenograms of, in coronary artery disease, 1950: May, 693
sounds, 1951: Nov., 1724
variation, in auricular flutter, 1949: Sept., 1259
- Heat therapy in degenerative joint disease, 1949: Sept., 1314
in peripheral vascular disease, 1949: March, 349
in rheumatoid arthritis, 1949: Sept., 1379
Heberden's disease (angina pectoris), neuralgic features, 1949: May, 635-649
nodes, 1950: Sept., 1439
physical medicine, 1949: Sept., 1315
Hebra's pityriasis rubra, 1949: Jan., 137
Heine-Medin disease, 1950: Jan., 140
Heliotrope eyelids of dermatomyositis, 1949: Jan., 23
Hemagglutination test in tuberculosis, 1951: March, 603-614
Hemagglutination-inhibition test in viral diseases, 1950: Nov., 1611
Hemangiomas, 1949: Jan., 219; 1951: March, 306
cavernous, 1949: Jan., 225
Hemarthrosis in hemophilia, 1950: March, 467
Hematoma, subdural, headache due to, 1951: Sept., 1487
Hematomyelia, diagnosis, 1951: Nov., 1773
Hematuria during pregnancy, 1951: May, 724
in chronic nephritis, 1950: Jan., 82
in renal diagnosis, 1951: Nov., 1710
significance, 1951: July, 1011-1016
Hemolytic disease, chronic, with erythrocyte-bound antibody, 1951: March, 575
of newborn, 1950: Jan., 187
not due to Rh factor, 1950: Jan., 199
Hemophilia, 1951: Sept., 1410
problems of surgery in, 1950: March, 467
psychiatric and social aspects, 1951: Sept., 1415
treatment, 1950: March, 464; 1951: Jan., 267, Sept., 1413
Hemophilus infections, antibiotics in, choice of, 1950: March, 314
Hemoptysis in lung disease, 1949: July, 1056
Hemorrhage, cerebral, differentiation from hemorrhage and thrombosis, 1950: May, 910
gastrointestinal, laboratory examination, 1949: Nov., 1567
massive, management, 1949: Nov., 1565-1579
morphine in, dangers, 1950: Nov., 1770
gross, chronic gastritis as source, 1949: Sept., 1365-1374
pulmonary, 1949: Nov., 1605
severe, conservation and replacement of blood in, practical considerations, 1949: Nov., 1555-1563

- Hemorrhage, subarachnoid, headache due to, 1949: July, 990
uterine, in menopause, 1950: March, 546
- Hemorrhagic disease of newborn, 1949: Nov., 1692
classification, 1951: Sept., 1404
diagnosis, 1951: Sept., 1409
treatment, 1950: March, 459-468; 1951: Jan., 267-278, Sept., 1403
- Hemostatic agents in hemophilia, 1951: Sept., 1414
- Heparin, administration, 1949: March, 342
hemorrhage in, control, 1949: Nov., 1514
laboratory control, 1949: Nov., 1512
and Dicumarol, combined use, 1949: March, 344
in cerebral thrombosis, 1950: May, 909-924
in chronic cardiovascular diseases, 1949: March, 335-345
in prevention of intravascular thrombosis, 1949: Nov., 1507
in treatment of thrombosis and embolism, 1949: Nov., 1509, 1510
obviation of anticoagulant effect, 1951: Sept., 1421
overdosage, hemorrhage due to, treatment, 1951: Jan., 272
- Heparinoid states, treatment, 1951: Jan., 273
- Hepatic. See *Liver*.
- Hepatitis, amebic, 1950: Nov., 1672
chronic, miscellaneous forms, 1949: March, 458
infectious, diagnosis, 1950: Sept., 1313
management, 1950: Sept., 1319
serum, diagnosis, 1950: Sept., 1313
management, 1950: Sept., 1320
viral, chronic, 1949: March, 448-458
- Herpes, 1949: Jan., 145-164
gestationis, 1949: Jan., 172
labialis, 1949: Jan., 147
progenitalis, 1949: Jan., 147
simplex, diagnosis, 1950: Sept., 1311
emotional factors, 1949: Jan., 145-154
encephalitis, 1950: Nov., 1691
management, 1950: Sept., 1319
treatment, 1949: Jan., 152
virus, infections caused by, clinical ramifications, 1951: March, 563-569
oral manifestations, 1951: Nov., 1642
zoster, 1949: Jan., 154-163
antibiotics in, 1951: March, 351
diagnosis, 1950: Sept., 1311
etiology, 1949: Jan., 160
management, 1949: Jan., 163; 1950: Sept., 1319
- Herpetic lesions, sporadic, diagnosis of, 1951: Nov., 1642
- Hidradenitis, suppurative, treatment, 1950: Sept., 1476
- Hip, arthritis, hypertrophic, 1950: Sept., 1442
physical medicine, 1949: Sept., 1316
necrosis, avascular, 1950: Jan., 173
osteochondritis, 1950: Jan., 173
- Hip-lift method of artificial respiration, 1950: Sept., 1349, 1351
- Histadyl, dosages, 1950: March, 352, 357
structural formula, 1951: March, 334
- Histamine and mecholyl iontophoresis in peripheral vascular disease, 1949: March, 351
antagonists. See *Antihistaminic drugs*.
desensitization, 1949: July, 979
headache, 1949: July, 977, Nov., 1589
intravenous administration, 1949: July, 980
test in paroxysmal hypertension, 1951: Sept., 1300
in pheochromocytoma, 1950: May, 763
- Histologic examination in diagnosis of liver disease, 1951: Nov., 1677
- History, accurate, in medical out-patient clinic, 1951: Nov., 1800
in arthritis, 1951: Nov., 1751
in dermatologic diagnosis, 1951: Nov., 1628
in liver disease, 1951: Nov., 1649
personal and family, in diagnosis of allergic states, 1951: Nov., 1599
taking, careful, need for, 1949: July, 925
- Hives. See *Urticaria*.
- Hoarseness, diagnostic significance, 1949: July, 1056
- Hodgkin's disease, granulomatous, of skin with eosinophilia, 1951: March, 465
nitrogen mustards in, 1949: March, 532, Sept., 1301; 1950: March, 453
treatment, 1949: March, 529; 1951: Jan., 99, Sept., 1381-1401
x-ray, 1949: March, 530, 532; 1950: March, 453
- Hog itch, 1949: Jan., 244
- Hookworm, diagnosis, 1949: May, 905
- Hormone analyses, 1951: Nov., 1586
assay in diagnosis of malignancy, 1951: Nov., 1832
therapy. See *Endocrine therapy*.
- Hormones and acne vulgaris, 1951: March, 373-390
gonadotrophic, in malignancy, 1951: Nov., 1832
influence on cerebral metabolism, 1950: Nov., 1806
nutrients and, 1949: Nov., 1715
sex, female. See *Estrogen*.
- Horton's syndrome, 1949: July, 1002
- Horseshoe kidneys, 1951: July, 994

- Hospital, future, character of, 1949: March, 596
- Hot flushes, 1950: March, 543
- Huhner test, 1951: May, 821
- Huntington's chorea, hereditary aspects, 1951: March, 522
- Hydrarthrosis, intermittent, diagnosis, 1951: Nov., 1759
- Hydrillin, dosages, 1950: March, 353, 357
- Hydrocephalus, cerebrospinal fluid in, 1950: Jan., 109
- Hydrochloric acid in nephrotic edema, 1950: Jan., 87
- in pernicious anemia, 1949: Sept., 1392
- Hydronephrosis, bilateral, pathologic aspects, 1951: July, 971
- in pregnancy, 1951: May, 725
- infected, 1949: Sept., 1465
- Hydrotherapy for psychiatric patients, 1949: July, 1121-1130
- sedative, 1949: July, 1124
- stimulative, 1949: July, 1123
- Hykinone, 1949: Nov., 1705
- Hypercortico-adrenalism, 1951: Sept., 1290
- Hyperglycemia in diagnosis of diabetes, 1951: Nov., 1608
- Hyperlipemia, idiopathic, 1951: March, 451
- Hyperorexia nervosa, 1951: Sept., 1355
- Hyperparathyroidism, diagnosis, 1951: Nov., 1737
- kidney in, 1951: July, 980
- Hyperplasia, basal cell, of cervix, 1951: May, 852
- Hypersensitiveness in poliomyelitis, 1950: Jan., 122
- Hypersensitivities, ACTH and cortisone in, 1951: Sept., 1237, 1238
- Hypersplenism, 1949: March, 552; 1950: Sept., 1271-1289
- Hypertension, benign aspects, 1949: May, 611-617, 667
- blood pressure, basic, determination, 1949: May, 688
- capillary fragility in, 1949: May, 675-686
- classification, 1949: May, 667
- diet in, 1949: March, 323, 325, 328, 566, May, 662, 691, 713, Sept., 1271; 1950: Nov., 1742; 1951: July, 1107
- drug therapy, 1949: May, 662, Sept., 1270
- due to pheochromocytoma, 1949: Nov., 1743
- electrocardiogram in, 1949: May, 656
- essential, adrenergic blocking agents in, 1950: March, 387
- early cerebral damage in, psychiatric manifestations, 1951: Jan., 133-142
- in children, sympathectomy for, 1949: Sept., 1295
- psychosomatic factors, 1949: May, 691, 703-712
- Hypertension, essential, renal changes in, 1951: July, 966, 981
- severe, treatment, 1950: Nov., 1741-1750
- symptoms, 1949: March, 310
- treatment, 1949: May, 687, Sept., 1269-1282
- fundus changes, 1949: May, 665-673
- grading of, 1949: Sept., 1270
- headache in, 1949: July, 985; 1951: Sept., 1490
- heart in, 1949: May, 651-664
- hygienic measures in, 1949: May, 691
- in kidney disease, 1949: May, 669
- in children, sympathectomy for, 1949: Sept., 1283
- in menopause, 1950: March, 545
- in pheochromocytoma, 1950: May, 760
- in preeclampsia and eclampsia of pregnancy, 1949: May, 671
- in renal diagnosis, 1951: Nov., 1715
- insurance aspect, 1950: May, 807
- Kempner regimen in, 1949: March, 323, 568, May, 662, Nov., 1639; 1950: Nov., 1742
- malignant, 1949: May, 668; 1951: Jan., 111-131
- differential diagnosis, 1951: Jan., 121
- treatment, 1950: Nov., 1749; 1951: Jan., 123
- nephrectomy for, 1949: March, 330, May, 761-771
- obesity and, 1951: Sept., 1354
- of pregnancy, management, 1949: May, 833-842
- paroxysmal, benzodioxane test, 1951: Sept., 1300
- histamine test, 1951: Sept., 1300
- psychotherapy, 1949: May, 661, 691, 708, Sept., 1276
- rice diet in, 1951: July, 1107
- rutin in, effect on capillary fragility, 1949: May, 681
- salt restriction in, 1949: May, 713-725, Sept., 1274
- secondary, 1949: March, 313
- sympathectomy for, 1949: March, 326, May, 663, 751-761, Sept., 1275; 1950: Nov., 1745
- analysis of results in 300 cases, 1949: May, 735-749
- of 66 patients obtaining excellent results, 1949: May, 727-733
- evaluation of effects, 1949: May, 740, 753
- in children, 1949: Sept., 1283-1299
- postoperative complications, 1949: May, 738
- response to tetraethylammonium after, 1949: May, 823
- selection of cases, 1949: May, 727, 735
- tetraethylammonium test to predict outcome, 1949: May, 824

- Hypertension, symposium on, 1949: May, 609
 tetraethylammonium in, 1949: May, 805-831
 test procedure, 1949: May, 815
 therapeutic uses, 1949: May, 826
 thiocyanates in, 1949: May, 695, Sept., 1271
 effect on capillary fragility, 1949: May, 681
 treatment, 1949: March, 661, Sept., 1269-1282
 medical, 1949: May, 687-701, Sept., 1270; 1950: Nov., 1741
 surgical, 1949: March, 326, May, 663, 751-761, Sept., 1275; 1950: Nov., 1745
 types demanding surgery, 1949: Nov., 1743-1753
 unilateral renal disease and, 1951: July, 1041-1050
 results of nephrectomy, 1951: July, 1044
 veratrum viride in, 1950: Nov., 1743
 without significant cardiac enlargement, clinicopathologic study, 1949: May, 843
- Hypertensive vascular disease, 1949: March, 309-333
 in pregnancy, 1951: May, 682
 treatment, 1951: May, 686
 sodium chloride restriction in, 1949: May, 713-725
 treatment, 1949: March, 322
 surgical, 1949: May, 727-733, 735-749, 751-771
- Hyperthyroidism. See *Thyrotoxicosis*.
- Hypocortico-adrenalism, 1951: Sept., 1286
- Hypoglycemia, 1950: Nov., 1803
- Hypogonadism, male, classification, 1951: Nov., 1746
- Hypoparathyroidism, diagnosis, 1951: Nov., 1737
- Hypoproteinemia as surgical risk, 1949: March, 574
- Hypoprote thrombinemia, 1951: Sept., 1418
 clinical causes and their treatment, 1949: Nov., 1701-1708; 1950: March, 459-464
 in hyperthyroidism, case report, 1951: March, 615-619
- Hyposensitization, short interval, in asthma, 1949: March, 415
- Hypotension in left arm in coarctation of aorta, physiologic observations, 1950: July, 1177-1185
 renal, 1951: July, 974
- Hypothyroidism in children, 1950: Jan., 235-245
 morphine in, dangers, 1950: Nov., 1767
- Hypotonia, congenital, 1950: Jan., 154
- Hysteria, anxiety, 1951: Nov., 1795
 conversion, 1950: Sept., 1489; 1951: Nov., 1795
- Hysteria, questionable use of term, 1950: July, 1063
- Hysterosalpingography, 1949: July, 1113
- ICHTHAMMOL in dermatologic therapy, 1949: Jan., 275
- Ichthyol in dermatologic therapy, 1949: Jan., 275
- Ichthyosis hystrix, 1949: Jan., 237
- Icteric index, evaluation, 1950: Sept., 1463
- Icterus. See *Jaundice*.
- Ideational content, tests, 1950: July, 1075
- Idiocy, amaurotic, infantile, heredity and, 1951: March, 523
- Ileitis, regional, chronic, ACTH in, 1951: Sept., 1255-1265
- Ileus, paralytic, 1949: Sept., 1462
- Iliac vein ligation in treatment of thrombosis and embolism, 1949: Nov., 1509
- Imidazoline as adrenergic blocking agent, 1950: March, 383
- Immobilization, effects in normal subjects, 1951: March, 546
- Immunity, nutrients and, 1949: Nov., 1713
 protein deficiency and, 1949: Nov., 1730
- Immunization, mandatory procedures for foreign travel, 1950: Nov., 1724, 1726
 pediatric aspects, 1950: Nov., 1722, 1725
 today's practices, 1950: Nov., 1713-1740
- Impetiginized lesions, antibiotics in, 1951: March, 348
- Impetigo, antibiotics in, 1951: March, 348
 bullous, 1949: Jan., 173, 174
 treatment, 1950: Sept., 1475
- Impotence and the male climacteric, 1951: Jan., 279-288
- Indifference and apathy in illness, 1950: July, 1024
- Infant(s), cerebrospinal fluid in, 1950: Jan., 107-118
 diseases, symposium on, 1950: Jan., 1
 feeding, in premature cases, 1950: Jan., 46
 self-demand, 1950: Jan., 33-40
 newborn. See *Newborn*.
 premature, care of, 1950: Jan., 41-51
 causes of death in, 1951: May, 741
 term, causes of death in, 1951: May, 743
- Infection, foci of, in arthritis, 1951: Nov., 1753
 in children, choice of antibiotic, 1951: Sept., 1508
 rheumatoid arthritis and, 1950: Nov., 1693-1704

- Infectious diseases, acute, cerebrospinal fluid in, 1950: Jan., 112
treatment, modern, 1950: Jan., 133-145
diagnosis and treatment, role of bacteriologist in, 1950: Nov., 1589-1604
role of virologist in, 1950: Nov., 1605-1620
penicillin in, 1951: Jan., 31
symposium on, 1950: Nov., 1587
Infertility (sterility), abortion and, relationship, 1949: July, 1111-1120
in female, 1949: July, 1112
diagnosis and treatment, 1951: May, 817-846
in male, 1949: July, 1111
investigation and treatment, 1949: July, 1113
Inflammatory conditions, acute, ACTH and cortisone in, 1951: Sept., 1420
Influenza, 1950: Nov., 1643
diagnosis, 1950: Sept., 1312
immunization, 1950: Nov., 1733
prophylaxis and treatment, 1950: Sept., 1319, Nov., 1644
Injection treatment of varicose veins, 1950: May, 904
Injuries, athletic, treatment, 1950: Sept., 1255-1269
of acromioclavicular joint, 1950: Sept., 1332
Insanity, questionable use of term, 1950: July, 1064
Insect bites, granulomatous reactions to, 1951: March, 467
and stings, antihistaminic drugs in, 1950: March, 361
Insemination, therapeutic, 1951: May, 838
Insomnia in chronic illness, treatment, 1949: March, 433
Insulin in diabetes, 1951: Sept., 1528
clinical approach, 1950: March, 486
in diabetic coma, 1949: Nov., 1550
in psychoses, 1950: Sept., 1502
coma therapy, 1950: Sept., 1503
Insurance aspects of heart disease, 1950: May, 805-815
Intelligence tests in adoptive placements and behavior disorders, 1950: July, 1073
in mental retardation, 1950: July, 1067
Intermittent positive pressure breathing, 1951: Nov., 1703
Internal disease, dermatopathology as window to, 1949: Jan., 281
Intervertebral disk, cervical, rupture of, 1950: Sept., 1327
Intestinal disorders, hypoprote thrombinemia of, 1949: Nov., 1692, 1706
infections, acute, 1950: Nov., 1667-1678
irrigation in acute renal failure, 1950: March, 517
Intestinal metazoans, diagnosis, 1949: May, 905
obstruction, management, 1949: Sept., 1455-1464
mechanical, 1949: Sept., 1455, 1457, 1458
strangulation, 1949: Sept., 1456, 1459
tuberculosis, 1950: Nov., 1676
Intocrostrin in poliomyelitis, 1950: March, 556
Intoxication, pathologic, 1951: Nov., 1789
Intrarenal function, tests, 1951: July, 949
Iodide eruption, bullous, 1949: Jan., 174
Iodides in arteriosclerosis, 1949: May, 777
Iodine in thyrotoxicosis, 1949: March, 500; 1951: Sept., 1308
protein-bound, in blood, 1951: Nov., 1587
in hypothyroidism, 1950: Jan., 237
in plasma, in diagnosis of hyperthyroidism, 1949: Sept., 1233
in serum in hyperthyroidism, 1951: Sept., 1306
radioactive, excretion, in diagnosis of hyperthyroidism, 1951: Sept., 1306
in diagnosis of thyrotoxicosis, 1949: Sept., 1232
in carcinoma, 1951: Sept., 1377
of thyroid, 1950: March, 450
in diagnosis of hypothyroidism, 1950: Jan., 238
in hyperthyroidism, 1949: March, 512, Sept., 1211-1223; 1951: Sept., 1310
in thyroid diseases, clinical application, 1951: Jan., 37-50
pharmacology, 1950: March, 443
Iodoacetate index in malignancy, 1951: Nov., 1836
Iodochloroxyquinoline in dermatology, 1949: Jan., 273
Iontophoresis in peripheral vascular disease, 1949: March, 351
Ipecac in asthma, 1949: March, 417
in auricular paroxysmal tachycardia, 1950: May, 737
Iridocyclitis in sarcoidosis, 1949: Jan., 41
Iron deficiency anemia, 1949: March, 551
metabolism, current concepts, 1950: Nov., 1779-1789
therapy in anemia, 1950: Nov., 1779-1789
in erythroblastosis fetalis, 1950: Jan., 199
in hypochromic anemia, 1950: Sept., 1303
Irradiation. See Roentgen and Radium.
Irritability, 1950: July, 1023
Isonipecaine in relief of pain, 1950: March, 371

- Isotopes, radioactive, 1951: Nov., 1591
 Isuprel in intermittent positive pressure breathing, 1951: Nov., 1703
 Itch, swimmer's, 1950: Jan., 266
 Ivy poisoning, treatment, 1950: Sept., 1474
- JAUNDICE**, 1951: Nov., 1683
 classification, 1951: Nov., 1669
 differential diagnosis, 1951: Nov., 1669
 diagnostic aids in, 1951: Nov., 1672
 hemolytic, acquired, ACTH and cortisone in, 1951: Sept., 1238
 congenital, 1950: Sept., 1293
 splenectomy for, effect on subsequent pregnancies, 1950: July, 1221
 hepatic, differential diagnosis, 1951: Nov., 1670
 test responses in, 1951: Nov., 1671, 1672
 in erythroblastosis fetalis, 1950: Jan., 189
 posthepatic, differential diagnosis, 1951: Nov., 1671
 prehepatic, differential diagnosis, 1951: Nov., 1669
 serum, homologous, diagnosis, 1950: Sept., 1313
Joint disease, degenerative, 1950: Sept., 1435-1446
 diagnosis, 1951: Nov., 1761
 physical medicine in, 1949: Sept., 1313-1319
 psychosomatic approach, 1949: July, 1061-1069
 involvement in arthritis, 1951: Nov., 1752, 1753, 1754
- KAD** itch, 1949: Jan., 244
 Kala-azar, diagnosis, 1949: May, 905
Kaposi's varicelliform eruption, 1949: Jan., 147; 1951: March, 565
 aureomycin in, 1951: March, 351
 complicating atopic eczema, 1949: Jan., 214
Karell diet, 1949: March, 564, Nov., 1636
 in heart failure, 1949: March, 365, 366
Kayquinone, 1949: Nov., 1705
Kempner regimen in hypertension, 1949: March, 323, 568, May, 662, Sept., 1271, Nov., 1639; 1950: Nov., 1742
 rice diet in hypertension, 1951: July, 1107
Keratitis, dendritic, 1951: March, 567
Keratoconjunctivitis, epidemic, diagnosis, 1950: Sept., 1314
 management, 1950: Sept., 1320
Keratolytic and keratoplastic agents in dermatology, 1949: Jan., 277
- Keratoses**, arsenical, 1949: Jan., 110
 seborrheic, 1949: Jan., 110; 1951: March, 419-425
 senile, 1949: Jan., 109; 1951: March, 425-431
Kerion, 1950: Jan., 259
17-Ketosteroids, excretion, 1951: Nov., 1744
 in malignancy, 1951: Nov., 1833
 urinary, 1951: Nov., 1587
Kidney, abscess, cortical, 1949: Sept., 1465
 agenesis, 1951: July, 990
 amyloid disease, 1951: July, 963, 978
 anomalies, congenital, 1951: July, 987-1004
 arteriolar disease, diffuse, with hypertension, 1951: July, 966, 981
 arteriosclerosis, senile, 1951: July, 965
 artificial, in acute anuria, 1950: March, 513
 cystic disease, 1951: July, 972, 979, 999
 dehydration and, 1951: July, 974
 diabetic complications involving, 1951: Nov., 1616
 diseases, bilateral, classification, 1951: July, 959-976
 diagnosis and treatment, urologic methods in, 1951: July, 1005-1009
 cardiac manifestations, 1951: July, 1083-1093
 cardiovascular, diet in, importance, 1951: July, 1101-1111
 chronic, 1951: July, 977
 diet in, 1949: March, 565
 ophthalmologic aspects, 1951: July, 1023-1039
 complicating congestive heart failure, 1950: May, 626
 diet in, importance, 1951: July, 1103
 heart disease and, salt depletion syndrome as complication of treatment, 1951: July, 1139-1156
 hypertension due to, 1949: May, 669
 sympathectomy for, 1949: Sept., 1283
 in children, 1951: July, 1069-1080
 in pregnancy, 1951: May, 684
 treatment, 1951: May, 696
 pulmonary edema in, 1951: July, 1089
 symposium on, 1951: July, 941
 unilateral, hypertension and, 1951: July, 1041-1050
 results of nephrectomy, 1951: July, 1044
 water balance in, as related to edema and oliguria, 1950: March, 571-587
 during pregnancy, 1951: May, 716

- Kidney, dwarfed, 1951: July, 993
ectopic, 1951: July, 996
failure, acute, conservative management, 1949: July, 1007-1025
nature of, 1949: July, 1007
treatment, 1950: March, 509-523
in acute glomerulonephritis, 1950: Jan., 98
treatment, 1950: Jan., 104
secondary, 1951: July, 973
function, impaired, therapeutic abortion for, 1951: May, 730
in normal and toxemic pregnant woman, 1951: May, 699-714
tests, application, 1951: July, 943-957
clinical, 1951: May, 708
in chronic nephritis, 1950: Jan., 83
intrarenal, 1951: July, 949
fused, 1951: July, 994
glomerular lesions, primary, 1951: July, 960
horseshoe, 1951: July, 994
hypotension, 1951: July, 974
in eclampsia, 1951: July, 964
in hyperparathyroidism, 1951: July, 980
in hypervitaminosis D, 1951: July, 981
in lupus erythematosus, disseminated, 1951: July, 963, 981
in periarteritis nodosa, 1951: July, 965, 983
in subacute bacterial endocarditis, 1951: July, 983
in ulcerative colitis, 1951: July, 982
insufficiency, acute, 1951: July, 1160-1165
diagnosis, 1951: July, 944
due to circulatory failure, 1950: May, 641-648
ischemia, functional, 1951: July, 973
Kimmelstiel-Wilson's disease, 1951: July, 962
leukemic or lymphoblastomatous infiltration, pathologic aspects, 1951: July, 972
lower nephron syndrome, 1951: July, 1160-1165
lymphosarcoma, 1951: July, 983
multiple myelomas, 1951: July, 979
polycystic disease, 1951: July, 979, 999
pathologic aspect, 1951: July, 972
retinal manifestations, 1951: July, 1034
rotation, abnormal, 1951: July, 998
solitary, 1951: July, 991
tuberculosis, in pregnancy, 1951: May, 728
tubular lesions, 1951: July, 968
tumors, pregnancy and, 1951: May, 729
vascular lesions, primary, 1951: July, 965
- Kimmelstiel-Wilson's disease, 1951: July, 962
Klotogen, 1949: Nov., 1705
Knee, arthritis, hypertrophic, 1950: Sept., 1444
physical medicine, 1949: Sept., 1316
region, avascular necrosis of bone in, 1950: Jan., 180
sprains, in athletics, treatment, 1950: Sept., 1262
strapping, protective, in athletics, 1950: Sept., 1266
Köhler's disease, 1950: Jan., 183
Korsakoff's psychosis, 1951: Nov., 1789
Kraurosis penis, 1951: March, 416-417
vulvae, 1949: Jan., 110
Kveim test in sarcoidosis, 1949: Jan., 49
Kyphoscoliosis, morphine in, dangers, 1950: Nov., 1768
Kyphosis dorsalis juvenilis, 1950: Jan., 170
- LABOR, induction, premature, in erythroblastosis, 1951: May, 62
management, in tuberculous woman, 1951: May, 651
sedation, analgesia and anesthesia in, 1950: Sept., 1521-1535
uterine inertia at, 1951: May, 791-804
Laboratories, reliability of, 1950: Sept., 1462
Laboratory aids in dermatologic diagnosis, 1951: Nov., 1633
in diagnosis and treatment, 1951: Nov., 1579-1592
of allergic states, 1951: Nov., 1601
of early cancer, 1950: Sept., 1395
bacteriologic, in diagnosis and control of acute infectious diseases, 1950: Nov., 1589-1603
findings in liver disease, 1951: Nov., 1650
studies in diagnosis of diabetes, 1951: Nov., 1608
tests. See Tests.
virus diagnostic, in control of acute infectious diseases, 1950: Nov., 1605-1620
Lacquer, nail, "base coats," nail changes following, 1949: Jan., 95-107
Lacrimal gland and duct, tuberculosis of, 1949: Jan., 261, 262
Laennec's cirrhosis, diet in, low sodium and high protein, 1951: Jan., 73-91
Lanatoside C, 1950: May, 657
in congestive heart failure, 1950: May, 669; 1951: Sept., 1336
Langis-Gibbon test, 1949: March, 347
Larynx, amyloid tumors, 1950: July, 1145-1150
L. E. test in dermatologic diagnosis, 1951: Nov., 1635
Leg ulcers, 1951: Nov., 1632
hypertensive-ischemic, 1951: March, 365

- Legg-Perthes' disease, 1950: Jan., 173
 obturator nerve section in, 1950: Jan., 180
- Leishmaniasis, dermal, diagnosis, 1949: May, 904
 visceral, diagnosis, 1949: May, 905
- Letterer-Siwe disease, 1951: March, 450
- Leukemia, ACTH and cortisone in, 1951: Sept., 1242, 1397
 acute, treatment, 1951: Jan., 102
 chronic, treatment, 1949: March, 527, 536-540; 1951: Jan., 96
 cutaneous lesions in, 1949: Jan., 282
 folic acid-antagonists in, 1950: Jan., 209, March, 451; 1951: Sept., 1395
 Fowler's solution in, 1951: Sept., 1389
 in children, treatment, recent advances, 1950: Jan., 201-216
 lymphatic, chronic, headache associated with, 1949: July, 992
 myelocytic, chronic, urethane in, results of three-year study, 1950: July, 1205-1215
 nitrogen mustards in, 1949: March, 539; 1950: Jan., 204, March, 452, 453; 1951: Sept., 1390
 radioactive phosphorus in, 1950: Jan., 207, March, 452, 453; 1951: Sept., 1386
 treatment, current trends, 1951: Sept., 1381-1401
 triethylene melamine in, 1951: Sept., 1392
 urethane in, 1950: Jan., 202, March, 452, 453; 1951: Sept., 1394
 x-rays in, 1951: Sept., 1385
- Leukocytes in urine, 1951: Nov., 1711
- Leukoplakia, 1949: Jan., 110
 of glans penis, 1951: March, 413, 414
 oral, diagnosis, 1951: Nov., 1644
- Leukorrhea, psychic aspects, 1950: July, 1003
- Levocardia, electrocardiogram in, 1949: July, 1164
- Levy's anoxemia test in heart disease, 1950: May, 713
- Libman-Sacks disease, kidney in, 1951: July, 981
- Lichen nitidus, 1949: Jan., 259
 planus of glans penis, 1951: March, 416
 oral, diagnosis, 1951: Nov., 1645
 erosive type, 1951: Nov., 1647
 nonerosive type, 1951: Nov., 1646
 sclerosis et atrophicus, 1949: Jan., 70
 of glans penis, 1951: March, 416-417
 scrofulosorum, 1949: Jan., 259
 simplex chronicus, 1949: Jan., 4
 urticatus following insect bites, 1950: Jan., 269
- vidal, antihistaminics in, 1951: March, 337
- Life stress, relation to cardiovascular symptoms and disease, 1950: May, 817-831
- Liniments in dermatologic therapy, 1949: Jan., 267
- Lip, carcinoma, squamous cell, 1949: Jan., 115
 treatment, 1949: Jan., 122
- Lipid diseases as manifested in skin, 1951: March, 433-456
- Lipids, classification, 1951: March, 434
- Lipoidosis, cerebroside, 1951: March, 451
 cutis et mucosae, 1951: March, 451
 phosphatide, 1951: March, 450
- Lipotropic agents in severe liver disease, 1951: Sept., 1451
- Listerella infections, antibiotics in, choice of, 1950: March, 314
- Lithiasis, pancreatic, 1949: May, 883
- Livedo reticularis, 1951: March, 364
- Liver, abscess, amebic, 1950: Nov., 1672
 biopsy, evaluation, 1950: Sept., 1466
 in diagnosis of amyloidosis, 1950: July, 1113, 1173
 methods, 1951: Nov., 1662
 needle, "blind," 1951: Nov., 1663
 contraindications, 1951: Nov., 1664
 histologic technics, 1951: Nov., 1666
 in differential diagnosis of jaundice, 1951: Nov., 1673
 indications, 1951: Nov., 1664
 limitations, 1951: Nov., 1664
 peritoneoscopic, 1951: Nov., 1663
 surgical, direct, 1951: Nov., 1662
- cirrhosis. See *Cirrhosis*.
- damage, hypoprothrombinemia from, 1950: March, 464
- diseases, cutaneous xanthoma in relation to, 1951: March, 441
 diagnosis, 1951: Nov., 1649-1678
 aids in, 1951: Nov., 1674
 factors suggesting presence of, 1951: Nov., 1649
 hypoprothrombinemia of, 1949: Nov., 1698, 1706
 morphine in, dangers, 1950: Nov., 1764
 parenchymal, differential diagnosis, 1951: Nov., 1673
 severe, medical management, 1951: Sept., 1441-1455
- tests, 1951: Nov., 1651
 choice of laboratory, 1951: Nov., 1652
 factors influencing, 1951: Nov., 1661
 functional, pitfalls in, 1950: Sept., 1459-1472
 general principles, 1951: Nov., 1651
 general selection, 1951: Nov., 1652
 individual, 1951: Nov., 1653
 purpose, 1951: Nov., 1651
- injury, endocrine and genetic factors, 1949: Nov., 1663
 establishment of presence of, 1951: Nov., 1651

- Liver, injury, evaluation of severity of, 1951: Nov., 1667
 hypoprothrombinemia of, 1949: Nov., 1698, 1706
 nature of, 1951: Nov., 1668
 nutritional aspects, 1949: Nov., 1657-1669
 insufficiency, 1949: March, 447-461
 involvement, in primary systemic amyloidosis, 1950: July, 1113-1118
 in secondary amyloidosis, 1950: July, 1165-1169
 necrosis, acute, dietary factors, 1949: Nov., 1659
 therapy, in pernicious anemia, 1950: Sept., 1298
 oral, 1949: Sept., 1390
 reactions, 1949: Sept., 1389
 venous pulsations, 1950: May, 728
 Lobotomy, prefrontal, in psychoses, 1950: Sept., 1501
 indications for and complications of, 1950: July, 1019-1028
 Lockjaw. See *Tetanus*.
 Lonalac, composition and recipes for use, 1951: Jan., 89
 recipe, 1950: March, 567
 Long-term illness, treatment, symposium on, 1949: March, 293. See also *Chronic disease*.
 Lotions in dermatologic therapy, 1949: Jan., 266
 Lumbago, treatment, 1949: Nov., 1626
 Lumbar puncture in infants and children, 1950: Jan., 116
 in syphilis, 1950: March, 496
 Lumbosacral strain, 1949: Nov., 1627
 Lung, abscess, 1949: March, 395
 penicillin in, 1949: March, 404
 aerosol method, 1949: March, 404
 postpneumonic, 1950: Nov., 1664
 sulfadiazine in, 1949: March, 403
 treatment, 1949: March, 400
 surgical, 1949: March, 406
 actinomycosis, 1951: Sept., 1323
 atelectasis, 1949: Nov., 1613
 carcinoma, inoperable, nitrogen mustards in, 1949: Sept., 1309
 nitrogen mustard in, 1950: March, 450
 coccidioidomycosis, 1951: Sept., 1328
 diseases, chronic, clinical investigation, 1949: July, 1047-1059
 epidemic, 1949: July, 1099-1110
 edema, 1949: Nov., 1615
 embolism, 1949: Nov., 1617
 emergencies, diagnosis and treatment, 1949: Nov., 1605-1618
 fibrosis, chronic, ACTH and cortisone in, 1951: Sept., 1241
 chronic progressive, 1951: Jan., 169-173
 fungus infections, 1951: Sept., 1323-1331
 hemorrhage from, 1949: Nov., 1605
 Lung, involvement in scleroderma, 1949: Jan., 61, 63
 passive congestion, anatomic and pathologic features, 1951: Nov., 1696
 resection for tuberculosis, 1950: Sept., 1372
 roentgenograms, undiagnosed shadows, 1949: July, 1049
 secretion, cytology of, in cancer diagnosis, 1950: Sept., 1397
 suppurations, nontuberculous, management, 1949: March, 391-410
 tuberculosis. See *Tuberculosis*.
 tumors, diagnosis, angiocardioraphy in, 1950: May, 747
 Lupus erythematosus, discoid, chronic, treatment, new developments, 1951: March, 391-398
 disseminated, ACTH and cortisone in, 1951: Sept., 1238
 acute, 1951: March, 399-409, Sept., 1274
 clinical and pathologic study, 1949: Jan., 79-94
 kidney in, 1951: July, 963, 981
 retinal changes, 1951: July, 1035
 subacute and chronic pulmonary disease in, 1951: Jan., 170
 subacute, dermatomyositis and, differentiation, 1949: Jan., 27
 miliaris disseminatus, 1949: Jan., 255
 pernio, 1949: Jan., 31, 37
 psoriasiforme, 1949: Jan., 255
 vulgaris, 1949: Jan., 249, 252
 Lymphadenitis, tuberculous, streptomycin in, 1950: Jan., 279
 Lymphadenopathy, giant follicular, 1949: Jan., 138
 Lymphangiectasias, 1949: Jan., 228
 Lymphangiectodes, 1949: Jan., 228
 Lymphangioma, 1949: Jan., 228; 1951: March, 309
 circumscriptum, 1949: Jan., 228; 1951: March, 309
 simplex, 1949: Jan., 228
 Lymphangitis and cellulitis, recurrent, of the extremities, 1949: July, 1089
 Lymphatics, diseases, skin manifestations, 1951: March, 366
 Lymphedema of inflammatory origin, progressive, 1949: July, 1089-1098
 praecox, 1951: March, 367
 Lymphoblastoma, dermatitis exfoliativa due to, 1949: Jan., 137
 Lymphogranuloma benignum, 1949: Jan., 31, 260
 inguinale, antibiotics in, choice of, 1950: March, 314
 venereum, antibiotics in, 1950: March, 314; 1951: March, 350
 diagnosis, 1950: Sept., 1313
 management, 1950: Sept., 1319
 Lymphoma, benign giant follicular, treatment, 1951: Jan., 101

- Lymphoma, malignant, chronic forms,** treatment, 1949: March, 527-540
 nitrogen mustards in, 1951: Sept., 1390
 treatment, current trends, 1951: Sept., 1381-1401
 triethylenylene melamine in, 1951: Sept., 1392
 x-rays in, 1951: Sept., 1385
 management, 1951: Jan., 93-110
 nitrogen mustards in, therapeutic indications, 1949: Sept., 1301-1311
- Lymphosarcoma, nitrogen mustard in,** 1950: March, 454
 of kidney, 1951: July, 983
 treatment, 1949: March, 534; 1951: Jan., 101, Sept., 1381-1401
- MACULAR degeneration, cerebral,** 1950: Jan., 162
- Magnesium sulfate in auricular paroxysmal tachycardia;** 1950: May, 739
 in ventricular paroxysmal tachycardia, 1950: May, 741
- Malaria, diagnosis,** 1949: May, 899
- Malformations, congenital,** 1951: March, 527
- Malignancy, diagnosis of, biochemical methods,** 1951: Nov., 1829-1840
- Malignant degeneration in ulcerative colitis,** 1949: Sept., 1421-1437
 tumors, chemotherapy, 1950: March, 439-458
 of internal organs, cutaneous lesions in, 1949: Jan., 284
- Malnutrition as surgical risk,** 1949: March, 573, 575
- Malta fever. See Brucellosis.**
- Mandelic acid in urinary tract infections,** 1949: Sept., 1478; 1950: March, 529, 531
- Marie-Strümpell disease, ACTH in,** 1951: Sept., 1239
- Massage in degenerative joint disease,** 1949: Sept., 1314
 in peripheral vascular disease, 1949: March, 354
- Mastery of long-term illness,** 1949: March, 435-446
- McCann, William Sharp, symposium in honor of,** 1951: March, 481
- Measles, diagnosis,** 1950: Sept., 1310
 treatment, 1950: Jan., 141, Sept., 1318
- Meat, skin diseases due to handling or eating,** 1949: Jan., 243
 strained, low salt, and recipes, 1951: Jan., 91
- Mebaral in epilepsy,** 1950: March, 345, Sept., 1513, 1517
- Mecholyl and histamine iontophoresis in peripheral vascular disease,** 1949: March, 351
 in auricular paroxysmal tachycardia; 1950: May, 738
- Mecholyl test in pheochromocytoma,** 1950: May, 765
- Mediastinum, tumors, diagnosis, angiocardiology in,** 1950: May, 747
- Medical care, current trends and influences,** 1949: March, 589
 future pattern of, 1949: March, 594
 emergencies, acute, symposium on, 1949: Nov., 1499
 status, general, in dermatologic diagnosis, 1951: Nov., 1628
 therapeutics, symposium on, 1950: March, 307
- Medicine in an aging population,** 1949: March, 295-303
 laboratory, relationship to clinical medicine, 1951: Nov., 1579
 psychosomatic, 1951: Nov., 1796
- Mediterranean anemia,** 1949: March, 543
- Melancholia, involutional,** 1950: July, 1097; 1951: Nov., 1792
 electroshock therapy, 1949: March, 517
 prefrontal lobotomy for, 1950: July, 1046
- Melano-epithelioma** 1949: Jan., 115
- Melanoma, malignant,** 1949: Jan., 234
- Meltzer-Auer technic of artificial respiration,** 1950: Sept., 1357
- Menadione,** 1949: Nov., 1705
- Meningism, cerebrospinal fluid in,** 1950: Jan., 109
- Meningitis, bulbar type,** 1950: Jan., 126
 cerebrospinal fluid in, 1950: Jan., 112
 common forms, treatment, 1949: May, 871-881
 complicating pneumonia, 1950: Nov., 1664
 in children, 1950: Nov., 1679-1688
 treatment, 1951: Sept., 1512
 influenzal, 1949: May, 874; 1951: Sept., 1513
 chloromycetin in, 1951: Sept., 1514
 streptomycin in, 1949: May, 875; 1950: Jan., 137, March, 329; 1951: Sept., 1514
 sulfadiazine in, 1949: May, 875; 1951: Sept., 1514
 meningococci, 1949: May, 871
 penicillin in, 1949: May, 871; 1950: March, 323; 1951: Jan., 31, Sept., 1514
 sulfadiazine in, 1949: May, 871; 1951: 1514
 sulfonamides in, 1950: Jan., 136, March, 335
 nonpurulent, in children, 1950: Nov., 1686
 pneumococcal, 1949: May, 873
 penicillin in, 1949: May, 873; 1950: Jan., 137; 1951: Jan., 31, Sept., 1575
 sulfadiazine in, 1949: May, 873; 1951: Sept., 1515

- Meningitis, purulent, in children, 1950: Nov., 1680
treatment, 1950: Nov., 1682
syphilitic, 1950: Nov., 1688
treatment, 1950: Jan., 136
tuberculous, 1949: May, 877; 1950: Nov., 1687
para-aminosalicylic acid in, 1949: May, 879; 1950: Nov., 1688
promizole in, 1949: May, 878; 1950: Nov., 1688
streptomycin in, 1949: May, 877; 1950: Jan., 138, Nov., 1687; 1951: Sept., 1515
- Meningococcal infections, antibiotics in, choice of, 1950: March, 314
sulfonamides in, 1950: March, 335
- Meningococcemia, sulfonamides in, 1950: March, 335
- Menometrorrhagia, management, 1950: Sept., 1561
- Menopause, 1951: May, 879-892
diagnosis, 1950: March, 542; 1951: May, 885
emotional factors, 1950: March, 547
endocrine therapy, 1950: March, 550, Sept., 1547
physiologic changes in, 1951: May, 880
psychosomatic aspects, 1950: July, 1004
psychotherapy, 1950: March, 550
symptoms, 1951: May, 883
treatment, 1950: March, 541-551; 1951: May, 887
- Menorrhagia, 1951: May, 876
- Menstrual cycle after splenectomy, 1950: July, 1226
disorders, endocrine therapy, 1950: Sept., 1537-1550
psychosomatic aspects, 1950: July, 999
- Menstruation, current hypothesis, 1950: Sept., 1555
painful, treatment, 1951: May, 861-870
- Mental defect, hereditary aspects, 1951: March, 525
illness, treatment, modern, 1950: Sept., 1499-1506
retardation, intelligence tests in, 1950: July, 1067
management, 1950: July, 1071
- Menthol in dermatology, 1949: Jan., 271
- Meperidine in relief of pain, 1950: March, 369
- Mercuhydrin in angina decubitus, 1951: Jan., 63-71
- Mercurial diuretics in congestive heart disease, 1950: March, 568, May, 621, 629-640
in congestive heart failure, 1951: Sept., 1338
in liver disease, 1951: Sept., 1452
- Mercurial diuretics, parenteral, products and description, 1950: May, 630
potentiation of, 1950: May, 623
- Mercurialism, 1950: May, 637
- Mercury, ammoniated, in dermatology, 1949: Jan., 273
as diuretic in heart failure, 1949: March, 369
bichloride poisoning, BAL in, 1950: March, 469-484
- Mesantoin in epilepsy, 1950: March, 347, Sept., 1513, 1516
- Metabolic abnormalities in renal diagnosis, 1951: Nov., 1617
aspects of vascular degeneration, 1949: May, 783-794
disease, cerebral, pathologic physiology, 1950: Nov., 1801-1815
- Metabolism, basal, in hypothyroidism, 1950: Jan., 235
test for, clinical application, 1950: Nov., 1839-1851
- Metatarsal head, avascular necrosis, 1950: Jan., 185
- Metazoa, intestinal, diagnosis, 1949: May, 905
- Methacholine. See *Mecholyl*.
- Methadone in obstetrics, 1950: Sept., 1525
in relief of pain, 1950: March, 369
- Methenamine in urinary tract infection, 1950: March, 529, 531
- Methyl-mercaptoimidazole in thyrotoxicosis, 1951: Sept., 1309
- Methylphenylethylhydantoin. See *Mesantoin*.
- Methyltestosterone in dysmenorrhea preovulatory, 1951: May, 864
in menopause, 1950: Sept., 1549
- Metopon in relief of pain, 1950: March, 372
- Metrazol in respiratory failure, 1950: Sept., 1359
- Microsporium audouini, 1950: Jan., 258
lanosum, 1950: Jan., 258
- Migraine. See *Headache, migrainous*.
- Mikulicz syndrome, 1949: Jan., 41
- Milliequivalent, computation, 1951: May, 904
- Milligrams per cent, conversion to millimols or milliequivalents per liter, 1951: Nov., 1811
- Minerals, interrelations, 1949: Nov., 1713
- Miscarriage. See *Abortion*.
- Mitral stenosis, angiocardiology in, 1950: May, 754
valve lesions, percussion in, 1950: May, 732
pulsatory phenomena, 1950: May, 723
- Moles, 1949: Jan., 230
hydatid, hormone assay, 1951: Nov., 1833

- Moloy's precision stereoscopic technic for estimating cephalopelvic disproportion, 1951: May, 781, 784
- Moniliasis, treatment, 1950: Sept., 1482
- Mononucleosis, infectious, diagnosis, 1950: Sept., 1315
- management, 1950: Sept., 1320
- Mood response, 1950: July, 1022
- Morphea, 1949: Jan., 67
- Morphine in obstetrics, 1950: Sept., 1525; 1951: May, 808
- use, hazards in, 1950: Nov., 1761-1771
- postoperative, 1950: Nov., 1773
- preoperative, 1950: Nov., 1773
- Motion sickness, antihistaminic drugs in, 1950: March, 361
- Motor unit, disorders, in infants and children, 1950: Jan., 147-167
- Mouth, diseases of, diagnosis, 1951: Nov., 1637-1647
- hygiene, and caries, 1950: Jan., 22
- lesions in erythema multiforme, 1951: March, 321
- Mouth-to-mouth insufflation, 1950: Sept., 1351
- Mouthwashes, ammonia-urea compounds in, 1950: Jan., 28
- fluoride, 1950: Jan., 27
- Movement, voluntary, anatomy and physiology of, 1951: Nov., 1767
- Mucous membrane lesions, distribution of, 1951: Nov., 1629
- Mumps, diagnosis, 1950: Sept., 1311
- encephalitis, 1950: Nov., 1691
- treatment, 1950: Jan., 134, Sept., 1318
- Muscle changes in arthritis, 1951: Nov., 1754
- contusion, in athletics, treatment, 1950: Sept., 1264
- relaxants, in obstetrics, 1950: Sept., 1531
- skeletal, disorders, in infants and children, 1950: Jan., 147-167
- spasm in rheumatic disorders, alleviation, 1949: Nov., 1619
- strains, in athletics, treatment, 1950: Sept., 1265
- Muscoviscidosis, antibiotics in, 1951: Sept., 1519
- Muscular atrophy, spinal, progressive, in infants, 1950: Jan., 147
- Myanesin in parkinsonism, 1949: July, 1138
- Myasthenia gravis, 1950: Jan., 159
- Mycosis fungoides, nitrogen mustard in, 1949: Sept., 1309; 1950: March, 454
- treatment, 1951: Jan., 103
- Myelitis, infectious, 1951: Nov., 1774
- Myeloma, multiple, amyloidosis complicating, 1950: July, 1151-1164
- chemotherapy, 1950: March, 455
- Myeloma, multiple, cortisone in, 1951: Jan., 102
- diagnosis; 1951: Nov., 1835
- diagnostic and therapeutic aspects, 1951: Jan., 189-226
- kidney in, 1951: July, 979
- myeloblastic, ACTH and cortisone in, 1951: Sept., 1241
- treatment, 1951: Jan., 103, 217
- Myocardial anoxia in causation of angina, 1949: May, 636
- infarction, 1950: May, 687
- acute, anticoagulants in, 1949: March, 339
- unipolar precordial electrocardiogram in, 1950: May, 846
- Myositis, multiple. See *Dermatomyositis*.
- Myxedema, diagnosis and treatment, problems in, 1949: Sept., 1249-1254
- pituitary, morphine in, dangers, 1950: Nov., 1767
- NAIL changes following use of "base coats," 1949: Jan., 95-107
- polish, dermatitis due to, 1949: Jan., 184
- Narcosis, drug, in psychosis, 1950: Sept., 1501
- electric, in psychoses, 1950: Sept., 1503
- Narcotics, addiction to, manifestations and treatment, 1950: March, 425-438
- Nasopharyngeal bursa, abscess, 1950: Nov., 1633
- Neck, pain in, 1950: Sept., 1323-1334
- stiff, 1950: Sept., 1323
- stiffness, in poliomyelitis, 1950: Jan., 122
- veins, pulsations, in disturbances of rhythm, 1950: May, 727
- Necrobiosis lipoidica (diabeticorum), 1951: March, 452
- Necrosis, avascular, of bone in children, 1950: Jan., 165-186
- Negro, cutaneous tuberculosis in, 1949: Jan., 249-262
- Neo-antergan, dosages, 1950: March, 352-357
- Neosarsphenamine in Vincent's angina, 1950: Nov., 1628
- Neohetramine, dosages, 1950: March, 353, 357
- Neoplastic diseases, chemotherapy, 1950: March, 439-458
- Neosynephrine in auricular paroxysmal tachycardia, 1950: May, 740
- in intermittent positive pressure breathing, 1951: Nov., 1703
- Nephrectomy for hypertensive renal disease, results, 1951: July, 1044
- pregnancy after, 1951: May, 730
- unilateral, for hypertension, 1949: March, 330, May, 761-771

- Nephritis, acute glomerular, anuria due to, 1950: March, 309
 hemorrhagic, 1950: Jan., 95-105
 in children, 1951: July, 1069
 chronic diffuse, 1951: July, 970
 in children, 1950: Jan., 71-94
 treatment, 1950: Jan., 85
 diet in, 1949: March, 565
 gout, 1951: July, 982
 in children, types and treatment, 1951: July, 1069-1080
 in multiple myeloma, 1951: Jan., 212
 in pregnancy, 1951: May, 684, 697, July, 1051-1068
- Nephrolithiasis in pregnancy, 1951: May, 725
- Nephrosclerosis, diet in, 1949: March, 566
- Nephrosis, diet in, 1949: March, 565
 in children, 1950: Jan., 71-94; 1951: July, 1073
 treatment, 1950: Jan., 85
 in pregnancy, 1951: May, 697
 lipid, 1951: July, 984
 lower nephron, 1950: Jan., 72, 74, 76, 82, 88
 anuria due to, 1950: March, 509
 prerenal azotemia and, 1950: May, 646
 retinal manifestations, 1951: July, 1033
- Nephrotic syndrome, ACTH and cortisone in, 1951: Sept., 1241
- Nerve block, pudendal, in obstetrics, 1950: Sept., 1526
- Nervous breakdown, questionable use of term, 1950: July, 1065
 system, central, infections, penicillin in, 1950: March, 323
 manifestations of allergic disorders, 1951: Nov., 1597
 tension in headache, 1949: July, 974
- Neuralgia of face and head, 1949: Nov., 1591
- Neurasthenia, 1949: Sept., 1343-1364; 1951: Nov., 1795
- Neurectomy, presacral, in dysmenorrhea, 1951: May, 863
- Neuritis, multiple. See *Polyneuritis*.
 of cervical spine, 1950: Sept., 1325
- Neurodermatitis, 1949: Jan., 1-14
 disseminated, 1949: Jan., 186
 dry, 1949: Jan., 4
 disseminated, 1949: Jan., 7
 exudative, 1949: Jan., 10
 treatment, dermatologic and psychiatric approaches, correlation, 1950: July, 1009-1017
- Neurodermite, 1949: Jan., 4
- Neurohypophysis, disorders of, 1951: Nov., 1732
- Neurologic disorders, holistic treatment, 1950: July, 1019-1028
- Neuromuscular diseases, psychosomatic approach, 1949: July, 1061-1069
- Neuron disease, motor, symptoms and signs, 1951: Nov., 1767
- Neuropathies, diabetic, diagnosis, 1951: Nov., 1618
- Neuroses, anxiety, 1949: Sept., 1343-1364
 cardiac, 1949: Sept., 1343-1364
 compensation, headache due to, 1951: Sept., 1491
 advantage of family physician, 1949: July, 924
 diagnosis and treatment, 1949: July, 931; 1950: Sept., 1487-1497
 obsessive compulsive, prefrontal lobotomy for, 1950: July, 1047
 psychosis and, differentiation, 1950: July, 957-971
 types, 1951: Nov., 1795
- Neurosyphilis, treatment, 1950: March, 501, Sept., 1502; 1951: Jan., 147
- Neurotic excoriations, 1949: Jan., 18
- Neutralization test in viral diseases, 1950: Nov., 1611
- Neutropenia, splenic, 1949: March, 555; 1950: Sept., 1271
 plus thrombocytopenia, 1950: Sept., 1280
- Nevoxanthoendothelioma, 1951: March, 449
- Nevus (nevi), 1951: March, 301-313
 anemic, 1951: March, 306
 arraneous, 1949: Jan., 226; 1951: March, 304
 bathing trunk, 1949: Jan., 231
 blue, 1951: March, 312
 capillary, 1949: Jan., 220, 222
 cellular, 1949: Jan., 229
 common, identification and management, 1949: Jan., 219
 connective tissue, 1949: Jan., 237
 epidermodermal, 1951: March, 311
 epithelial, 1949: Jan., 234
 flammeus, 1949: Jan., 220; 1951: March, 303
 glandular, 1951: March, 313
 hairy, 1951: March, 310
 intradermal or intracutaneous, 1951: March, 312
 intra-epithelial or intra-epidermal, 1951: March, 310
 junction, 1951: March, 311
 lymphangiomatodes, 1951: March, 309
 lymphatic, 1951: March, 309
 mixed, 1951: March, 313
 nonvascular, 1949: Jan., 229
 pigmented, 1949: Jan., 229; 1951: March, 310
 methods of removal, 1949: Jan., 233
 treatment from point of view of possible malignant change, 1949: Jan., 232
 sanguineux, 1951: March, 306
 simplex, 1951: March, 303

- Nevus, spider, 1949: Jan., 226; 1951: March, 304
 unius lateralis, 1949: Jan., 237
 vascular, 1949: Jan., 219; 1951: March, 301
 vasculosus, 1951: March, 306
 verrucous, 1949: Jan., 235, 236
 warty, 1951: March, 310, 311
- Newborn, cerebrospinal fluid in, 1950: Jan., 107
 deaths, prevention, 1951: May, 739-747
 hemolytic disease, 1950: Jan., 187
 not due to Rh factor, 1950: Jan., 199
 hypoprote thrombinemia of, 1949: Nov., 1692, 1706
- Niacin, interrelationships, 1949: Nov., 1710
- Nicotinic acid deficiency. See Pellagra.
- Niemann-Pick's disease, 1951: March, 450
- Nikolsky sign, 1949: Jan., 168
- Nitrogen mustards, administration and dosage, 1949: Sept., 1302, 1303
 in benign giant follicular lymphoma and lymphosarcoma, 1951: Jan., 101
 in carcinoma, 1951: Sept., 1375
 of lung, 1950: March, 450
 in hemolytic anemia, acquired, 1951: Sept., 1431
 in Hodgkin's disease, 1949: March, 532, Sept., 1301; 1950: March, 453; 1951: Jan., 99, Sept., 1390
 in inoperable carcinoma of lung, 1949: Sept., 1309
 in leukemia, 1949: March, 539; 1950: Jan., 204; March, 452, 453
 in leukemias and malignant lymphomas, 1951: Jan., 98, Sept., 1390
 in lymphoma, therapeutic indications, 1949: Sept., 1301-1311
 in lymphosarcoma, 1950: March, 454
 in multiple myeloma, 1951: Jan., 218
 in mycosis fungoides, 1950: March, 454; 1951: Jan., 103
 in polycythemia vera, 1950: March, 455; 1951: Jan., 103
 in reticulum cell sarcoma, 1951: Jan., 101
 pharmacology, 1950: March, 440
 toxicity, 1949: Sept., 1303
- Nitrous oxide and ethylene anesthesia in obstetrics, 1950: Sept., 1530
 anesthesia in obstetrics, 1951: May, 812
- Nodules in arthritis, 1951: Nov., 1753, 1754
 thyroid, benign and malignant, function of, 1949: Sept., 1225-1230
- Nor-epinephrine in blood in pheochromocytoma, 1950: May, 763
- Nose drops in allergy in infants, 1950: Jan., 9
- NPH-50 in diabetes, 1951: Sept., 1529
- Nuclear amyotrophies, 1950: Jan., 147
 No. 7337 as adrenergic blocking agent, 1950: March, 383
- Nummular eczema, 1949: Jan., 10
- Nutrient factors, interrelation, clinical relationship, 1949: Nov., 1709-1720
- Nutrients, biological synthesis, 1949: Nov., 1716
 hormones and, 1949: Nov., 1715
 immunity and, 1949: Nov., 1713
- Nutrition, caries and, 1950: Jan., 20
 in protracted disease, 1949: March, 561-572
 recent advances, 1949: Nov., 1721-1733
- Nutritional aspects of liver injury, 1949: Nov., 1657-1669
 of senility, 1949: Nov., 1681-1684
 disorders, symposium on, 1949: Nov., 1629
- macrocytic anemia, 1949: March, 548
- OBESITY, 1951: Nov., 1747
 cause, 1951: March, 493
 central role of appetite in, 1951: Sept., 1355
 emotional aspects, 1951: March, 493-499
 heart disease and, 1951: Sept., 1351-1359
 hypertension and, 1951: Sept., 1354
 in children, management, 1950: Jan., 223-234
 in pregnancy, influence of, 1951: May, 733-737
- Obsessive-compulsive neurosis, 1951: Nov., 1795
- Obstetrics, analgesia and anesthesia in, 1951: May, 805-815
 Rh factor in, 1951: May, 749-770
 sedation, analgesics and anesthesia in, 1950: Sept., 1521-1535
 symposium on, 1951: May, 629
- Obturator nerve section in Legg-Perthes' disease, 1950: Jan., 180
- Ocain in migraine, 1949: Nov., 1587
- Ocular-mucous membrane syndrome, 1951: March, 315-331
- Ocular pressure in auricular paroxysmal tachycardia, 1950: May, 737
- Ointments in dermatologic therapy, 1949: Jan., 268
- Old age, growing problem of, 1951: Jan., 289-293
 psychosomatic aspects, 1950: July, 1091-1105
 surgery in, 1949: March, 583
- Oligomenorrhea, endocrine therapy, 1950: Sept., 1540
- Oliguria, conservative management, 1949: July, 1007

- Oliguria, in heart and kidney disease, water balance and, 1950: March, 571-587
water-chloride balance studies in, 1951: July, 1131
- Ophthalmia, sympathetic. ACTH and cortisone in, 1951: Sept., 1238
- Ophthalmologic aspects of chronic renal disease, 1951: July, 1023-1039
- Opiates in inoperable cancer, 1951: Sept., 1377
in obstetrics, 1951: May, 808
- Orality, psychoanalytic concept, application to obesity, 1951: March, 495
- Orchiectomy in carcinoma of breast in male, 1950: Sept., 1410
in carcinoma of prostate, 1949: Jan., 117; 1950: Sept., 1411
- Orchitis, mumps, 1950: Jan., 135
- Orthopedic treatment of rheumatoid arthritis, 1949: Sept., 1379
- Os calcis, apophysitis of, 1950: Jan., 183
- Oscillating bed in peripheral vascular disease, 1949: March, 353
- Oscillometry, 1950: May, 891
- Osgood-Schlatter's disease, 1950: Jan., 180
- Osler's disease, 1951: March, 305
- Osteitis deformans, familial incidence, 1951: July, 1203-1208
tuberculosis multiplex cystica, 1949: Jan., 42
- Osteoarthritis, 1950: Sept., 1435-1446
diagnosis, 1951: Nov., 1761
physical medicine in, 1949: Sept., 1313-1319
- Osteochondritis of hip, 1950: Jan., 173
- Osteomyelitis, penicillin in, 1950: March, 323
- Ouabain, 1950: May, 657
in congestive heart failure, 1950: May, 670; 1951: Sept., 1335
- Out-patient clinic, medical, diagnosis in, 1951: Nov., 1799-1805
- Ovarian agenesis, 1951: March, 514
- Ovary, aging of, 1950: March, 541
disorders of, 1951: Nov., 1742
urinary hormone values in, 1951: Nov., 1745
- Overeating, emotional factors in, 1951: March, 486
- Overhydration, 1951: July, 1121
water-chloride balance studies in, 1951: July, 1133
- Oxygen anoxemia test in heart disease, 1950: May, 713-717
saturation, arterial, relationship to cyanosis, 1951: July, 1185-1202
supply of brain, 1950: Nov., 1808
therapy in congestive heart failure, 1951: Sept., 1345
in heart failure, 1949: March, 365
in liver disease, 1951: Sept., 1453
- Oxygen therapy in respiratory failure, 1950: Sept., 1359
physiologic basis, 1950: Sept., 1343
- Oxythiamine, 1949: Nov., 1721
- Oxytocics in uterine inertia, 1951: May, 797
- Packs, wet, in psychoses, 1949: July, 1124
- Paget's disease of bone, familial incidence, 1951: July, 1203-1208
- Pain, back, low, treatment, 1949: Nov., 1625
chest, in heart diseases, 1951: Nov., 1721
control of, synthetic analgesics in, 1950: March, 369-378
Gestalt, 1950: July, 987
in arthritis, 1951: Nov., 1752
in coronary artery disease, 1950: May, 689
in gastric perforation, 1949: July, 965-972
in multiple myeloma, 1951: Jan., 192
in neck and upper extremity, 1950: Sept., 1323-1334
intractable, in phantom limb, treatment, psychiatric aspects, 1950: July, 1029-1041
prefrontal lobotomy for, 1950: July, 1047
- Psychogenic, 1950: July, 989
psychosomatic aspects, 1950: July, 981-993
thoracic, diagnostic significance, 1949: July, 1057
visceral, experimental production, by chemical agents, 1949: May, 637
inconclusiveness of, in prognosis, 1949: May, 644
- Palpitation in heart diseases, 1951: Nov., 1723
- Palsy. See *Paralysis*.
- Pancreas, carcinoma of, 1951: Nov., 1687
islet-cell tumors, multiple parathyroid adenomas associated with, report of 2 cases, with necropsy findings, 1949: July, 1141-1156
- Pancreatic diabetes, frequency, in chronic pancreatitis, 1949: May, 883-897
lithiasis, 1949: May, 883
- Pancreatitis, biliary disease and, 1951: Nov., 1689
relapsing, 1949: May, 883-897, July, 943-956
- Pancytopenia, splenic, 1950: Sept., 1281
- Panhematopenia, splenic, 1949: March, 555
- Panhypopituitarism, 1951: March, 510
diagnosis, 1951: Nov., 1732

- Panthenol in chronic discoid lupus erythematosus, 1951: March, 395
- Papanicolaou method for diagnosis of uterine cancer, 1951: May, 855
- Para-aminobenzoic acid in Rocky Mountain spotted fever, 1951: May, 918
- Para-aminosalicylic acid in tuberculosis, 1950: Sept., 1366; 1951: Jan., 163
in tuberculous meningitis, 1949: May, 879; 1950: Nov., 1688
resistance, 1951: Jan., 163
- Paracentesis, abdominal, in nephrotic edema, 1950: Jan., 88
- Paradione in epilepsy, 1950: March, 349, Sept., 1513, 1516
- Paraffin treatment of hypertrophic arthritis of fingers, 1950: Sept., 1440
- Paraldehyde anesthesia in obstetrics, 1950: Sept., 1529
in status epilepticus, 1950: March, 349
- Paralysis agitans, 1949: July, 1131; 1951: Sept., 1476
diphtheritic, 1950: Nov., 1629
infantile. See *Poliomyelitis*.
- phrenic, in tuberculosis. 1950: Sept., 1369
- Paranoia, alcoholic, 1951: Nov., 1789
paranoid conditions and, 1951: Nov., 1792
- Parasitic disorders of skin in children, 1950: Jan., 257-269
- Parasitosis, delusions of, 1949: Jan., 18
- Parathyroids, disorders of, 1951: Nov., 1736
- Paravertebral block in obstetrics, 1950: Sept., 1526
- Parentage, question of, 1951: March, 528
- Parenteral feeding in liver disease, 1951: Sept., 1443
fluid therapy, 1950: March, 395-412
in children, 1950: Jan., 53-70
- Paresis, general, 1951: Nov., 1786
- Parkinsonism and related disorders, treatment in general practice. 1949: July, 1131-1139
antihistaminic drugs in, 1950: March, 361
- Parkinson's disease, treatment, principles of, 1951: Sept., 1475-1484
- Parotitis, epidemic, treatment, 1950: Jan., 134
- Parpanit in parkinsonism, 1949: July, 1136
- Pastes in dermatologic therapy, 1949: Jan., 267
- Pasteurella infections, antibiotics in, choice of, 1950: March, 314
- Patch test in contact dermatitis, 1949: Jan., 182
- Patella, necrosis, avascular, 1950: Jan., 180
- Pathogenesis, current concepts, symposium on, 1950: Nov., 1739
- Patients, depressed, prefrontal lobotomy for, 1950: July, 1046
pregnant, isosensitized, management of, 1951: May, 749-770
- Pavaex boot in peripheral vascular disease, 1949: March, 353
- Pediatrics, newer antibiotics in, 1951: Sept., 1504-1522
psychotherapy in, 1951: Sept., 1495-1506
symposium on, 1950: Jan., 1
- Pediculosis, treatment, 1950: Sept., 1478
- Pellagra, dermatomyositis and, differentiation, 1949: Jan., 27
- Pels-Macht phytopharmacologic test, 1949: Jan., 168
- Pelvic masses, urinary infection due to, 1949: Sept., 1471
- Pelvimetry, radiographic, 1951: May, 778
precision stereoscopic technic, 1951: May, 781, 784
Thoms technic, 1951: May, 779
- Pelvis, morphology, 1951: May, 771
obstetrical evaluation, with special reference to roentgenology, 1951: May, 771-790
- Pemphigus, 1949: Jan., 165-176
ACTH and cortisone in, 1951: Sept., 1242
butcher's, 1949: Jan., 243
differential diagnosis, 1949: Jan., 170
erythematoid, benign, 1949: Jan., 169
foliaceous, 1949: Jan., 168
treatment, 1949: Jan., 175
vegetans, 1949: Jan., 168
vulgaris, 1949: Jan., 165
antibiotics in, 1951: March, 351
- Penicillin administration, practical aspects, 1951: Jan., 23-36
by inhalation, 1951: Jan., 32
caronamide or benemid with, 1951: Jan., 32
combinations with other antibiotics, results, 1951: March, 535-544
cost, 1951: Jan., 34
current use, 1950: March, 319-326
dentifrices, 1950: Jan., 30
dosages, 1951: Jan., 23
and administration, 1950: March, 316, 320
- hypoprophthrombinemia induced by, 1949: Nov., 1703
- in abscess of brain, 1950: March, 323
of lung, 1950: Nov., 1664
- in actinomycosis, 1950: March, 324
- in allergy in infants, 1950: Jan., 9
- in asthma, 1949: March, 417
- in bacteremia, 1950: March, 321
- in bronchopulmonary suppuration, 1949: March, 404
aerosol method, 1949: March, 404

- Penicillin in diphtheria, 1950: March, 324, Nov., 1631
 in gas gangrene, 1950: March, 324
 in gonorrhea, 1949: Sept., 1476; 1950: March, 324; 1951: Jan., 30
 in infectious diseases, 1951: Jan., 31
 in influenza, 1950: Nov., 1644
 in intermittent positive pressure breathing, 1951: Nov., 1704
 in measles, 1950: Jan., 142
 in meningitis, 1949: May, 871; 1950: March, 323; 1951: Jan., 31
 complicating pneumonia, 1950: Nov., 1664
 in children, 1950: Nov., 1685; 1951: Sept., 1514, 1515, 1516
 in osteomyelitis, 1950: March, 323
 in pharyngitis, 1950: Nov., 1632
 in pleural effusions, postpneumonic, 1950: Nov., 1663
 in pneumococcal meningitis, 1949: May, 873
 in pneumonia, 1950: March, 322, Nov., 1657; 1951: Jan., 27
 in pulmonary diseases, 1951: Nov., 1703
 in rheumatic fever, 1950: Sept., 1430
 in rheumatic heart disease, prophylactic, 1951: Jan., 30
 in Rocky Mountain spotted fever, 1951: May, 921
 in scarlet fever, 1950: Jan., 143
 in septic sore throat, 1950: Nov., 1624
 in sinusitis, 1950: March, 322
 in skin infections, 1950: March, 324
 in spinal cord injuries, 1951: Nov., 1775
 in subacute bacterial endocarditis, 1950: March, 321, May, 780; 1951: Jan., 30
 in syphilis, 1950: March, 495-507; 1951: Jan., 32, 143-152
 in pregnancy, 1951: May, 631-646
 reactions, 1951: Jan., 149
 in tabes dorsalis, 1951: Nov., 1778
 in tetanus, 1950: March, 324
 in tonsillitis, 1950: Nov., 1624
 in ulcerative colitis, 1951: Jan., 262
 in upper respiratory infections, 1951: Jan., 28
 in urinary tract infections, 1949: July, 1076, 1077, Sept., 1475, 1476; 1950: March, 532
 in Vincent's angina, 1950: Nov., 1627
 indications, 1951: Jan., 23, 24
 oral use, 1951: Jan., 32
 in children, 1951: Sept., 1512
 pharmacology and toxicology, 1950: March, 308
 prophylactic use, 1950: March, 325
 reactions, 1951: Jan., 32
 resistance, 1950: March, 319
 sensitivity ranges, 1951: March, 536
 study, method, 1951: Jan., 24
 topical use, 1951: March, 345
 toxicity, 1950: March, 311, 325
- Penis, glans, atrophic lesions, 1951: March, 411-418
 Pentobarbital in surgical anesthesia, 1950: March, 594
 Pentothal in surgical anesthesia, 1950: March, 592
 Peptic ulcer, antacids in, 1950: Sept., 1453
 diet in, 1950: Sept., 1452
 gastrectomy for, dumping syndrome after, 1949: Sept., 1321-1341
 medical management in light of current etiologic concepts, 1950: Sept., 1447-1457
 perforated, pain in, 1949: July, 965-972
 psychogenic factors, 1950: Sept., 1447
 use of tobacco in, 1950: Sept., 1454
 Perazil, dosages, 1950: March, 353, 357
 Percussion of heart, 1950: May, 729-732
 Perforation of gallbladder, 1951: Nov., 1683
 of stomach, pain in, 1949: July, 965-972
 Periarthritis nodosa, 1951: Sept., 1277
 ACTH and cortisone in, 1951: Sept., 1238, 1239
 kidney in, 1951: July, 965, 983
 retinal changes, 1951: July, 1035
 skin manifestations, 1951: March, 365
 with hemolytic anemia, ACTH and cortisone in, 1951: Sept., 1434
 Periarthritis of upper extremity, 1950: Sept., 1329
 Pericardial cavity, bullet in, angiocardiodiography in, 1950: May, 754, 755
 disease, adhesive, pulsation in, 1950: May, 727
 effusion, angiocardiodiography in, 1950: May, 753
 percussion in, 1950: May, 732
 Pericarditis, purulent, complicating pneumonia, 1950: Nov., 1664
 Perinephritic abscess, 1949: Sept., 1465
 Periodontal disease, 1951: Nov., 1637
 Peripheral arteries, diabetic complications involving, 1951: Nov., 1617
 vascular diseases, adrenergic blocking agents in, 1950: March, 384
 cutaneous manifestations, 1951: March, 355-371
 physical diagnosis, 1949: March, 347
 physical medicine in, 1949: March, 347-358
 rehabilitation, 1949: March, 356
 vessels, examination, methods, 1950: May, 887-896
 Peritendinitis of upper extremity, 1950: Sept., 1329
 Peritoneal dialysis in acute renal failure, 1950: March, 516

- Peritoneal dialysis in congestive heart failure, 1950: May, 624
- Peritonissillar abscess, 1950: Nov., 1631
- incision, 1950: Nov., 1632
- Pernicious anemia. See *Anemia, pernicious*.
- Personality, changes in, following prefrontal lobotomy, 1950: July, 1048
- relation, to cardiovascular patterns, 1950: May, 824
- tests, 1950: July, 1075
- vitamins and, 1949: Nov., 1717
- Pertussis. See *Whooping cough*.
- Phantom limb, intractable pain in, treatment, psychiatric aspects, 1950: July, 1029-1041
- Pharmacodynamics of vehicles and drugs in dermatologic therapy, 1949: Jan., 263-279
- Pharyngitis, acute, 1950: Nov., 1632
- viral, 1950: Nov., 1641
- Pharynx, infections, acute, 1950: Nov., 1621-1635
- Phenobarbital in epilepsy, 1950: March, 345, Sept., 1517
- in hypertension, 1949: May, 662, Sept., 1270
- in status epilepticus, 1950: March, 349
- Phenol in dermatology, 1949: Jan., 271
- turbidity in liver injury, 1951: Nov., 1661
- Phenolsulfonphthalein excretion, 1951: Nov., 1713
- test in toxemias of pregnancy, 1951: May, 708
- Phenurone in epilepsy, 1950: Sept., 1513, 1517
- Pheochromocytoma, 1951: Sept., 1299
- diagnosis, 1951: Nov., 1741
- adrenergic block in, 1950: March, 386
- differential diagnosis, 1950: May, 757-767
- hypertension in, 1949: Nov., 1743
- Phlebography in venous thrombosis and pulmonary embolism, 1949: Nov., 1505
- Phlebothrombosis, treatment, 1949: March, 580
- Phosphatase, acid, in malignancy, 1951: Nov., 1829
- alkaline, in liver injury, 1951: Nov., 1650
- in malignancy, 1951: Nov., 1831
- determinations in diagnosis of cancer, 1950: Sept., 1395
- in liver disease, 1950: Sept., 1468
- serum, in diagnosis of malignancy, 1951: Nov., 1829
- in carcinoma of prostate, 1951: Nov., 1830
- Phosphorus metabolism in renal disease, 1951: Nov., 1719
- radioactive, in benign giant follicular lymphoma and lymphosarcoma, 1951: Jan., 101
- Phosphorus, radioactive, in carcinoma, 1951: Sept., 1377
- in leukemia, 1949: March, 537, 539; 1950: Jan., 207, March, 452, 453; 1951: Jan., 96, Sept., 1386
- in multiple myeloma, 1951: Jan., 218
- in polycythemia vera, 1950: March, 454; 1951: Jan., 103
- in reticulum cell sarcoma, 1951: Jan., 101
- pharmacology, 1950: March, 441
- Photometry, flame, 1951: Nov., 1589
- Phthalylsulfathiazole. See *Sulfathiazole*.
- Physical diagnosis in peripheral vascular disease, 1949: March, 347
- examination in allergic states, 1951: Nov., 1600
- in arthritis, 1951: Nov., 1753
- in liver disease, 1951: Nov., 1649
- in medical out-patient clinic, 1951: Nov., 1803
- therapy in degenerative joint disease, 1949: Sept., 1313-1319
- in Parkinson's disease, 1951: Sept., 1481
- in peripheral vascular disease, 1949: March, 347-358
- in rheumatic disorders, 1949: Nov., 1621
- in rheumatoid arthritis, 1949: Sept., 1378
- Physiology of respiration, 1951: Nov., 1699
- Pick's disease, 1950: July, 1099
- Picrotoxin in respiratory failure, 1950: Sept., 1359
- Pigmentary disorder, progressive, 1951: March, 457
- purpuric diseases of lower extremity, 1951: March, 457-462
- Pinworms, diagnosis, 1949: May, 905
- Pitocin in uterine inertia, 1951: May, 797
- Pituitary, anterior lobe, disorders of, 1951: Nov., 1727
- diagnostic criteria, 1951: Nov., 1733
- basophilism, 1951: Sept., 1290
- dwarfism, 1951: Nov., 1731
- extracts in infertility in women, 1951: May, 837
- posterior lobe, disorders of, 1951: Nov., 1732
- Pityriasis rubra of Hebra, 1949: Jan., 137
- Plague, immunization, 1950: Nov., 1729, 1731
- streptomycin in, 1950: March, 328
- Plant dermatitis, 1949: Jan., 184
- Plasma accelerator factor deficiency as cause of bleeding, 1951: Jan., 272
- administration in hemophilia, 1950: March, 465

- Plasma fractions, in hemophilia, 1950: March, 466; 1951: Sept., 1414
 pooled, in chronic nephritis and nephrosis, 1950: Jan., 86
 postpartum, in psoriatic arthritis, 1949: May, 907-911
 proteins in multiple myeloma, 1951: Jan., 210
 protein-bound iodine in, as test for thyrotoxicosis, 1949: Sept., 1233
 volume, estimation, dye method, 1949: Nov., 1569
 in gastrointestinal hemorrhage, 1949: Nov., 1569
 Plasmodia, thick film method, 1949: May, 900
 Plasters in dermatologic therapy, 1949: Jan., 270
 Platybasia, 1950: Jan., 155
 Plethysmography, 1950: May, 892
 Pleural effusion, diagnostic significance, 1949: July, 1057
 postpneumonic, 1950: Nov., 1663
 Pneumectomy for tuberculosis, 1950: Sept., 1372
 Pneumococcal infections, antibiotics in, choice of, 1950: March, 314
 Pneumonia, atypical, 1949: July, 1099-1110; 1950: Nov., 1645
 antibiotics in, choice of, 1950: March, 314
 diagnosis, 1950: Sept., 1312
 in children, treatment, 1951: Sept., 1519
 management, 1950: Sept., 1319, Nov., 1646
 bacterial, management, 1950: Nov., 1653-1666
 chloromycetin in, 1950: Nov., 1661
 complications, management, 1950: Nov., 1663
 diagnosis, 1949: July, 1053
 influenzal, 1950: Nov., 1654
 penicillin in, 1950: March, 322, Nov., 1657; 1951: Jan., 27
 pneumococcal, 1950: Nov., 1654
 in children, treatment, 1951: Sept., 1519
 retarded resolution, 1950: Nov., 1665
 staphylococcal, 1950: Nov., 1654
 streptococcal, 1950: Nov., 1654
 streptomycin in, 1950: Nov., 1660
 sulfonamides in, 1950: Nov., 1662
 terramycin in, 1950: Nov., 1661
 viral, 1950: Nov., 1645
 Pneumoperitoneum in tuberculosis, 1950: Sept., 1368
 Pneumothorax, artificial, in tuberculosis, 1950: Sept., 1367
 spontaneous, 1949: Nov., 1608
 sucking wound, 1949: Nov., 1612
 tension or pressure, 1949: Nov., 1610
 Poliomyelitis, 1951: Jan., 175-188
 abortive, 1950: Jan., 119
 anterior, acute, 1951: Nov., 1774
 Poliomyelitis, bulbar, 1950: Jan., 140, March, 559; 1951: Jan., 186
 hypoventilation syndrome in, 1950: Sept., 1337
 cerebrospinal fluid in, 1950: Jan., 108
 curare in, 1950: March, 556
 diagnosis, 1950: Jan., 119-132, March, 553-556, Sept., 1315; 1951: Jan., 179
 tromedary type, 1950: Jan., 120
 encephalitic type, 1950: Jan., 126, 141, March, 560
 epidemiology and incidence, 1950: Jan., 129
 in infancy, 1950: Jan., 161
 meningitic type, 1950: Jan., 126
 nonparalytic, 1950: Jan., 119, 140
 paralytic, 1950: Jan., 120, March, 558
 respirator in, 1950: March, 560; 1951: Jan., 185
 respiratory, 1950: Jan., 141
 second attacks, 1950: Jan., 126
 spinal type, 1950: Jan., 140, March, 558
 symptoms, 1951: Jan., 178
 treatment, 1950: Jan., 140, March, 556-561, Sept., 1320; 1951: Jan., 183
 Polish, nail, "loose coats," nail changes following, 1949: Jan., 95-107
 dermatitis due to, 1949: Jan., 184
 Pollen injections, allergic shock from, prevention, 1949: March, 412, 413
 Polycythemia, treatment, 1951: Jan., 103
 vera, chemotherapy, 1950: March, 454
 Polymyositis, 1949: Jan., 22
 Polyneuritis, postdiphtheritic, cerebrospinal fluid in, 1950: Jan., 112
 Pompholyx, 1949: Jan., 10
 Port-wine mark, 1949: Jan., 220; 1951: March, 303
 Postcoital test in infertility, 1951: May, 821
 Potassium, analysis, 1951: May, 903
 bromide in epilepsy, 1950: March, 348
 clinical aspects, 1951: May, 901
 concentration in renal disease, 1951: Nov., 1718
 pathologic physiology, 1951: May, 893-906
 replacement, 1950: March, 409
 serum concentration, 1951: Nov., 1827
 relation to volume of body water, 1951: Nov., 1818
 thiocyanate in hypertension, 1949: May, 662, 695, Sept., 1271
 effect on capillary fragility, 1949: May, 681
 Pratt test for incompetent communicating veins, 1950: May, 903
 Preanesthetic medication, 1950: March, 595
 Pre-eclampsia, 1951: May, 681, 682

- Pre-eclampsia hypertension in, 1949: May, 671
 kidney function in, 1951: May, 699-714
 treatment, 1951: May, 688
- Pre-excitation syndrome, electrocardiogram in, 1950: May, 884
- Pregnancy, advisability in tuberculosis, 1951: May, 652
 after splenectomy, prognosis, 1950: July, 1217-1236
 antithyroid drugs in, 1951: Sept., 1320
 biliary disease and, 1951: Nov., 1689
 diabetes and, 1951: May, 659-665
 eclampsia in, 1951: May, 681
 management, 1949: May, 839; 1951: May, 693
 glomerulonephritis in, 1951: July, 1051-1068
 heart disease and, 1949: Nov., 1735-1742; 1950: May, 795-804
 management, 1951: May, 667-676
 hematuria during, 1951: May, 724
 hypertensive disease of, management, 1949: May, 833-842
 vascular, 1951: May, 682
 treatment, 1951: May, 686
 interruption, in tuberculosis, 1951: May, 653
 in urological complications, 1951: May, 730
 isosensitization in, management, 1951: May, 749-770
 kidney disease in, 1951: May, 684
 treatment, 1951: May, 696
 megaloblastic anemia of, vitamin B₁₂ in, 1950: July, 1202
 normal, circulatory changes in, 1951: May, 667
 obesity in, influence of, 1951: May, 733-737
 pre-eclampsia in, 1951: May, 681, 682
 treatment, 1951: May, 688
 pulmonary tuberculosis in, 1951: May, 647-657
 pyelonephritis of, 1951: May, 715
 syphilis in, treatment, 1951: Jan., 148, May, 631-646
 tests, 1951: Nov., 1588
 toxemias of, 1951: May, 677-698
 classification, 1951: May, 680
 fluids and electrolytes in, 1951: May, 899
 hypertensive, 1951: Nov., 1716
 kidney function in, 1951: May, 699-714
 prophylaxis, 1951: May, 685
 treatment, 1951: May, 685
 urinary infection complicating, 1949: Sept., 1470
 urological complications, management, 1951: May, 715-731
 water and electrolyte solutions in, 1951: May, 893-906
- Pregnandiol in urine, 1951: Nov., 1588
- Pregnenetriolone in rheumatoid arthritis, effects, 1951: Jan., 19, 20
- Pregnenilone in amenorrhea, 1950: Sept., 1540
 in rheumatoid arthritis, effects, 1951: Jan., 16
- Premature infant, care of, 1950: Jan., 41-51
 causes of death in, 1951: May, 741
- Prematurity as cause of death, 1951: May, 739
- Pre-menstrual tension, psychic aspects, 1950: July, 1002
- Pressure measurements in vessels, 1950: May, 895
- Pretibial fever, diagnosis, 1950: Sept., 1314
- Priscoline as adrenergic blocking agent, 1950: March, 383
 in Buerger's disease, 1950: March, 386
 in cerebral vascular accidents, 1950: March, 385
 in hypertension, 1950: March, 389
- Procaine in dermatology, 1949: Jan., 272
 in relief of pain, 1950: March, 375
 intravenous, in surgical anesthesia, 1950: March, 590
- Proctitis, ulcerative, recurrent, 1951: Jan., 243
- Progesterone in amenorrhea, 1950: Sept., 1539
 with estrogen, 1950: Sept., 1540
 in dysmenorrhea, 1950: Sept., 1544
 in functional uterine bleeding, 1950: Sept., 1547, 1557, 1560; 1951: May, 876
 in infertility in women, 1951: May, 837
 in oligomenorrhea, 1950: Sept., 1541
 in rheumatoid arthritis, effects, 1951: Jan., 17, 20
- Proluton in infertility in women, 1951: May, 838
- Promizole in tuberculous meningitis, 1949: May, 878; 1950: Nov., 1688
- Propylthiouracil in thyrotoxicosis, 1950: March, 537; 1951: Sept., 1309
 action, 1949: March, 499
 effectiveness, 1949: March, 502
 maintenance therapy, 1950: March, 538
 medical and surgical treatment, 1949: March, 506
 preoperative, 1950: March, 538
- Prostate, carcinoma, 1949: March, 479
 estrogen therapy, 1950: March, 445, Sept., 1411
 orchiectomy in, 1950: Sept., 1411
 hypertrophy, 1949: March, 467
 symptoms, 1949: March, 471
 treatment, 1949: March, 472

- Prostatic secretion, cytology of, in cancer diagnosis, 1950: Sept., 1403
- Prostatitis, acute, urinary infection in, 1949: Sept., 1467
- chronic, urinary infection in, 1949: Sept., 1469
- nonspecific, treatment, 1950: March, 527
- Prostigmine methyl sulfate in auricular paroxysmal tachycardia, 1950: May, 739
- Protamine in lymphomas, 1951: Jan., 106
- zinc insulin in diabetes, 1951: Sept., 1528
- Protein, Bence-Jones, in multiple myeloma, 1951: Jan., 211, Nov., 1834
- deficiency, immunity and, 1949: Nov., 1730
- plasma, in multiple myeloma, 1951: Jan., 210
- therapy in congestive heart failure, 1949: Nov., 1635
- in malnutrition, preoperative, 1949: March, 576
- Protein-bound iodine in blood, 1951: Nov., 1587
- Proteinosis, lipoid, 1951: March, 451
- Proteinuria in renal diagnosis, 1951: Nov., 1709
- postural, 1951: July, 1017-1022
- Proteus agglutination reaction in Rocky Mountain spotted fever, 1951: May, 914
- infections, antibiotics in, choice of, 1950: March, 314
- Prothrombin activity in liver injury, 1951: Nov., 1668
- deficiency, 1949: Nov., 1701-1708
- treatment, 1950: March, 459-464; 1951: Jan., 271
- time, determinations, 1949: Nov., 1685
- in gastrointestinal hemorrhage, 1949: Nov., 1568
- in liver injury, 1951: Nov., 1658
- Quick test, 1949: March, 343, Nov., 1685
- vitamin K and, relationship, 1949: Nov., 1685
- Prurigo Besnier, 1949: Jan., 186
- Pruritus, 1949: Jan., 14-19
- ani, 1949: Jan., 16
- anogenital, antihistaminics in, 1951: March, 336
- generalized, 1949: Jan., 14
- localized, 1949: Jan., 16
- of scalp, 1949: Jan., 17
- treatment, 1950: Sept., 1479
- vulvae, 1949: Jan., 17
- Pseudohypoparathyroidism, diagnosis, 1951: Nov., 1737
- Psittacosis, 1950: Nov., 1650
- antibiotics in, choice of, 1950: March, 314
- diagnosis, 1950: Sept., 1312
- management, 1950: Sept., 1319
- Psoriasis, ACTH and cortisone in, 1951: Sept., 1240
- dermatitis exfoliativa and, 1949: Jan., 136, 143
- treatment, 1950: Sept., 1479
- Psychiatric diagnosis, 1951: Nov., 1781-1797
- methodology in, 1951: Nov., 1784
- diseases, classification, 1951: Nov., 1783
- etiology, 1951: Nov., 1782
- examination, mental stage, 1951: Nov., 1786
- physical stage, 1951: Nov., 1785
- manifestations of early cerebral damage in essential hypertension, 1951: Jan., 133-142
- treatment, modern, 1950: Sept., 1499-1506
- of drug addiction, 1950: March, 436
- of intractable pain in phantom limb, 1950: July, 1029-1041
- Psychiatry, acceptance as medical discipline, 1950: July, 942
- and general practitioner, symposium on, 1950: July, 939
- psychoanalytic contributions to, 1950: July, 966
- Psychic influence in relief of pain, 1950: March, 375
- states, quantitative differences between, theory of, 1950: July, 969
- Psychologic aspects of drugs, 1950: July, 973-979
- stages in woman, 1950: July, 996
- testing from standpoint of general practitioner, 1950: July, 1067-1077
- Psychoneuroses, 1951: Nov., 1794
- definition, 1951: Nov., 1783
- dementia praecox and, differentiation, 1950: July, 963, 964
- diagnosis and treatment, 1950: Sept., 1487
- prevalence in armed forces of World War II, 1950: July, 939
- in civilian practice, 1950: July, 941
- psychosis and, differentiation, 1950: July, 957-971
- treatment, 1951: Nov., 1796
- types, 1951: Nov., 1795
- Psychopaths, prefrontal lobotomy for, 1950: July, 1047
- Psychoses, adrenergic block in, 1950: March, 392
- definition, 1951: Nov., 1783
- functional, definition, 1951: Nov., 1784
- diagnosis and treatment, 1951: Nov., 1790
- hydrotherapy in, 1949: July, 1121-1130
- in aged, 1950: July, 1097
- in general practice, 1950: July, 943
- Korsakoff's, 1951: Nov., 1789
- manic-depressive, 1951: Nov., 1790
- electroshock therapy, report of 200 cases, 1949: March, 515-526

- Psychoses, organic, 1951: Nov., 1786
 definition, 1951: Nov., 1784
 prefrontal lobotomy in, indications, 1950: July, 1043-1051
 psychogenic, 1951: Nov., 1790
 psychoneuroses and, differentiation, 1950: July, 957-971
 senile, 1951: Nov., 1787
 toxic, 1951: Nov., 1789
 definition, 1951: Nov., 1784
 treatment, 1951: Nov., 1790
 treatment, modern, 1950: Sept., 1499-1506
 types, 1951: Nov., 1786
 Psychosomatic approach, 1950: July, 947
 aspects of geriatrics, 1950: July, 1091-1105
 of gynecology, 1950: July, 995-1008
 of heart disease, 1950: May, 817-831
 of hypertension, 1949: May, 691, 703-712
 of neuromuscular and joint diseases, 1949: July, 1061-1069
 of pain, 1950: July, 981-993
 concept, 1950: July, 944
 disorders, diet in, 1949: March, 571
 treatment, 1950: July, 950
 types, 1950: July, 946
 general practitioner and, 1949: July, 923-933; 1950: July, 939-955
 Psychotherapy, defined, 1950: July, 950
 in dysmenorrhea, 1951: May, 862
 in hypertension, 1949: May, 661, 708, Sept., 1276
 in infertility, 1951: May, 833
 in lymphomas, 1951: Jan., 108
 in medical care of children, 1951: Sept., 1495-1506
 in menopause, 1950: March, 550; 1951: May, 887
 in mental disorders of aged, 1950: July, 1104
 in neuroses, 1950: Sept., 1487-1497
 in obesity, 1951: March, 493
 in Parkinson's disease, 1951: Sept., 1480
 in psychoses, 1950: Sept., 1499
 in rheumatoid arthritis, 1949: Sept., 1381
 in ulcerative colitis, 1951: Jan., 254
 Pteroylglutamic acid. See *Folic acid*.
 Puberty, delayed, 1951: March, 513
 precocious, 1951: March, 505
 Pulmonary. See also *Lung*.
 diseases, chronic, anatomic and pathologic features, 1951: Nov., 1695
 diagnosis and treatment, 1951: Nov., 1695-1706
 respiratory difficulties in, 1951: Nov., 1723
 Pulmonary diseases, roentgenograms in
 diagnosis of, 1951: Nov., 1698
 symptoms and physical signs, 1951: Nov., 1697
 treatment, 1951: Nov., 1701
 edema in renal disease, 1951: July, 1089
 embolism, 1949: Nov., 1503
 electrocardiogram in, 1950: May, 874
 emergency treatment, 1949: Nov., 1531
 prevention, 1949: Nov., 1506
 septic, pathogenesis, 1950: Nov., 1751-1760
 stenosis, angiocardigraphy in, 1950: May, 752
 electrocardiogram in, 1949: July, 1159
 without septal defect associated with recurrent ascites, 1950: July, 1187-1195
 ventilation, 1951: Nov., 1700
 Pulsation signs in heart disease, 1950: May, 722-729
 Pulsator, Bragg-Paul, 1950: Sept., 1357
 Punch biopsy in cancer of cervix, 1951: May, 857
 Purpura, 1951: March, 367
 annularis telangiectodes, 1951: March, 457
 haemorrhagica, treatment, 1951: Jan., 267
 thrombocytopenic, 1951: Sept., 1416
 essential, 1949: July, 1027-1046
 splenectomy for, effect on subsequent pregnancies, 1950: July, 1223
 idiopathic, treatment, 1951: Jan., 267
 secondary, 1949: July, 1032
 splenic, 1949: March, 555
 Purpuric diseases, pigmentary, of lower extremity, 1951: March, 457-462
 Pyelitis, 1949: Sept., 1465
 Pyelography in prostatism, 1949: March, 475
 Pyelonephritis, 1949: Sept., 1465
 chronic, in pregnancy, 1951: May, 725
 pathologic aspects, 1951: July, 971
 intrapartum, 1951: May, 720
 of pregnancy, 1951: May, 715
 postpartum, 1951: May, 721
 retinal manifestations, 1951: July, 1033
 Pyloric stenosis in children, parenteral fluid therapy in, 1950: Jan., 63
 Pyocyanus infections, antibiotics in, choice of, 1950: March, 314
 Pyonephrosis, 1949: Sept., 1465
 Pyribenzamine, dosages, 1950: March, 352, 357
 structural formula, 1951: March, 334

- Pyridium in urinary infections, 1949: Sept., 1479
- Pyridoxine, interrelationships, 1949: Nov., 1712
- Pyrogalllic acid in dermatology, 1949: Jan., 276
- Pyrogen (Pyromen) in malignant hypertension, 1951: Jan., 125
- Pyrolazote, dosages, 1950: March, 353, 357
- Q FEVER, 1950: Nov., 1651
- Quadriceps muscle, contusion, in athletics, treatment, 1950: Sept., 1264
- Queyrat's erythroplasia, 1951: March, 413, 414
- Quick test of prothrombin time, 1949: March, 343, Nov., 1685
- Quinidine in auricular fibrillation, 1949: Nov., 1531; 1950: May, 742
- prophylactic, 1950: May, 743
- flutter, 1949: Nov., 1529
- in paroxysmal auricular tachycardia, 1950: May, 739
- in children, 1950: Jan., 222
- in paroxysmal ventricular tachycardia, 1950: May, 741
- in supraventricular tachycardia, 1949: Nov., 1528
- Quinine, hypoprothrombinemia induced by, 1949: Nov., 1702
- Quininium exchange indicator compound for determining gastric acidity, 1951: March, 593-602
- RABELLON in parkinsonism, 1949: July, 1137
- Rabies, diagnosis, 1950: Sept., 1316
- immunization, 1950: Nov., 1730
- management, 1950: Sept., 1321
- Radiation, ionizing, bleeding due to, 1951: Sept., 1421
- sickness, antihistaminic drugs in, 1950: March, 361
- Radioiodine. See *Iodine, radioactive*.
- Radiologic examination in diagnosis of liver disease, 1951: Nov., 1677
- Radiophosphorus. See *Phosphorus, radioactive*.
- Radium treatment of angioma, 1951: March, 308
- of carcinoma of skin, 1949: Jan., 119-123
- of inoperable carcinoma, 1951: Sept., 1366
- Raspberry mark, 1951: March, 306
- Raynaud's disease, 1951: March, 366
- dibenzamine in, 1950: March, 385
- diffuse scleroderma and, differentiation, 1949: Jan., 65
- test for, 1949: March, 348
- Recent advances in medicine, symposium on, 1949: Sept., 1211
- Recumbency, effects, management, 1951: March, 545-562
- Reduction diet in hypertension, 1949: March, 569
- Refrigeration in peripheral vascular disease, 1949: March, 355
- Rehabilitation as final goal of therapy, 1949: March, 597
- Reiter's disease, 1951: March, 326
- Renal. See also *Kidney*.
- diagnosis, principles of, 1951: Nov., 1707-1720
- disease, biliary disease and, 1951: Nov., 1690
- dwarfism, 1951: July, 1077
- rickets, 1951: July, 1077
- tests, functional, 1951: Nov., 1711
- Rendu-Osler-Weber's disease, 1951: March, 305
- syndrome, 1949: Jan., 220
- Resins, cation exchange, in congestive heart failure, 1951: Sept., 1344
- Resorein in dermatologic therapy, 1949: Jan., 277
- Respiration, artificial, methods, 1950: Sept., 1348
- electrophrenic, 1950: Sept., 1353
- physiology of, 1951: Nov., 1699
- Respirator, chest, 1950: Sept., 1353
- in poliomyelitis, 1950: March, 560; 1951: Jan., 185
- tank, 1950: Sept., 1352
- Respiratory alkalosis and acidosis in children, parenteral fluid therapy, 1950: Jan., 65
- difficulties in heart diseases, 1951: Nov., 1722
- failure, classification, 1950: Sept., 1335
- treatment, 1950: Sept., 1358
- physiologic principles, 1950: Sept., 1335-1362
- tract infections in children, treatment, 1951: Sept., 1518
- penicillin in, 1950: March, 322
- upper, penicillin in, 1951: Jan., 28
- manifestations of allergic disorders, 1951: Nov., 1594
- virus diseases, 1950: Nov., 1637-1652
- Rest in heart failure, 1949: March, 363
- in rheumatoid arthritis, 1949: Sept., 1377
- in tuberculosis, 1950: Sept., 1363
- in viral hepatitis, 1949: March, 455
- Resuscitation, methods, 1950: Sept., 1348
- Reticuloendotheliosis, 1951: March, 449
- nonlipid, 1951: March, 450
- Reticulogranuloma, benign, 1951: March, 469
- Reticulum cell sarcoma, treatment, 1951: Jan., 101

- Retinal examination, 1950: May, 889
 lesions in renal disease, 1951: July, 1023-1039
- Retinitis pigmentosa, heredity in, 1951: March, 525
- Retinoblastoma, hereditary aspects, 1951: March, 530
- Retropharyngeal abscess, 1950: Nov., 1634
 drainage, 1950: Nov., 1635
- Retroversion of uterus, sterility and, 1951: May, 820, 835
- Rh factor and erythroblastosis fetalis, 1950: Jan., 187
 in obstetrics, 1951: May, 749-770
- Rhabdomyoma, congenital, electrocardiogram in, 1949: July, 1167
- Rheumatic disorders, acute, treatment, 1949: Nov., 1617
 fever, ACTH in, 1950: Sept., 1424; 1951: Sept., 1236
 chronic pulmonary disease in, 1951: Jan., 170
 cortisone in, 1950: March, 373, Sept., 1424
 diagnosis, 1951: Nov., 1759
 modern concept of, 1950: May, 785-793
 penicillin in, 1950: Sept., 1430
 prophylaxis, sulfonamides in, 1950: March, 337
 salicylates in, 1950: Sept., 1419
 treatment, 1950: Sept., 1419-1434
 heart disease in pregnancy, management, 1951: May, 671
 penicillin in, prophylactic, 1951: Jan., 30
- Rheumatism, palindromic, diagnosis, 1951: Nov., 1759
 psychogenic, diagnosis, 1951: Nov., 1762
- Rhinitis, vasomotor, antihistaminic drugs in, 1950: March, 359
- Rib, cervical, 1950: Sept., 1326
- Riboflavin, interrelationships, 1949: Nov., 1710
- Rice diet in hypertension, 1949: March, 323, 325, 568, May, 662, Sept., 1271, Nov., 1639; 1950: Nov., 1742; 1951: July, 1107
- Rickets, renal, 1951: July, 1077
- Rickettsial agglutination test in Rocky Mountain spotted fever, 1951: May, 915
 infections, antibiotics in, choice of, 1950: March, 315
 diagnosis, 1950: Nov., 1606
- Ringworm of scalp, 1950: Jan., 257
 diagnosis, 1950: Jan., 259
 topical applications, 1950: Jan., 264
 x-ray epilation in, 1950: Jan., 264
- Rocking bed for artificial respiration, 1950: Sept., 1351
- Rocky Mountain spotted fever, 1951: May, 907-930
- Rocky Mountain spotted fever, diagnosis, 1950: Sept., 1480; 1951: May, 909
 ticks, 1951: May, 908
 removal from body, 1951: May, 927
 treatment, 1950: Sept., 1320; 1951: May, 915
- Roentgen diagnosis, cancer, 1950: Sept., 1390
 chronic pulmonary disease, 1949: July, 1049
 hypertensive heart disease, 1949: May, 655
 hypothyroidism, 1950: Jan., 237
 multiple myeloma, 1951: Jan., 196
 pheochromocytoma, 1950: May, 762
 pulmonary embolism, 1949: Nov., 1505
 ulcerative colitis, 1951: Jan., 249
 epilation in ringworm of scalp, 1950: Jan., 264
 examination in arthritis, 1951: Nov., 1755
 of heart in coronary artery disease, 1950: May, 693
 pelvimetry, 1951: May, 778
 stimulation in infertility in women, 1951: May, 838
 treatment, benign giant follicular lymphoma and lymphosarcoma, 1951: Jan., 101
 bursitis, 1949: Nov., 1622
 carcinoma of skin, 1949: Jan., 119-123
 Cushing's disease, 1951: Sept., 1292
 Hodgkin's disease, 1949: March, 530, 532; 1950: March, 453; 1951: Jan., 99
 inoperable carcinoma, 1951: Sept., 1366
 leukemia, 1949: March, 536, 537, 539; 1950: March, 452, 453; 1951: Sept., 1385
 lymphosarcoma, 1949: March, 535
 malignant lymphomas, 1951: Sept., 1385
 multiple myeloma, 1951: Jan., 218
 mycosis fungoides, 1951: Jan., 103
 polycythemia vera, 1951: Jan., 103
 rheumatoid arthritis, 1949: Sept., 1383
 thyrotoxicosis, 1949: March, 513; 1951: Sept., 1312
- Roundworms, diagnosis, 1949: May, 905
- Rubella, treatment, 1950: Jan., 141
- Rubeola. See Measles.
- Rubin test, 1951: May, 827
- Rutin in hypertension, effect on capillary fragility, 1949: May, 681
- SACROILIAC strain, 1949: Nov., 1627
- Salazopyrin in ulcerative colitis, 1949: July, 935-942

- Salicylanilide in ringworm of scalp, 1950: Jan., 264
- Salicylates, hypoprothrombinemia induced by, 1949: Nov., 1702
- in hypertrophic arthritis, 1950: Sept., 1438
- in rheumatic disorders, 1949: Nov., 1620
- in rheumatic fever, 1950: Sept., 1419
- in rheumatoid arthritis, 1949: Sept., 1378
- toxic effects, 1950: Sept., 1422
- Salicylazosulfapyridine in ulcerative colitis, 1949: July, 935-942
- Salicylic acid in dermatologic therapy, 1949: Jan., 277
- Salmonella infections, antibiotics in, choice of, 1950: March, 315
- in children, treatment, 1951: Sept., 1517
- Salpingohysterography, 1951: May, 828
- Salt depletion, recognition and management, 1951: Sept., 1533-1542
- syndrome as complication of treatment of cardiorenal disease, 1951: July, 1139-1156
- foods containing, 1951: Jan., 82
- foods low in, 1951: Jan., 83
- restriction in cardiovascular renal disease, 1951: July, 1109
- in heart disease, 1949: March, 564; 1950: March, 578
- in heart failure, 1949: March, 366, 367, Nov., 1638; 1950: March, 566, 567, May, 621; 1951: Sept., 1347
- with mercurials, 1950: May, 636
- in hypertension, 1949: March, 323, 325, 328, 329, 567, May, 713-725, 662, Sept., 1274
- in Laennec's cirrhosis, 1951: Jan., 74
- in liver disease, 1951: Sept., 1448
- in obesity with heart disease, 1951: Sept., 1356
- menstruation providing, 1951: Jan., 86
- retention in congestive heart failure, 1950: May, 615-628
- Saphenous-femoral vein incompetency, test, 1950: May, 902
- Sarcoid, Boeck's, 1949: Jan., 32, 35, 36, 257-258
- Darier-Roussy, 1949: Jan., 31, 36, 37
- Sarcoidosis, 1949: Jan., 31-54, 257
- ACTH and cortisone in, 1951: Sept., 1242
- Kveim test in, 1949: Jan., 49
- treatment, 1949: Jan., 50
- Sarcoma, reticulum cell, treatment, 1951: Jan., 101
- current trends, 1951: Sept., 1381
- Sayre halter in discogenetic disease of cervical spine, 1949: Nov., 1625
- Scabies, treatment, 1950: Sept., 1477
- Scalenus anticus syndrome, 1950: Sept., 1328
- Scalp, pruritus, 1949: Jan., 17
- ringworm of, 1950: Jan., 257
- topical applications, 1950: Jan., 264
- x-ray epilation in, 1950: Jan., 264
- Scaphoid bone, necrosis, avascular, 1950: Jan., 183
- Scapula, winged, 1950: Sept., 1325, 1326
- Scarlet fever, immunization, 1950: Jan., 143, Nov., 1732
- treatment, 1950: Jan., 143
- Scatter charts, use of, 1951: Nov., 1585
- Schamberg's disease, 1951: March, 457
- Schemm diet, 1949: Nov., 1636
- Scheuermann's disease, 1950: Jan., 170
- Schiller's iodine test in cancer diagnosis, 1951: May, 857
- Schistosoma dermatitis, 1950: Jan., 266
- Schistosomiasis, diagnosis, 1949: May, 902
- concentration technic, 1949: May, 903
- Schizophrenia, 1951: Nov., 1793
- prefrontal lobotomy for, 1950: July, 1047
- treatment, 1950: Sept., 1499
- Schizophrenic disorders, differential diagnosis, 1950: July, 963, 964
- Scleredema adultorum, 1951: Sept., 1270
- dermatomyositis and, differentiation, 1949: Jan., 26
- diffuse scleroderma and, differentiation, 1949: Jan., 65
- Sclerodactylia, 1949: Jan., 57, 58, 60
- Scleroderma, 1949: Jan., 55-77; 1951: Sept., 1271
- ACTH and cortisone in, 1951: Sept., 1242
- chronic pulmonary disease in, 1951: Jan., 171
- of glans penis, 1951: March, 415
- treatment, 1949: Jan., 72
- Sclerosis, amyotrophic lateral, diagnosis, 1951: Nov., 1772
- multiple, 1951: Nov., 1779
- ACTH and cortisone in, 1951: Sept., 1242
- posterolateral, diagnosis, 1951: Nov., 1776
- vascular, in diabetes, 1950: March, 491
- Scopolamine in obstetrics, 1950: Sept., 1522; 1951: May, 808, 809
- in parkinsonism, 1949: July, 1136
- Seborrheic features in atopic dermatitis, 1949: Jan., 215
- Sedation in aged, 1950: July, 1103
- in asthma, 1949: March, 419
- in liver disease, 1951: Sept., 1454
- in obstetrics, 1950: Sept., 1521-1535
- Sedimentation rate, age and, relationship, 1951: July, 1209-1211

- Seizures, treatment, 1950: March, 341-350, Sept., 1507-1520
- Semen examination, 1949: July, 1111; 1951: May, 821
- Seneear-Usher syndrome, 1949: Jan., 169
- Senility, dietary needs, 1949: March, 563, Nov., 1681-1684
- Sensation, anatomy and physiology of, 1951: Nov., 1768
- Separation anxiety in children, 1950: July, 1084
- Septal defects, atrial, electrocardiogram in, 1949: July, 1159
- Serologic studies in diagnosis of liver disease, 1951: Nov., 1675
- test in tuberculosis, 1951: March, 603-614
- in viral diseases, 1950: Nov., 1610
- Serratus magnus muscle, paralysis, 1950: Sept., 1325, 1326
- Serum acid phosphatase in carcinoma of prostate, 1951: Nov., 1830
- albumin in liver injury, 1951: Nov., 1668
- anion concentration, 1951: Nov., 1826
- bilirubin in liver injury, 1951: Nov., 1653, 1668
- carbon dioxide concentration, 1951: Nov., 1825
- relation to volume of body water, 1951: Nov., 1817
- chloride concentration, 1951: Nov., 1825
- relation to volume of body water, 1951: Nov., 1817
- concentration of electrolytes, abnormalities and interpretation, 1951: Nov., 1815
- clinical interpretation, 1951: Nov., 1807-1828
- electrolytes, interpretation of, 1951: Nov., 1813
- hepatitis, diagnosis, 1950: Sept., 1313
- management, 1950: Sept., 1320
- immune, in Rocky Mountain spotted fever, 1951: May, 918
- phosphatases in diagnosis of malignancy, 1951: Nov., 1829
- pooled, in chronic nephritis and nephrosis, 1950: Jan., 86
- potassium concentrations, 1951: Nov., 1827
- relation to volume of body water, 1951: Nov., 1818
- protein partition in liver injury, 1951: Nov., 1658
- sex hormone values in, 1951: Nov., 1743
- sickness, ACTH and cortisone in, 1951: Sept., 1238
- antihistaminic drugs in, 1950: March, 359
- sodium concentration, 1951: Nov., 1817
- relation to volume of body water, 1951: Nov., 1816
- Serum therapy in meningitis in children, 1950: Nov., 1686
- in ulcerative colitis, 1951: Jan., 251
- values, standard, 1951: Nov., 1813
- Sex hormones and growth, 1951: March, 501-518
- values in urine and serum, 1951: Nov., 1743
- Sexual intercourse, difficult, psychic factors, 1950: July, 1003
- Shafer prone-pressure method of artificial respiration, 1950: Sept., 1348
- Shock, dibenamine in, 1950: March, 391
- hypoprotrombinemia of, 1950: March, 464
- morphine in, dangers, 1950: Nov., 1771
- Shoulder, bursitis, 1950: Sept., 1329
- injuries, 1950: Sept., 1332
- pain in, referred, 1950: Sept., 1334
- tendon strain, 1950: Sept., 1334
- Silver nitrate in tonsillitis, 1950: Nov., 1624
- Sinuses, tuberculous, from bone infection, streptomycin in, 1950: Jan., 279
- Sinusitis, penicillin in, 1950: March, 322
- Sinusoidal current, interrupted, in bursitis, 1949: Nov., 1622
- Situs inversus, complete, electrocardiogram in, 1949: July, 1164
- Skeletal system, infections, penicillin in, 1950: March, 323
- Skin abnormalities in arthritis, 1951: Nov., 1753
- allergic diseases, 1949: Jan., 177-204
- bullous diseases, 1949: Jan., 165
- carcinoma, 1949: Jan., 109-117
- treatment, 1949: Jan., 119-123
- care, in occlusive disease of arteries, 1951: March, 359
- diseases, as window to internal disease, 1949: Jan., 281-287
- classification, 1951: Nov., 1621
- common, treatment, 1950: Sept., 1473-1486
- due to foods, 1949: Jan., 239-247
- due to handling or eating of meat, 1949: Jan., 243
- symposium on, 1949: Jan., 1; 1951: March, 299
- treatment, pharmacodynamics of, vehicles and drugs in, 1949: Jan., 263-279
- eosinophilic granuloma, 1951: March, 463-479
- functional diseases, 1949: Jan., 3
- herpes simplex infection, 1951: March, 565
- infections, penicillin in, 1950: March, 324
- pyogenic, antibiotics in, 1951: March, 348, 349
- irritants, foods which may act as, 1949: Jan., 241

- Skin lesions, adequate description in diagnosis of, 1951: Nov., 1626
distribution, 1951: Nov., 1629
lupus erythematosus, 1949: Jan., 79
manifestations of allergic disorders, 1951: Nov., 1596
of lipid diseases, 1951: March, 433-456
of peripheral vascular diseases, 1951: March, 355-371
sarcoidosis of, 1949: Jan., 35
scleroderma, 1949: Jan., 55
signs and internal disease, 1951: Nov., 1630
temperature, testing, 1950: May, 890
tests in diagnosis of allergic states, 1951: Nov., 1601
in contact dermatitis, 1949: Jan., 182
in urticaria, 1949: Jan., 193
tinea and parasitic disorders, in children, 1950: Jan., 257
tuberculosis, in Negro, 1949: Jan., 249-262
streptomycin in, 1950: Jan., 279
Skull, basilar impression, 1950: Jan., 155
Sleep problems in early childhood, 1950: July, 1081
Smallpox, diagnosis, 1950: Sept., 1310
immunization, 1950: Jan., 144, Nov., 1713
management, 1950: Sept., 1318
Smoking for cardiac patient, 1950: May, 697-703
Soaps in dermatologic therapy, 1949: Jan., 270
Sodium. See also *Salt*.
bromide in epilepsy, 1950: March, 348
depletion in use of mercurial diuretics, 1951: Sept., 1342
recognition and management, 1951: Sept., 1533-1542
naphuride in pemphigus, 1949: Jan., 175
para-aminobenzoate in chronic discoid lupus erythematosus, 1951: March, 395
perborate in Vincent's angina, 1950: Nov., 1628
replacement, 1950: March, 406
salicylate in rheumatic fever, 1950: Sept., 1421
serum concentration, 1951: Nov., 1817
relation to volume of body water, 1951: Nov., 1816
Solutions, basic concepts, 1951: Nov., 1808
in dermatologic therapy, 1949: Jan., 265
Somatic illness in children, psychotherapy in, 1951: Sept., 1496
Sore throat, septic, 1950: Nov., 1623
Spasm, muscle, in rheumatic disorders, alleviation, 1949: Nov., 1619
Spectrophotometry, 1951: Nov., 1588
Spheroctysis, hereditary, 1951: March, 572
vs. acquired, 1951: Sept., 1426
Sphingomyelinosis, reticular and histiocytic, 1951: March, 450
Spider nevus, 1949: Jan., 226
Spinal cord disease, diagnosis, 1951: Nov., 1765-1779
injuries, 1951: Nov., 1775
at birth, 1950: Jan., 158
tumors, 1951: Nov., 1778
puncture headache, 1949: Sept., 1449, Nov., 1594
Spine, arthritis, hypertrophic, 1950: Sept., 1440
physical medicine in, 1949: Sept., 1315
cervical, discogenetic diseases, 1949: Nov., 1623
lesions, 1950: Sept., 1323
necrosis, avascular, 1950: Jan., 170
sign in poliomyelitis, 1950: Jan., 122, 123
Spirochetal infections, antibiotics in, choice of, 1950: March, 315
Spleen, abnormal mechanisms, anemias due to, 1949: March, 552
biopsy, in diagnosis of amyloidosis, 1950: July, 1173
rupture of, in primary amyloidosis, 1951: Nov., 1841-1847
Splenectomy in congenital hemolytic jaundice, 1950: Sept., 1293
in hemolytic anemia, 1951: March, 580
acquired, 1951: Sept., 1426
in idiopathic thrombocytopenic purpura, 1951: Jan., 267
in thrombocytopenic purpura, 1951: Sept., 1416
in women of childbearing age, effect on fertility and course of subsequent pregnancies, 1950: July, 1217-1236
relapses after, 1949: March, 557
Splenomegaly, primary idiopathic, 1951: March, 451
Spondylitis, rheumatoid, 1949: Nov., 1627
cortisone in, 1951: Jan., 9
diagnosis, 1951: Nov., 1758
Sprains of ankle in athletics, treatment, 1950: Sept., 1259
of knee in athletics, treatment, 1950: Sept., 1262
Sprue, 1949: Nov., 1671-1680
vitamin B₁₂ in, 1950: July, 1201
Sputum, cytology of, in cancer diagnosis, 1950: Sept., 1397
Staphylococcal infections, antibiotics in, choice of, 1950: March, 315
in children, antibiotics in, 1951: Sept., 1519

- Stasis eczema, 1951: March, 362, 363
ulcer, 1951: March, 363
- Stature, shortness of, familial, 1951: March, 517
- Status asthmaticus, dibenamine in, 1950: March, 390
management, 1949: Nov., 1597-1603
treatment, 1951: Sept., 1555
- epilepticus, 1950: Sept., 1518
drug therapy, 1950: March, 349
- Stenosis, pulmonary. See *Pulmonary stenosis*.
- Sterility. See *Infertility*.
- Sternal marrow, aspiration biopsy, 1950: Sept., 1388
puncture in multiple myeloma, 1951: Jan., 202
- Steroids in breast metastasis therapy, 1951: Jan., 51-61
in rheumatoid arthritis, summary of experiences at a large clinic, 1951: Jan., 3-22
- Stevens-Johnson disease, 1951: March, 322
- Stilbamidine in multiple myeloma, 1951: Jan., 218
- Stilbestrol. See *Diethylstilbestrol*.
- Stillbirths, repeat, management, 1951: May, 768
- Still's disease, cortisone in, 1951: Jan., 9
diagnosis, 1951: Nov., 1758
- Stings and bites, insect, antihistaminic drugs in, 1950: March, 361
- Stomach, carcinoma, in pernicious anemia, prevention, 1949: Sept., 1397
perforation, pain in, 1949: July, 965-972
secretion, cytology of, in cancer diagnosis, 1950: Sept., 1403
ulcer. See *Peptic ulcer*.
- Stomatitis, aphthous, 1951: March, 564
recurrent, 1951: Nov., 1643
herpetic, diagnosis, 1951: Nov., 1643
- Stool examination in diagnosis of liver disease, 1951: Nov., 1675
- Strabismus, nonparalytic, treatment problems, 1950: Jan., 283-302
- Strains, muscle, in athletics, treatment, 1950: Sept., 1265
sacroiliac or lumbosacral, 1949: Nov., 1627
- Stramonium leaves in parkinsonism, 1949: July, 1137
- Strapping, protective, in athletics, 1950: Sept., 1266, 1267
- Strawberry mark, 1949: Jan., 222; 1951: March, 306
- Streptobacillus moniliformis infections, antibiotics in, choice of, 1950: March, 315
- Streptococcal infections, antibiotics in, choice of, 1950: March, 315
sulfonamides in, prophylactic, 1950: March, 337
sore throat, 1950: Nov., 1623
- Streptodornase in pleural effusions, postpneumonic, 1950: Nov., 1663
- Streptomycin, combination with other antibiotics, results, 1951: March, 535-544
current use, 1950: March, 326-330
dosage and administration, 1950: March, 317, 327
in children, 1951: Sept., 1512
hypoprote thrombinemia induced by, 1949: Nov., 1703
in bacteremia, 1950: March, 328
in brucellosis, 1950: March, 329
sulfadiazine combined with, 1949: July, 1079-1088
in influenzal meningitis, 1949: May, 875; 1950: Jan., 137, March, 329
in meningitis in children, 1950: Nov., 1686; 1951: Sept., 1514, 1515, 1516
in plague, 1950: March, 328
in pneumonia, 1950: Nov., 1660
in Rocky Mountain spotted fever, 1951: May, 921
in staphylococcal infections, 1951: Sept., 1519
in tuberculosis, 1949: March, 375-389; 1950: Sept., 1364; 1951: Jan., 155
contraindications, 1949: March, 383, 385
dosage and administration, 1949: March, 377; 1950: Sept., 1366
indications, 1949: March, 383, 385; 1951: Jan., 160
in infants and children, 1950: Jan., 271-281
of intestines, 1950: Nov., 1677
in tuberculous meningitis, 1949: May, 877; 1950: Jan., 138, Nov., 1687
in tularemia, 1950: March, 328
in ulcerative colitis, 1951: Jan., 259, 263
in urinary tract infections, 1949: Sept., 1477; 1950: March, 328, 532
in whooping cough, 1950: Jan., 139, March, 329
pharmacology, 1950: March, 309
resistance, 1950: March, 313, 328; 1951: Jan., 157
sensitivity of organisms to, method for determining, 1951: Jan., 158
ranges, 1951: March, 537
toxicity, 1949: May, 876; 1950: March, 312; 1951: Jan., 159
- Stress, psychological, headache due to, 1951: Sept., 1491
- Stricture of common bile duct, 1951: Nov., 1686
- Stridor, diagnostic significance, 1949: July, 1056
- Stroke, questionable use of term, 1950: July, 1058
- Strophanthidin, acetyl, in congestive heart failure, 1950: May, 670
- Strophanthin K, 1950: May, 657

- Study, plan of, in medical out-patient clinic, 1951: Nov., 1804
- Subarachnoid hemorrhage, headache due to, 1949: July, 990
- Subdural puncture in infants and children, 1950: Jan., 117
- Sugar consumption and dental caries, 1950: Jan., 15
- Sulfadiazine in bacillary dysentery, 1950: March 334, Nov., 1670
in bronchopulmonary suppuration, 1949: March, 403
in brucellosis, streptomycin with, 1949: July, 1079-1088
in meningitis in children, 1950: Nov., 1685; 1951: Sept., 1514, 1515, 1516
in meningococcal meningitis, 1949: May, 871; 1950: March, 336
in pneumococcal meningitis, 1949: May, 873
in streptococcal infections, prophylactic use, 1950: March, 337
in tonsillitis, 1950: Nov., 1624
in urinary tract infections, 1950: March, 332, 530, 531; 1951: Sept., 1516
- Sulfaguanidine in bacillary dysentery, 1950: Nov., 1670
in chronic ulcerative colitis, 1951: Jan., 258, 259
- Sulfamerazine in meningitis in children, 1950: Nov., 1685
- Sulfamethazine in urinary tract infections, 1950: March, 332
- Sulfathalidine in urinary infections, 1949: Sept., 1474
- Sulfathiazole in Vincent's angina, 1950: Nov., 1627
- Sulfonamides. See also the individual drugs.
choice of drug, 1950: March, 339
dosage, in children, 1951: Sept., 1512
hypoprothrombinemia induced by, 1949: Nov., 1703
in bacillary dysentery, 1950: March, 333
in dermatology, 1949: Jan., 273
in erysipelas, 1950: Jan., 136
in measles, 1950: Jan., 142
in meningitis in children, 1950: Nov., 1685
in meningococcal meningitis, 1950: Jan., 136, March, 335
in pneumonia, 1950: Nov., 1662
in rheumatic fever, prophylactic, 1950: March, 337
in streptococcal infections, prophylactic use, 1950: March, 337
in ulcerative colitis, 1951: Jan., 251, 259
in urinary tract infections, 1949: July, 1076, 1078, Sept., 1474; 1950: March, 331, 530, 531
present status, 1950: March, 331-340
- Sulfur in dermatologic therapy, 1949: Jan., 276, 277
- Summer headache, 1949: July, 993
- Sunstroke, headache in, 1949: Nov., 1593
- Suprarenal. See *Adrenal*.
- Swimmer's itch, 1950: Jan., 266
- Swimming, therapeutic, in psychoses, 1949: July, 1126
- Sycosis barbae, treatment, 1950: Sept., 1476
- vulgaris, antibiotics in, 1951: March, 349
- Sympathectomy for hypertension, 1949: March, 326, May, 663, 751-761, Sept., 1275; 1950: Nov., 1745
analysis of results in 300 cases, 1949: May, 735-749
of 66 patients obtaining excellent results, 1949: May, 727-733
effect on fundus changes, 1949: May, 671
evaluation of effects, 1949: May, 740, 753
in children, 1949: Sept., 1233-1299
postoperative complications, 1949: May, 738
response to tetraethylammonium after, 1949: May, 823
selection of cases, 1949: May, 727, 735
tetraethylammonium test to predict outcome, 1949: May, 824
in malignant hypertension, 1951: Jan., 124
- Sympathoblastoma, 1951: Sept., 1301
- Sympathogonioma, 1951: Sept., 1301
- Syncope, treatment, 1949: Nov., 1519
- Synecrine with electroshock therapy, 1950: Sept., 1506
- Synkamin, 1949: Nov., 1705
- Synkayvite, 1949: Nov., 1705
- Synovial fluid examination in arthritis, 1951: Nov., 1755
- Syphilis, aureomycin in, 1951: March, 351
cardiovascular, treatment, 1951: Jan., 147
congenital, treatment, 1951: Jan., 148
early, treatment schedule, 1951: Jan., 146
glandular, 1949: Jan., 261
in pregnancy, treatment, 1951: Jan., 148, May, 631-646
penicillin in, 1951: Jan., 32, 143-152
in pregnancy, 1951: May, 631-646
serologic tests for, in arthritis, 1951: Nov., 1755
treatment, abortive, 1951: Jan., 149
modern trends, 1951: Jan., 143-152
present status, 1950: March, 495-507
- Syringomyelia, 1951: Nov., 1770
- TABES dorsalis, 1951: Nov., 1777
- Tachycardias, paroxysmal, 1950: May, 735-744
digitalis in, 1950: May, 653

- Tachycardias, paroxysmal, nodal, 1950:
 May, 740
 supraventricular, in infants and children, 1950: Jan., 217-222
 treatment, 1949: Nov., 1528
 ventricular, 1950: May, 740
 supraventricular, treatment, 1949: Nov., 1528
- Tagathen, dosages, 1950: March, 352, 357
 structural formula, 1951: March, 334
- Tapeworm disease, diagnosis, 1949: May, 906
- Tars in dermatologic therapy, 1949: Jan., 274
- Teeth, caries of, control and prevention, 1950: Jan., 13-32
- Telangiectasia, 1951: March, 304
 congenital, 1949: Jan., 219; 1951: March 305
 hemorrhagic, hereditary, 1951: March, 305
 nuchae, 1951: March, 303
- Temperature, basal body, in study of sterility, 1951: May, 829
- Tendon, "pulled," treatment, 1950: Sept., 1265
 strain, of shoulder, 1950: Sept., 1334
- Tension headache, 1949: July, 980, 981, Sept., 1447
- Terminology, tyranny of certain terms, 1950: July, 1053-1066
- Terramycin, dosage, in children, 1951: Sept., 1511
 general characteristics, 1951: March, 343
 in dermatology, 1951: March, 341-354
 in influenza, 1950: Nov., 1645
 in intermittent positive pressure breathing, 1951: Nov., 1704
 in pharyngitis, 1950: Nov., 1632
 in pneumonia, 1950: Nov., 1661
 in respiratory tract infections, 1951: Nov., 1703
 in septic sore throat, 1950: Nov., 1624
 topical use, 1951: March, 346
- Testes, disorders of, 1951: Nov., 1743
- Testicles, tumors of, hormone assay, 1951: Nov., 1832
- Testicular androgen production, estimation, 1951: Jan., 282
 deficiency, diagnosis, 1951: Jan., 283
- Testosterone in carcinoma of breast, 1950: Sept., 1410; 1951: Jan., 52
 complications, 1951: Jan., 53
 in dysmenorrhea, 1950: Sept., 1543
 proovulatory, 1951: May, 864
 in functional uterine bleeding, 1950: Sept., 1546, 1559, 1560
 in menopause, 1950: Sept., 1549
 in rheumatoid arthritis, effects, 1951: Jan., 20
 physiologic role in male, 1951: Jan., 281
- Tests, diagnostic, on sick patients, 1951: Nov., 1582
- Tests, intelligence, in adoptive placements and behavior disorders, 1950: July, 1073
 in mental retardation, 1950: July, 1067
 laboratory, economic aspects, 1951: Nov., 1583
 in diagnosis of arthritis, 1951: Nov., 1754
 selection of, 1951: Nov., 1580
 meal in diagnosis of diabetes, 1951: Nov., 1609
 personality, 1950: July, 1075
 psychologic, from standpoint of general practitioner, 1950: July, 1067-1077
 special, in diagnosis of diabetes, 1951: Nov., 1609
 vocational, 1950: July, 1077
- Tetanus, immunization, 1950: Nov., 1717
 penicillin in, 1950: March, 324
- Tetraethylammonium, cardiovascular effects, with special reference to hypertension, 1949: May, 805-831
 in hypertension, 1949: May, 805-831
- Tetralogy of Fallot, angiocardiology in, 1950: May, 750
- Thenylene, dosages, 1950: March, 352, 357
 structural formula, 1951: March, 334
- Theophorin, dosages, 1950: March, 353, 357
 structural formula, 1951: March, 334
- Therapeutics, medical, symposium on, 1950: March, 307
- Thiamine in atherosclerosis, 1949: May, 776
 interrelationships, 1949: Nov., 1711
- Thibierge - Weissenbach syndrome, 1949: Jan., 63
- Thiocyanates in hypertension, 1949: May, 695, Sept., 1271
 effect on capillary fragility, 1949: May, 681
- Thiomerin in congestive heart disease, 1951: Sept., 1339, 1341
 to potentiate mercurials, 1950: May, 623
- Thiosemicarbazones in tuberculosis, 1951: Jan., 165
- Thiouracil in thyrotoxicosis, 1949: March, 499-512
- Thoms technic of roentgen pelvimetry, 1951: May, 779
- Thoracoplasty for tuberculosis, 1950: Sept., 1370
- Thoracotomy, diagnostic, 1949: July, 1058
- Thornwaldt's disease, 1950: Nov., 1633
- Throat, infections, acute, 1950: Nov., 1621-1635
- Thrombidiosis, 1950: Jan., 267
- Thrombin in hemophilia, 1950: March, 467

- Thrombitis following varicosities, 1950: May, 907
- Thromboangitis obliterans, adrenergic blocking agents in, 1950: March, 386
- anticoagulants in, 1949: March, 335
- physical medicine in, 1949: March, 348
- skin changes in, 1951: March, 358
- Thrombocytopenia, splenic, 1950: Sept., 1279
- plus neutropenia, 1950: Sept., 1280
- Thrombo-embolism as surgical risk, 1949: March, 579
- Thrombophlebitis, idiopathic, recurring, anticoagulants in, 1949: March, 338
- skin manifestations, 1951: March, 360
- treatment, 1949: March, 580
- Thrombosis, arterial, anticoagulants in, 1949: March, 337
- cerebral, anticoagulants in, 1949: March, 339; 1950: May, 909-924
- varicosities following, 1950: May, 897, 899, 906
- venous, anticoagulants in, 1949: March, 338
- prevention, 1949: Nov., 1506
- recognition and emergency treatment, 1949: Nov., 1501-1517
- sequelae, 1949: Nov., 1515
- Thyloquinone, 1949: Nov., 1705
- Thymol tests of liver injury, 1951: Nov., 1657
- Thyroid carcinoma, radioactive iodine in, 1951: Jan., 43
- clinic, 1949: Sept., 1241-1248
- deficiency in childhood, 1950: Jan., 235-245
- diseases, radioactive iodine in, clinical application, 1951: Jan., 37-50
- disorders of, 1951: Nov., 1734
- gland, absence of, 1950: Jan., 241-244
- carcinoma, radioiodine in, 1950: March, 450
- physiology, in relation to therapy, 1949: March, 497
- nodules, benign and malignant, function of, 1949: Sept., 1225-1230
- therapy in atherosclerosis, 1949: May, 777
- in habitual abortion, 1949: July, 1119
- in hypertrophic arthritis, 1950: Sept., 1438
- in infertility in women, 1951: May, 836
- in nephrotic edema, 1950: Jan., 85
- Thyrototoxicosis, diagnosis, 1951: Sept., 1306, Nov., 1734
- clinic on, 1949: Sept., 1241-1248
- problems in, 1949: Sept., 1231-1239
- hypertension in, 1949: Nov., 1750
- Thyrototoxicosis, hypothyroidism in, case report, 1951: March, 615-619
- iodine in, 1949: March, 513; 1951: Sept., 1308
- action of, 1949: March, 500
- radioactive, 1951: Jan., 41
- methyl-mercaptoimidazole in, 1951: Sept., 1309
- plasma protein-bound iodine test, 1949: Sept., 1233
- problem cases, 1951: Sept., 1313
- propylthiouracil in, 1951: Sept., 1300
- medical and surgical treatment, 1949: March, 499, 502, 507; 1950: March, 537, 538
- radioiodine in, 1949: March, 512, Sept., 1211-1223, 1951: Sept., 1310
- diagnostic test, 1949: Sept., 1232; 1951: Sept., 1306
- surgery in, 1951: Sept., 1312
- treatment, 1951: Sept., 1305-1321
- current methods, 1949: March, 497-514; 1950: March, 535-539
- x-rays in, 1949: March, 513; 1951: Sept., 1312
- Thyroxine, formation, 1949: March, 499
- Tibial tubercle, avascular necrosis, 1950: Jan., 180
- Tibione in tuberculosis, 1950: Sept., 1367
- Tic, diagnosis and treatment, 1950: July, 1079
- Tick fever. See also *Rocky Mountain spotted fever*.
- Colorado, 1951: March, 587-592
- Tinea capitis, treatment, 1950: Sept., 1480
- corporis, treatment, 1950: Sept., 1481
- cruris, treatment, 1950: Sept., 1481
- Tinea disorders of skin in children, 1950: Jan., 257-269
- Tobacco, use of, in peptic ulcer, 1950: Sept., 1454
- Tocopherols, mixed, in chronic discoid lupus erythematosus, 1951: March, 395
- Tolserol in bursitis, 1949: Nov., 1621
- in discogenetic diseases of cervical spine, 1949: Nov., 1623
- in parkinsonism, 1949: July, 1138
- in rheumatic disorders, 1949: Nov., 1620
- Toluidine blue in lymphomas, 1951: Jan., 106
- Tongue, black, diagnosis, 1951: Nov., 1640
- coated, abnormally, 1951: Nov., 1641
- diseases of, 1951: Nov., 1639
- fissured, abnormally, 1951: Nov., 1639
- geographic, 1951: Nov., 1640
- Tonsillitis, acute lacunar, 1950: Nov., 1624

- Tonsillitis, ulcerative, 1950: Nov., 1626
viral, 1950: Nov., 1641
- Torticollis, 1950: Sept., 1328
ocular, 1950: Jan., 292
- Tourniquets in severe hemorrhage, 1949: Nov., 1556
- Toxemias of pregnancy, 1951: May, 677-698
classification, 1951: May, 680
fluids and electrolytes in, 1951: May, 899
hypertensive, 1951: Nov., 1716
kidney function in, 1951: May, 699-714
prophylaxis, 1951: May, 685
treatment, 1951: May, 685
veratrum viride in, 1948: Nov., 1673-1682
- Trachea, amyloid tumors, 1950: July, 1145-1150
aspiration, in pulmonary atelectasis, 1949: Nov., 1614
- Tracheobronchitis, anatomic and pathologic features, 1951: Nov., 1696
symptoms and physical signs, 1951: Nov., 1698
- Tracheo-esophageal fistula, 1950: Jan., 247-256
- Tracheotomy in respiratory failure, 1950: Sept., 1359
- Traction, cervical, method, 1950: Sept., 1325
headache, 1949: Sept., 1449
- Transfusions, blood, 1950: March, 405
exchange, in erythroblastosis fetalis, 1951: May, 765
in erythroblastosis fetalis, 1950: Jan., 196
substitution therapy, 1950: Jan., 197
in gastrointestinal hemorrhage, 1949: Nov., 1573
in hemolytic anemia, 1951: March, 580
acquired, 1951: Sept., 1427
in hemophilia, 1950: March, 465; 1951: Jan., 270, Sept., 1413
in hemorrhage, severe, 1949: Nov., 1559
in hypothermia, 1951: Sept., 1418
in liver disease, 1951: Sept., 1452
in lymphomas, 1951: Jan., 105
in malnutrition, preoperative, 1949: March, 577
in nephritis and nephrosis, 1950: Jan., 86
in pernicious anemia, 1949: Sept., 1386
in rheumatoid arthritis, 1949: Sept., 1382
- Treatment, current concepts, symposium on, 1950: Nov., 1739
effect of, in diagnosis of allergic states, 1951: Nov., 1603
- Treatment, laboratory aids in, 1951: Nov., 1579-1592
of chronic pulmonary diseases, 1951: Nov., 1701
specific methods, symposium on, 1950: Sept., 1253; 1951: Sept., 1229
- Trench mouth, 1950: Nov., 1626
- Trichinosis, dermatomyositis and, differentiation, 1949: Jan., 26
diagnosis, 1949: May, 906
- Trichlorethylene anesthesia in obstetrics, 1950: Sept., 1530
- Trichophyten in diagnosis and treatment of dermatophytosis, 1949: Jan., 197
reaction, 1950: Jan., 261
- Trichophyton, 1950: Jan., 259
- Trichophytosis of toes, recurrent lymphangitis in, 1949: July, 1090
- Tricuspid atresia, congenital, anatomic classification, 1949: July, 1177-1196
insufficiency, venous pulsations of liver in, 1950: May, 728
regurgitation, pulsation in, 1950: May, 725
- Tridione in epilepsy, 1950: March, 347, Sept., 1513, 1516
- Triethylene melamine in leukemias and malignant lymphomas, 1951: Sept., 1392
- Trimethadione. See *Tridione*.
- Trimeton, dosages, 1950: March, 353, 357
structural formula, 1951: March, 334
- Tropical diseases, diagnosis, 1949: May, 899
- Tubal insufflation, 1949: July, 1113; 1951: May, 827
in sterility, 1951: May, 836
patency, tests for, 1951: May, 826
- Tube diets in liver disease, 1951: Sept., 1447
- Tuberculin test, 1949: July, 1050
- Tuberculosis, amyloidosis secondary to, 1950: July, 1167
chemotherapy, 1951: Jan., 149-167
chronic, dietary needs, 1949: March, 563
collapse procedures, changing picture, 1950: Sept., 1367
combined therapy, 1950: Sept., 1374
cutaneous, in Negro, 1949: Jan., 249-262
hematogenous, acute, bone marrow examination in, diagnostic importance, 1950: Nov., 1817-1827
immunization, 1950: Nov., 1733
in infants and children, streptomycin in, 1950: Jan., 271-281
of intestines, 1950: Nov., 1676
of lacrimal gland and duct, 1949: Jan., 261, 262
para-aminosalicylic acid in, 1950: Sept., 1366; 1951: Jan., 163
pulmonary, diagnosis, 1949: July, 1049

- Tuberculosis, pulmonary, in pregnant woman, 1951: May, 647-657
management, 1951: May, 654
pathogenesis, 1951: May, 649
treatment, recent advances, 1950: Sept., 1363-1380
- renal, in pregnancy, 1951: May, 728
rest in, 1950: Sept., 1363
serological test, 1951: March, 603-614
- streptomycin in, 1949: March, 375-389; 1950: Sept., 1364; 1951: Jan., 155
dosage and administration, 1949: March, 377; 1950: Sept., 1366
indications and contraindications, 1949: March, 383, 385
surgical technics in, 1950: Sept., 1370
thiosemicarbazones in, 1951: Jan., 165
- tibione in, 1950: Sept., 1367
verruca cutis, 1949: Jan., 249, 250
- Tubocurarine in obstetrics, 1950: Sept., 1531
- Tularemia, cutaneous, 1949: Jan., 244
streptomycin in, 1950: March, 328
- Tumors, amyloid, of larynx and trachea, 1950: July, 1145-1150
intrathoracic, diagnosis, angiocardiology in, 1950: May, 746, 747
malignant, chemotherapy, 1950: March, 439-458
of internal organs, cutaneous lesions in, 1949: Jan., 284
of adrenal cortex, 1951: Sept., 1298
of adrenal medulla, 1951: Sept., 1299
of kidney, pregnancy and, 1951: May, 729
of lung, diagnosis, 1949: July, 1052
of pancreas, islet-cell, multiple parathyroid adenomas associated with, report of 2 cases, with necropsy findings, 1949: July, 1141-1156
of spinal cord. See *Spinal cord tumors*.
testicular, hormone assay, 1951: Nov., 1832
- Two-step exercise test in heart disease, 1950: May, 705-713
- Typhoid fever, 1950: Nov., 1673
immunization, 1950: Nov., 1716
in children, treatment, 1951: Sept., 1517
treatment, 1950: Nov., 1674
- Typhus fever, immunization. 1950: Nov., 1729, 1730
- Tyrosine, dosage, 1950: March, 316
pharmacology and toxicology, 1950: March, 308
toxicity, 1950: March, 311
- Tzanck test in dermatologic diagnosis, 1951: Nov., 1635
- ULCER, duodenal. See *Duodenal ulcer*
gastric. See *Peptic ulcer*.
- Ulcer, of leg, 1951: Nov., 1632
peptic. See *Peptic ulcer*.
stasis, 1951: March, 363
trophic, in scleroderma, 1949: Jan., 57, 59, 74
varicose, 1950: May, 907
- Ultramicroanalysis, 1951: Nov., 1589
- Urea clearance, 1951: Nov., 1712
in toxemias of pregnancy, 1951: May, 709, 710
- Uremia, acute, true, in acute glomerulonephritis, 1950: Jan., 104
cardiac manifestations, 1951: July, 1085
in renal disease, 1951: Nov., 1717
- Ureter during pregnancy, 1951: May, 717
transplanted, pregnancy and, 1951: May, 729
- Ureteral obstruction, chronic urinary infection due to, 1949: Sept., 1468
- Ureteropelvic obstructions, chronic urinary infection due to, 1949: Sept., 1468
- Urethane in chronic myelocytic leukemia, results of three-year study, 1950: July, 1205-1215
in leukemia, 1950: Jan., 202; March, 452, 453; 1951: Jan., 98, Sept., 1394
in multiple myeloma, 1950: March, 455; 1951: Jan., 219
in mycosis fungoides, 1951: Jan., 103
pharmacology, 1950: March, 441
toxicity, 1950: July, 1212
- Urethral lesions, chronic urinary infection due to, 1949: Sept., 1469
mucosa, prolapse of, 1949: Sept., 1466
- Urethritis, acute, urinary infection in, 1949: Sept., 1466
nonspecific, treatment, 1950: March, 527
- Uric acid clearance in toxemias of pregnancy, 1951: May, 716
- Urinalysis in arthritis, 1951: Nov., 1754
routine, in renal diagnosis, 1951: Nov., 1708
- Urinary hormone values in ovarian disorders, 1951: Nov., 1745
incontinence in pregnancy, 1951: May, 723
obstruction, congenital, and acidosis, parenteral fluid therapy in, 1950: Jan., 61
retention from incarcerated uterus, 1951: May, 722
postpartum, 1951: May, 724
sediment, cytology of, in cancer diagnosis, 1950: Sept., 1403
stasis, adynamic, 1949: Sept., 1471
tract anomalies, pregnancy and, 1951: May, 729
infections, arsenicals in, 1949: Sept., 1479
aureomycin in, 1949: Sept., 1477

- Urinary tract infections, chloromycetin in, 1949: Sept., 1478
 complicating stasis, 1949: Sept., 1470
 in children, treatment, 1951: Sept., 1516
 management, 1949: Sept., 1465-1480; 1950: March, 525-533
 mandelic acid in, 1949: Sept., 1478
 nephritis-like, 1949: Sept., 1472
 penicillin in, 1949: Sept., 1475, 1476
 pyridium in, 1949: Sept., 1479
 role of obstruction and stasis, 1949: Sept., 1467
 streptomycin in, 1949: Sept., 1477; 1950: March, 328
 sulfonamides in, 1949: Sept., 1474; 1950: March, 331
 symptoms, diagnosis and treatment, 1949: July, 1071-1078
 manifestations of allergic disorders, 1951: Nov., 1597
- Urine, bacteriology, 1949: Sept., 1472
 bilirubin in liver injury, 1951: Nov., 1654
 casts in, 1951: Nov., 1710
 chloride excretion, test, 1949: Sept., 1273
 concentration test in toxemias of pregnancy, 1951: May, 708
 cultures, 1951: Nov., 1711
 examination in renal diagnosis, 1951: Nov., 1708
 microscopic, 1951: Nov., 1710
 maximal concentrating power, 1951: Nov., 1712
 pregnandiol in, 1951: Nov., 1588
 sex hormone values in, 1951: Nov., 1743
 specific gravity, 1951: Nov., 1708
 specimen, proper collection, 1949: Sept., 1473
 studies in diagnosis of liver disease, 1951: Nov., 1675
 urobilinogen in liver injury, 1951: Nov., 1654
 Urobilinogen in urine, determinations, value of, 1950: Sept., 1464
 Urogenital disorders of aged, 1949: March, 463-483
 Urologic complications of pregnancy, management, 1951: May, 715
 methods in diagnosis and treatment of bilateral renal disease, 1951: July, 1005
 surgery, anesthesia for, 1949: March, 476
- Urticaria, 1949: Jan., 191
 antihistaminics in, 1950: March, 358; 1951: March, 339
 skin tests in, 1949: Jan., 193
 treatment, 1949: Jan., 194; 1950: Sept., 1478; 1951: Sept., 1557
- Uterine bleeding, functional, causes, 1950: Sept., 1551
 endocrine therapy, 1950: Sept., 1544, 1556
 management and treatment, 1950: Sept., 1551; 1951: May, 871-877
 fibroids, harmlessness, 1949: March, 432
 index, 1951: May, 820
 inertia, labor and, 1951: May, 791-804
 Uterotubal insufflation, 1951: May, 827
 Uterus, carcinoma, early stages, diagnosis, 1951: May, 841-859
 incarcerated, in pregnancy, 1951: May, 723
 retroversion, sterility and, 1951: May, 820, 835
 Uveitis in sarcoidosis, 1949: Jan., 41
 Uveoparotid fever, 1949: Jan., 31, 34, 41
- VACCINATION, smallpox, 1950: Nov., 1713
 Vaccines in prevention of Rocky Mountain spotted fever, 1951: May, 924
 in rheumatoid arthritis, 1950: Nov., 1701
 Vaginal smear in cancer diagnosis, 1950: Sept., 1396; 1951: May, 855
 Van den Bergh test, modifications, evaluation of, 1950: Sept., 1463
 Vaponefrin in intermittent positive pressure breathing, 1951: Nov., 1703
 Varicella. See *Chickenpox*.
 Varicelliform eruption of Kaposi, 1949: Jan., 147; 1951: March, 565
 complicating atopic eczema, 1949: Jan., 214
 Varices, arterial, differential diagnosis and treatment, 1950: May, 897-908
 Varicose ulcer, 1950: May, 907
 veins, differential diagnosis and treatment, 1950: May, 897-908
 Variola. See *Smallpox*.
 Vascular degeneration, metabolic aspects, 1949: May, 783-794
 disease, hypertensive, in pregnancy, 1951: May, 682
 treatment, 1951: May, 686
 peripheral adrenergic blocking agents in, 1950: March, 384
 physical diagnosis, 1949: March, 347
 physical medicine in, 1949: March, 347-358
 rehabilitation, 1949: March, 356
 symposium on, 1950: May, 609
 Vasodilator headache, 1949: Sept., 1447
 Vasodilators in acute renal failure, 1949: July, 1014
 in peripheral vascular disease, 1949: March, 351
 Vasomotor disturbances of menopause, 1950: March, 543

- Vasospasm in cerebrovascular accidents, 1951: Sept., 1457-1474
- Vehicles in dermatologic therapy, pharmacodynamics of, 1949: Jan., 263-279
- Veins, diseases, skin changes in, 1951: March, 360
- pathologically enlarged, differential diagnosis and treatment, 1950: May, 897-908
- peripheral, examination, methods, 1950: May, 887
- post-thrombotic, 1951: May, 897, 899
- treatment, 1950: May, 906
- varicose, 1950: May, 897-908
- Vena cava ligation in thrombosis and embolism, 1949: Nov., 1509
- Venesection in congestive heart failure, 1951: Sept., 1349
- Venography, 1950: May, 894
- Venous disease, chronic, anticoagulants in, 1949: March, 338
- insufficiency, chronic, skin manifestations, 1951: March, 360
- thrombosis, prevention, 1949: Nov., 1506
- recognition and emergency treatment, 1949: Nov., 1501-1517
- sequelae, 1949: Nov., 1515
- Ventilation, pulmonary, 1951: Nov., 1700
- Ventral flexion sign in poliomyelitis, 1950: Jan., 122
- Ventricular hypertrophy, electrocardiogram in, 1949: July, 1159, 1169
- unipolar precordial electrocardiogram in, 1950: May, 849
- puncture in infants and children, 1950: Jan., 117
- Veratrum viride in hypertension, 1950: Nov., 1743
- Veriloid in malignant hypertension, 1951: Jan., 125
- Verruca necrogenica, 1949: Jan., 244
- seborrhic, 1951: March, 311
- Vesicovaginal fistula, pregnancy and, 1951: May, 723
- Vincent's angina, 1950: Nov., 1626
- gingivostomatitis, diagnosis, 1951: Nov., 1638
- Vinobel in parkinsonism, 1949: July, 1137
- Vioform in dermatology, 1949: Jan., 273
- Viral diseases, diagnosis and management, 1950: Sept., 1303-1322, Nov., 1606
- of respiratory tract, 1950: Nov., 1637-1652
- pharyngitis and tonsillitis, 1950: Nov., 1641
- Virologist, role in diagnosis of acute infectious diseases, 1950: Nov., 1605
- Virus diagnostic laboratory, utilization by physician, 1950: Nov., 1615
- herpes simplex, oral manifestations, 1951: Nov., 1642
- in etiology of zoster, 1949: Jan., 160
- Vision, development, 1950: Jan., 284
- Visual acuity, determination, in infants and children, 1950: Jan., 284, 286
- Vitamin A, interrelationships, 1949: Nov., 1709
- preparations, comparative absorption, 1950: March, 413-424
- Vitamin antagonists, 1949: Nov., 1715, 1721
- Vitamin B in atherosclerosis, 1949: May, 776
- in pernicious anemia, 1949: Sept., 1394
- interrelationships, 1949: Nov., 1710
- Vitamin B₁₂, 1949: Nov., 1723
- clinical results, 1949: Nov., 1726
- in megaloblastic anemia of infants, 1950: July, 1201
- in pernicious anemia, 1949: March, 551, Sept., 1394; 1950: July, 1197-1204, Sept., 1298
- in sprue, 1950: July, 1201
- Vitamin C. See also *Ascorbic acid*.
- interrelationships, 1949: Nov., 1712
- Vitamin deficiency, electrocardiogram in, 1950: May, 870
- imbalance, 1949: Nov., 1715
- Vitamin K, clinical administration, 1949: Nov., 1685
- deficiency, 1949: Nov., 1688, 1690
- in Dicumarol poisoning, 1950: March, 463
- in hypotherbinemia, 1951: Sept., 1419
- in prothrombin deficiency, 1950: March, 461
- in specific conditions, dosages, 1949: Nov., 1706
- metabolism, 1949: Nov., 1687
- preparations and dosages, 1949: Nov., 1705
- prothrombin and, relationship, 1949: Nov., 1685
- test, response to, 1949: Nov., 1703
- Vitamin therapy in chronic discoid lupus erythematosus, 1951: March, 395
- in congestive heart failure, 1949: Nov., 1635
- in gastrointestinal hemorrhage, 1949: Nov., 1577
- in liver disease, 1951: Sept., 1450
- in malnutrition, preoperative, 1949: March, 577
- in senility, 1949: Nov., 1682
- Vitamins, personality and, 1949: Nov., 1717
- Vocational tests, 1950: July, 1077

- Volumes per cent, conversion to millimols or milliequivalents per liter, 1951: Nov., 1811
- Vomiting in chronic nephritis, 1950: Jan., 82
- Von Gierke's disease, electrocardiogram in, 1949: July, 1167
- Vulva, pruritus, 1949: Jan., 17
- WALKING in peripheral vascular disease, 1949: March, 354
- Warts, anatomic, 1949: Jan., 244
- Water and electrolyte balance, in pregnancy, 1951: May, 893-906
- and salt retention in renal disease, 1951: Nov., 1718
- balance in heart and kidney disease as related to edema and oliguria, 1950: March, 571-587
- disturbances, prevention, 1951: July, 1139
- intoxication, 1951: July, 1122
- water-chloride balance studies in, 1951: July, 1134
- retention in congestive heart failure, 1950: May, 615-628
- Water-chloride balance, renal aspects in patients with water-electrolyte problems, 1951: July, 1129-1143
- technic, clinical use of, 1951: July, 1113-1127
- Waterhouse - Friderichsen syndrome, 1951: Sept., 1286
- Weber-Sturge syndrome, 1949: Jan., 220
- Weight, combining, relation to atomic weight, 1951: Nov., 1810
- Weil-Felix reaction in Rocky Mountain spotted fever, 1951: May, 914
- Werdnig-Hoffmann's disease, 1950: Jan., 149
- Whooping cough, immunization, 1950: Nov., 1721
- antibiotics in, 1951: Sept., 1519
- streptomycin in, 1950: March, 329
- treatment, 1950: Jan., 139
- Wilson-Brocq type of dermatitis exfoliativa, 1949: Jan., 135
- Winter headache, 1949: July, 995
- Wolff - Parkinson - White syndrome, electrocardiogram in, 1949: July, 1169
- Wood light in diagnosis of ringworm of scalp, 1950: Jan., 259
- Wounds of glans penis, 1951: March, 411
- XANTHELASMA palpebrarum, 1951: March, 445, 446
- Xanthine diuretics in congestive heart failure, 1951: Sept., 1343
- Xanthoma, 1949: Jan., 286
- cell, pathogenesis, 1951: March, 435
- cutaneous, in relation to diseases of liver, 1951: March, 441
- definition, 1951: March, 434
- diabeticorum, 1951: March, 448
- disseminatum, 1951: March, 448
- eruptivum, 1951: March, 448
- juvenile, 1951: March, 448, 449
- planum palpebrarum, 1951: March, 446
- tuberosum, 1951: March, 440, 441, 443, 447
- Xanthomatosis, Bürger-Grütz, 1951: March, 451
- classification, 1951: March, 438, 439
- diagnosis, 1951: March, 444
- hereditary aspects, 1951: March, 443
- treatment, 1951: March, 445
- X-ray. See Roentgen.
- YELLOW fever, immunization, 1950: Nov., 1728
- ZINC sulfate centrifugal flotation technic for amebae, 1949: May, 901
- turbidity in liver injury, 1951: Nov., 1660
- Zoster, 1949: Jan., 154-163

